# **RATING SUMMARY – Western Washington**

Name of wetland (	or ID #): 27-2			Date of	site visit: <u>2/15/</u> 2016
Rated by L. Daniels	ki/M.Dalzell	Traine	ed by Ecology?	✓ Yes 🔲 N	o Date of training 10/13
HGM Class used fo	r rating Depres	ssional	Wetland has m	ultiple HGN	1 classes? <u>□</u> Y <u>✓</u> N
	n is not complete f base aerial pho			ed (figures d	can be combined).
VERALL WETLA	ND CATEGO	RY III (ba	sed on functio	ns 🗸 or spo	ecial characteristics_
1. Category of v	wetland based	d on FUNCTIO	ONS		
	Category I – Tot	al score = 23 - 2	27		Score for each
	Category II – To	tal score = 20 -	- 22		function based
✓	Category III – To	tal score = 16	- 19		on three ratings
	Category IV – To	otal score = 9 - :	15		(order of ratings   is not
FUNCTION	Improving	Hydrologic	Habitat		important)
	Water Quality				9 = H,H,H
		. <u> </u>	propriate ratings		8 = H,H,M
Site Potential	H M ✓ L	H MVL	H		7 = H,H,L
Landscape Potential	H ☐ M ✓ L ☐	H <b></b> ✓ M  L	H□ M□ L√		7 = H,M,M
Value	H <b>⊘</b> M□L□	H □ M ✓ L	H□ M□ Ґ✓	TOTAL	6 = H,M,L
Score Based on	7	7	2	17	6 = M,M,M 5 = H,L,L
Ratings	/	/	3	17	5 = M,M,L
					4 = M,L,L
					3 = L,L,L
2 Cotonomilhoo	od on CDECIA	LCUADACTE	DICTICC of	امسماله	, ,

# 2. Category based on SPECIAL CHARACTERISTICS of wetland

CHARACTERISTIC	CATEGORY
Estuarine	I II
Wetland of High Conservation Value	I
Bog	Ι
Mature Forest	I
Old Growth Forest	I
Coastal Lagoon	I I II
Interdunal	I _II _ III _ IV
None of the above	*

# Maps and figures required to answer questions correctly for Western Washington

## <u>Depressional Wetlands</u>

Map of:	To answer questions:	Figure #
Cowardin plant classes	D 1.3, H 1.1, H 1.4	27-2-1
Hydroperiods	D 1.4, H 1.2	27-2-1
Location of outlet (can be added to map of hydroperiods)	D 1.1, D 4.1	27-2-1
Boundary of area within 150 ft of the wetland (can be added to another figure)	D 2.2, D 5.2	27-2-2
Map of the contributing basin	D 4.3, D 5.3	27-2-3
1 km Polygon: Area that extends 1 km from entire wetland edge - including polygons for accessible habitat and undisturbed habitat	H 2.1, H 2.2, H 2.3	27-2-4
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	D 3.1, D 3.2	27-2-5
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	D 3.3	27-2-6

### **Riverine Wetlands**

Map of:	To answer questions:	Figure #
Cowardin plant classes	H 1.1, H 1.4	
Hydroperiods	H 1.2	
Ponded depressions	R 1.1	
Boundary of area within 150 ft of the wetland (can be added to another figure)	R 2.4	
Plant cover of trees, shrubs, and herbaceous plants	R 1.2, R 4.2	
Width of unit vs. width of stream (can be added to another figure)	R 4.1	
Map of the contributing basin	R 2.2, R 2.3, R 5.2	
1 km Polygon: Area that extends 1 km from entire wetland edge - including	H 2.1, H 2.2, H 2.3	
polygons for accessible habitat and undisturbed habitat		
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	R 3.1	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	R 3.2, R 3.3	

### Lake Fringe Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes	L 1.1, L 4.1, H 1.1, H 1.4	
Plant cover of trees, shrubs, and herbaceous plants	L 1.2	
Boundary of area within 150 ft of the wetland (can be added to another figure)	L 2.2	
1 km Polygon: Area that extends 1 km from entire wetland edge - including polygons for accessible habitat and undisturbed habitat	H 2.1, H 2.2, H 2.3	
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	L 3.1, L 3.2	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	L 3.3	

### Slope Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes	H 1.1, H 1.4	
Hydroperiods	H 1.2	
Plant cover of <b>dense</b> trees, shrubs, and herbaceous plants	S 1.3	
Plant cover of <b>dense</b> , <b>rigid</b> trees, shrubs, and herbaceous plants	S 4.1	
(can be added to figure above)		
Boundary of 150 ft buffer (can be added to another figure)	S 2.1, S 5.1	
1 km Polygon: Area that extends 1 km from entire wetland edge - including	H 2.1, H 2.2, H 2.3	
polygons for accessible habitat and undisturbed habitat		
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	S 3.1, S 3.2	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	S 3.3	

# **HGM Classification of Wetlands in Western Washington**

For questions 1-7, the criteria described must apply to the entire unit being rated.

If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in questions 1-7 apply, and go to Question 8.

1.	Are the water levels in the entire unit usually controlled by tides except during floods?
	NO – go to 2
1	1.1 Is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)?
	NO – Saltwater Tidal Fringe (Estuarine)  If your wetland can be classified as a Freshwater Tidal Fringe use the forms for Riverine wetlands. If it is Saltwater Tidal Fringe it is an Estuarine wetland and is not scored. This method cannot be used to score functions for estuarine wetlands.
2.	The entire wetland unit is flat and precipitation is the only source ( $>90\%$ ) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit.
	✓ NO – go to 3
3.	Does the entire wetland unit <b>meet all</b> of the following criteria?  The vegetated part of the wetland is on the shores of a body of permanent open water (without any plants on the surface at any time of the year) at least 20 ac (8 ha) in size;  _At least 30% of the open water area is deeper than 6.6 ft (2 m).
	✓ NO – go to 4 <b>YES –</b> The wetland class is <b>Lake Fringe</b> (Lacustrine Fringe)
4.	Does the entire wetland unit <b>meet all</b> of the following criteria? The wetland is on a slope ( <i>slope can be very gradual</i> ), The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks, The water leaves the wetland <b>without being impounded</b> .
	✓ NO – go to 5
	<b>NOTE</b> : Surface water does not pond in these type of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3 ft diameter and less than 1 ft deep).
5.	Does the entire wetland unit <b>meet all</b> of the following criteria?  The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river,  The overbank flooding occurs at least once every 2 years.

VV (	etland name or number	
	✓ NO – go to 6 <b>NOTE</b> : The Riverine unit can contain depressinot flooding	YES – The wetland class is <b>Riverine</b> ons that are filled with water when the river is
6.		pression in which water ponds, or is saturated to the neans that any outlet, if present, is higher than the interior
	□ NO – go to 7	YES – The wetland class is <b>Depressional</b>
7.	flooding? The unit does not pond surface wat	area with no obvious depression and no overbank er more than a few inches. The unit seems to be The wetland may be ditched, but has no obvious natural
	□ NO – go to 8	YES – The wetland class is <b>Depressional</b>

27-2

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a Depressional wetland has a zone of flooding along its sides. GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within the wetland unit being scored.

**NOTE**: Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the HGM class listed in column 2 is less than 10% of the unit; classify the wetland using the class that represents more than 90% of the total area.

HGM classes within the wetland unit	HGM class to
being rated	use in rating
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake Fringe	Lake Fringe
Depressional + Riverine along stream	Depressional
within boundary of depression	
Depressional + Lake Fringe	Depressional
Riverine + Lake Fringe	Riverine
Salt Water Tidal Fringe and any other	Treat as
class of freshwater wetland	ESTUARINE

If you are still unable to determine which of the above criteria apply to your wetland, or if you have **more than 2 HGM classes** within a wetland boundary, classify the wetland as Depressional for the rating.

DEPRESSIONAL AND FLATS WETLANDS		
Water Quality Functions - Indicators that the site functions to improve water quality		
D 1.0. Does the site have the potential to improve water quality?		
D 1.1. Characteristics of surface water outflows from the wetland:		
Wetland is a depression or flat depression (QUESTION 7 on key) with no surface water leaving it (no outlet).		
points = 3	0	
✓ Wetland has an intermittently flowing stream or ditch, OR highly constricted permanently flowing outlet.  points = 2	2	
Wetland has an unconstricted, or slightly constricted, surface outlet that is permanently flowing points = 1		
Wetland is a flat depression (QUESTION 7 on key), whose outlet is a permanently flowing ditch. points = 1		
D 1.2. The soil 2 in below the surface (or duff layer) is true clay or true organic (use NRCS definitions). Yes = 4 🗸 No = 0	0	
D 1.3. Characteristics and distribution of persistent plants (Emergent, Scrub-shrub, and/or Forested Cowardin classes):		
✓ Wetland has persistent, ungrazed, plants > 95% of area points = 5		
Wetland has persistent, ungrazed, plants > ½ of area points = 3	5	
Wetland has persistent, ungrazed plants $> \frac{1}{10}$ of area points = 1		
Wetland has persistent, ungrazed plants $<^1/_{10}$ of area points = 0		
D 1.4. Characteristics of seasonal ponding or inundation:		
This is the area that is ponded for at least 2 months. See description in manual.	4	
Area seasonally ponded is > ½ total area of wetland points = 4  Area seasonally ponded is > ½ total area of wetland points = 2	4	
Area seasonally ponded is < 1/4 total area of wetland points = 0		
Total for D 1  Add the points in the boxes above	11	
Rating of Site Potential If score is:12-16 = H√_6-11 = M0-5 = L Record the rating on the first pa	ge 	
D 2.0. Does the landscape have the potential to support the water quality function of the site?		
D 2.1. Does the wetland unit receive stormwater discharges? $\checkmark$ Yes = 1 $\checkmark$ No = 0	1	
D 2.2. Is > 10% of the area within 150 ft of the wetland in land uses that generate pollutants? $\checkmark$ Yes = 1 $\checkmark$ No = 0	1	
D 2.3. Are there septic systems within 250 ft of the wetland?	0	
D 2.4. Are there other sources of pollutants coming into the wetland that are not listed in questions D 2.1-D 2.3?	0	
SourceYes = 1 ✓ No = 0	U	
Total for D 2 Add the points in the boxes above	2	
Rating of Landscape Potential If score is: 3 or 4 = H 1 or 2 = M 0 = L Record the rating on the fire	st page	
D 3.0. Is the water quality improvement provided by the site valuable to society?		
D 3.1. Does the wetland discharge directly (i.e., within 1 mi) to a stream, river, lake, or marine water that is on the 303(d) list?	0	
D 3.2. Is the wetland in a basin or sub-basin where an aquatic resource is on the 303(d) list?	1	
D 3.3. Has the site been identified in a watershed or local plan as important for maintaining water quality (answer YES)		
if there is a TMDL for the basin in which the unit is found)? $\checkmark$ Yes = 2 $\bigcirc$ No = 0	2	
Total for D 3 Add the points in the boxes above	3	
Rating of Value If score is: 2-4 = H 1 = M 0 = L Record the rating on the first page		

Wetland 27-2 is located in the Mill Creek basin in WRIA 9. Mill Creek drains into the Green River.

DEPRESSIONAL AND FLATS WETLANDS		
Hydrologic Functions - Indicators that the site functions to reduce flooding and stream degradat	ion	
D 4.0. Does the site have the potential to reduce flooding and erosion?		
D 4.1. Characteristics of surface water outflows from the wetland:  Wetland is a depression or flat depression with no surface water leaving it (no outlet)  Wetland has an intermittently flowing stream or ditch, OR highly constricted permanently flowing outletpoints = 2  Wetland is a flat depression (QUESTION 7 on key), whose outlet is a permanently flowing ditch  Wetland has an unconstricted, or slightly constricted, surface outlet that is permanently flowing  points = 0	2	
D 4.2. Depth of storage during wet periods: Estimate the height of ponding above the bottom of the outlet. For wetlands with no outlet, measure from the surface of permanent water or if dry, the deepest part.  Marks of ponding are 3 ft or more above the surface or bottom of outlet points = 7  Marks of ponding between 2 ft to < 3 ft from surface or bottom of outlet points = 5  Marks are at least 0.5 ft to < 2 ft from surface or bottom of outlet points = 3  The wetland is a "headwater" wetland points = 3  Wetland is flat but has small depressions on the surface that trap water points = 1  Marks of ponding less than 0.5 ft (6 in)	3	
D 4.3. Contribution of the wetland to storage in the watershed: Estimate the ratio of the area of upstream basin contributing surface water to the wetland to the area of the wetland unit itself.  ☐ The area of the basin is less than 10 times the area of the unit  ☐ The area of the basin is 10 to 100 times the area of the unit  ☐ The area of the basin is more than 100 times the area of the unit  ☐ Entire wetland is in the Flats class  ☐ Points = 5  ☐ Description of the area of upstream basin to the area of the unit to the area o	3	
Total for D 4 Add the points in the boxes above	8	
Rating of Site Potential If score is: 12-16 = H 6-11 = M 0-5 = L Record the rating on the	first page	
D 5.0. Does the landscape have the potential to support hydrologic functions of the site?		
D 5.1. Does the wetland receive stormwater discharges?  Yes = 1  No = 0	1	
D 5.2. Is >10% of the area within 150 ft of the wetland in land uses that generate excess runoff?  Yes = 1 No = 0	1	
D 5.3. Is more than 25% of the contributing basin of the wetland covered with intensive human land uses (residential at >1 residence/ac, urban, commercial, agriculture, etc.)?  Ves = 1  No = 0	1	
Total for D 5 Add the points in the boxes above	3	
Rating of Landscape Potential If score is: 3 = H 1 or 2 = M 0 = L Record the rating on the	first page	
D 6.0. Are the hydrologic functions provided by the site valuable to society?	-	
D 6.1. The unit is in a landscape that has flooding problems. Choose the description that best matches conditions around the wetland unit being rated. Do not add points. Choose the highest score if more than one condition is met.  The wetland captures surface water that would otherwise flow down-gradient into areas where flooding has damaged human or natural resources (e.g., houses or salmon redds):  ■ Flooding occurs in a sub-basin that is immediately down-gradient of unit. points = 2  ■ Surface flooding problems are in a sub-basin farther down-gradient. points = 1  ■ Flooding from groundwater is an issue in the sub-basin. points = 1  The existing or potential outflow from the wetland is so constrained by human or natural conditions that the water stored by the wetland cannot reach areas that flood. Explain why points = 0  ■ There are no problems with flooding downstream of the wetland. points = 0	1	
D 6.2. Has the site been identified as important for flood storage or flood conveyance in a regional flood control plan?  ☐ Yes = 2 ✓ No = 0	0	
Total for D 6 Add the points in the boxes above	1	

Rating of Value If score is: 2-4 = H 1 = M 0 = L

RIVERINE AND FRESHWATER TIDAL FRINGE WETLANDS	
Water Quality Functions - Indicators that the site functions to improve water qualit	:у
R 1.0. Does the site have the potential to improve water quality?	
R 1.1. Area of surface depressions within the Riverine wetland that can trap sediments during a flooding event:  Depressions cover > 3/4 area of wetland Depressions cover > ½ area of wetland Depressions present but cover < ½ area of wetland No depressions present Depressions present	0 2
R 1.2. Structure of plants in the wetland (areas with >90% cover at person height, <b>not</b> Cowardin classes)  Trees or shrubs > $^2/_3$ area of the wetland  Trees or shrubs > $^1/_3$ area of the wetland  Herbaceous plants (> 6 in high) > $^2/_3$ area of the wetland  Herbaceous plants (> 6 in high) > $^1/_3$ area of the wetland  Trees, shrubs, and ungrazed herbaceous < $^1/_3$ area of the wetland  points = $^1/_3$ Trees, shrubs, and ungrazed herbaceous < $^1/_3$ area of the wetland	0
Total for R 1 Add the points in the boxes above	0
Rating of Site Potential If score is: 12-16 = H 6-11 = M 0-5 = L Record the rating	on the first page
R 2.0. Does the landscape have the potential to support the water quality function of the site?	
R 2.1. Is the wetland within an incorporated city or within its UGA?	= 0 0
R 2.2. Does the contributing basin to the wetland include a UGA or incorporated area? Yes = 1 No	= 0 0
R 2.3. Does at least 10% of the contributing basin contain tilled fields, pastures, or forests that have been clearcut within the last 5 years?	0 = 0
R 2.4. Is > 10% of the area within 150 ft of the wetland in land uses that generate pollutants?	0 = 0
R 2.5. Are there other sources of pollutants coming into the wetland that are not listed in questions R 2.1-R 2.4  Other sources Yes = 1 No	= 0 0
Total for R 2 Add the points in the boxes above	9 0
Rating of Landscape Potential If score is: 3-6 = H 1 or 2 = M 0 = L Record the rating	on the first page
R 3.0. Is the water quality improvement provided by the site valuable to society?	
R 3.1. Is the wetland along a stream or river that is on the 303(d) list or on a tributary that drains to one within 1 mi	0 = 0
R 3.2. Is the wetland along a stream or river that has TMDL limits for nutrients, toxics, or pathogens?  Yes = 1 No	= 0 0
R 3.3. Has the site been identified in a watershed or local plan as important for maintaining water quality? (answer YES if there is a TMDL for the drainage in which the unit is found) $\  \  \  \  \  \  \  \  \  \  \  \  \ $	()
Total for R 3 Add the points in the boxes above	e 0
Rating of Value If score is 2-4 = H 1 = M 0 = L Record the rating	on the first page

RIVERINE AND FRESHWATER TIDAL FRINGE WETLANDS			
Hydrologic Functions - Indicators that site functions to reduce flooding and stream erosion			
R 4.0. Does the site have the potential to reduce flooding and erosion?			
R 4.1. Characteristics of the overbank storage the wetland provides:	0		
Estimate the average width of the wetland perpendicular to the direction of the flow and the width of the			
stream or river channel (distance between banks). Calculate the ratio: (average width of wetland)/(average			
width of stream between banks).			
If the ratio is more than 20 points = 9			
If the ratio is 10-20 points = 6			
If the ratio is 5-<10 points = 4			
If the ratio is 1-<5 points = 2			
If the ratio is < 1 points = 1			
R 4.2. Characteristics of plants that slow down water velocities during floods: Treat large woody debris as forest or	0		
shrub. Choose the points appropriate for the best description (polygons need to have >90% cover at person			
height. These are <u>NOT Cowardin</u> classes).			
Forest or shrub for $> \frac{1}{3}$ area OR emergent plants $> \frac{2}{3}$ area points = 7			
Forest or shrub for $> \frac{1}{10}$ area OR emergent plants $> \frac{1}{3}$ area points = 4			
Plants do not meet above criteria points = 0			
Total for R 4 Add the points in the boxes above	0		
Rating of Site Potential If score is: 12-16 = H 6-11 = M 0-5 = L Record the rating on the	he first page		
R 5.0. Does the landscape have the potential to support the hydrologic functions of the site?			
R 5.1. Is the stream or river adjacent to the wetland downcut?  Yes = 0 No = 1	0		
R 5.2. Does the up-gradient watershed include a UGA or incorporated area?  Yes = 1 No = 0	0		
R 5.3. Is the up-gradient stream or river controlled by dams?	0		
Total for R 5 Add the points in the boxes above	0		
Rating of Landscape Potential If score is: 3 = H 1 or 2 = M 0 = L Record the rating on the	he first page		
R 6.0. Are the hydrologic functions provided by the site valuable to society?			
R 6.1. Distance to the nearest areas downstream that have flooding problems?	0		
Choose the description that best fits the site.			
The sub-basin immediately down-gradient of the wetland has flooding problems that result in damage to			
human or natural resources (e.g., houses or salmon redds) points = 2			
Surface flooding problems are in a sub-basin farther down-gradient points = 1			
No flooding problems anywhere downstream points = 0			
R 6.2. Has the site been identified as important for flood storage or flood conveyance in a regional flood control plan? $\Box Yes = 2 \Box No = 0$	0		
Total for R 6 Add the points in the boxes above	0		
Rating of Value If score is: 2-4 = H 1 = M 0 = L Record the rating on the	he first page		

LAKE FRINGE WETLANDS  Water Quality Functions - Indicators that the site functions to improve water quality			
L 1.0. Does the site have the potential to improve water quality?			
L 1.1. Average width of plants along the lakeshore (use polygons of Cowardin classes):  Plants are more than 33 ft (10 m) wide  Plants are more than 16 ft (5 m) wide and <33 ft  Plants are more than 6 ft (2 m) wide and <16 ft  Plants are less than 6 ft wide  Plants are less than 6 ft wide	0		
L 1.2. Characteristics of the plants in the wetland: Choose the appropriate description that results in the highest points, and do not include any open water in your estimate of coverage. The herbaceous plants can be either the dominant form or as an understory in a shrub or forest community. These are not Cowardin classes. Area of cover is total cover in the unit, but it can be in patches. Herbaceous does not include aquatic bed.  Cover of herbaceous plants is >90% of the vegetated area points = 6  Cover of herbaceous plants is >²/₃ of the vegetated area points = 4  Cover of herbaceous plants is >¹/₃ of the vegetated area points = 3  Other plants that are not aquatic bed > ²/₃ unit points = 1  Aquatic bed plants and open water cover > ²/₃ of the unit points = 0	0		
Total for L 1 Add the points in the boxes above	0		
Rating of Site Potential If score is:8-12 = H4-7 = M0-3 = L	he first page		
L 2.1. Is the lake used by power boats?	0		
L 2.2. Is > 10% of the area within 150 ft of wetland unit on the upland side in land uses that generate pollutants?  Yes = 1 No = 0	0		
L 2.3. Does the lake have problems with algal blooms or excessive plant growth such as milfoil? Yes = 1 No = 0	0		
Total for L 2 Add the points in the boxes above	0		
Rating of Landscape Potential: If score is: 2 or 3 = H 1 = M 0 = L Record the rating on the	he first page		
L 3.0. Is the water quality improvement provided by the site valuable to society?			
L 3.1. Is the lake on the 303(d) list of degraded aquatic resources? $\qquad \qquad \qquad$	0		
L 3.2. Is the lake in a sub-basin where water quality is an issue (at least one aquatic resource in the basin is on the 303(d) list)? $\qquad \qquad \qquad$	0		
L 3.3. Has the site been identified in a watershed or local plan as important for maintaining water quality? Answer YES if there is a TMDL for the lake or basin in which the unit is found. $\Box$ Yes = 2 $\Box$ No = 0	0		
Total for L 3 Add the points in the boxes above	0		
Rating of Value If score is: 2-4 = H 1 = M 0 = L Record the rating on the	he first page		

LAKE FRINGE WETLANDS				
Hydrologic Functions - Indicators that the wetland unit functions to reduce shoreline erosion				
L 4.0. Does the site have the potential to reduce shoreline erosion?				
L 4.1. Distance along shore and average width of Cowardin classes along the lakeshore ( <b>do not</b> in Choose the highest scoring description that matches conditions in the wetland.	nclude Aquatic bed):	0		
> 3/4 of distance is Scrub-shrub or Forested at least 33 ft (10 m) wide	points = 6			
> ¾ of distance is Scrub-shrub or Forested at least 6 ft (2 m) wide	points = 4			
> ¼ distance is Scrub-shrub or Forested at least 33 ft (10 m) wide	points = 4			
Plants are at least 6 ft (2 m) wide (any type except Aquatic bed)	points = 2			
Plants are less than 6 ft (2 m) wide (any type except Aquatic bed)	points = 0			
Rating of Site Potential: If score is:6 = M0-5 = L	Record the rating on t	he first page		
L 5.0. Does the landscape have the potential to support the hydrologic functions of the	site?			
L 5.1. Is the lake used by power boats with more than 10 hp?	Yes = 1 No = 0	0		
L 5.2. Is the fetch on the lake side of the unit at least 1 mile in distance?	Yes = 1 No = 0	0		
Total for L 5 Add the points	in the boxes above	0		
Rating of Landscape Potential If score is: 2 = H 1 = M 0 = L	Record the rating on t	he first page		
L 6.0. Are the hydrologic functions provided by the site valuable to society?				
L 6.1. Are there resources along the shore that can be impacted by erosion? If more than one resources the one with the highest score.		0		
There are human structures or old growth/mature forests within 25 ft of OHWM of the short	ore in the unit			
_	points = 2			
There are nature trails or other paths and recreational activities within 25 ft of OHWM	points = 1			
Other resources that could be impacted by erosion	points = 1			
There are no resources that can be impacted by erosion along the shores of the unit	points = 0			
Rating of Value: If score is: 2 = H 1 = M 0 = L	Record the rating on	the first page		

NOTES and FIELD OBSERVATIONS:

SLOPE WETLANDS  Water Quality Functions - Indicators that the site functions to improve water quality	
S 1.0. Does the site have the potential to improve water quality?	
S 1.1. Characteristics of the average slope of the wetland: (a 1% slope has a 1 ft vertical drop in elevation for every 100 ft of horizontal distance)	0
Slope is 1% or less points = 3	
Slope is > 1%-2% points = 2	
Slope is > 2%-5% points = 1	
Slope is greater than 5% points = 0	
S 1.2. The soil 2 in below the surface (or duff layer) is true clay or true organic (use NRCS definitions): Yes = 3 No = 0	0
S 1.3. Characteristics of the plants in the wetland that trap sediments and pollutants:	0
Choose the points appropriate for the description that best fits the plants in the wetland. Dense means you have trouble seeing the soil surface (>75% cover), and uncut means not grazed or mowed and plants are higher than 6 in.	
Dense, uncut, herbaceous plants > 90% of the wetland area points = 6	
Dense, uncut, herbaceous plants > ½ of area points = 3	
Dense, woody, plants > ½ of area points = 2	
Dense, uncut, herbaceous plants > ¼ of area points = 1	
Does not meet any of the criteria above for plants points = 0	
Total for S 1 Add the points in the boxes above	0
Rating of Site Potential If score is:12 = H6-11 = M0-5 = L	the first page
S 2.0. Does the landscape have the potential to support the water quality function of the site?	
S 2.1. Is > 10% of the area within 150 ft on the uphill side of the wetland in land uses that generate pollutants?  Yes = 1 No = 0	0
S 2.2. Are there other sources of pollutants coming into the wetland that are not listed in question S 2.1?	0
Other sources Yes = 1 No = 0	U
Total for S 2 Add the points in the boxes above	0
Rating of Landscape Potential If score is:1-2 = M	the first page
S 3.0. Is the water quality improvement provided by the site valuable to society?	
S 3.1. Does the wetland discharge directly (i.e., within 1 mi) to a stream, river, lake, or marine water that is on the 303(d) list?	0
S 3.2. Is the wetland in a basin or sub-basin where water quality is an issue? At least one aquatic resource in the basin is on the $303(d)$ list.	0
S 3.3. Has the site been identified in a watershed or local plan as important for maintaining water quality? <i>Answer YES</i> if there is a TMDL for the basin in which unit is found.	0
Total for S 3 Add the points in the boxes above	0
Rating of Value If score is: 2-4 = H 1 = M 0 = L Record the rating on a	the first page

SLOPE WETLANDS  Hydrologic Functions - Indicators that the site functions to reduce flooding and stream eros	ion
S 4.0. Does the site have the potential to reduce flooding and stream erosion?	
S 4.1. Characteristics of plants that reduce the velocity of surface flows during storms: Choose the points appropriate for the description that best fits conditions in the wetland. Stems of plants should be thick enough (usually > $^{1}/_{8}$ in), or dense enough, to remain erect during surface flows.	0
Dense, uncut, <b>rigid</b> plants cover > 90% of the area of the wetland points = 1	
All other conditions points = 0	
Rating of Site Potential If score is: $\Box 1 = M  \Box 0 = L$ Record the rating on	the first page
S 5.0. Does the landscape have the potential to support the hydrologic functions of the site?	
S 5.1. Is more than 25% of the area within 150 ft upslope of wetland in land uses or cover that generate excess surface runoff? $\square$ Yes = 1 $\square$ No = 0	0
Rating of Landscape Potential If score is:1 = M0 = L   Record the rating on a	the first page
S 6.0. Are the hydrologic functions provided by the site valuable to society?	
S 6.1. Distance to the nearest areas downstream that have flooding problems:  The sub-basin immediately down-gradient of site has flooding problems that result in damage to human or	0
natural resources (e.g., houses or salmon redds) points = 2	
Surface flooding problems are in a sub-basin farther down-gradient points = 1  No flooding problems anywhere downstream points = 0	
S 6.2. Has the site been identified as important for flood storage or flood conveyance in a regional flood control plan?  Yes = 2 No = 0	0
Total for S 6 Add the points in the boxes above	0
Rating of Value If score is: 2-4 = H 1 = M 0 = L  Record the rating on a	the first page

NOTES and FIELD OBSERVATIONS:

These questions apply to wetlands of all HGM classes.		
HABITAT FUNCTIONS - Indicators that site functions to provide important habitat		
H 1.0. Does the site have the potential to provide habitat?		
H 1.1. Structure of plant community: Indicators are Cowardin classes and strata within the Forested class. Check the Cowardin plant classes in the wetland. Up to 10 patches may be combined for each class to meet the threshold of ¼ ac or more than 10% of the unit if it is smaller than 2.5 ac. Add the number of structures checked.  Aquatic bed  Emergent  Scrub-shrub (areas where shrubs have > 30% cover)  Forested (areas where trees have > 30% cover)  If the unit has a Forested class, check if:  The Forested class has 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) that each cover 20% within the Forested polygon	1	
H 1.2. Hydroperiods  Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or ¼ ac to count (see text for descriptions of hydroperiods).  Permanently flooded or inundated  4 or more types present: points = 3  Seasonally flooded or inundated  3 types present: points = 2  Coccasionally flooded or inundated  2 types present: points = 1  Saturated only  Permanently flowing stream or river in, or adjacent to, the wetland  Seasonally flowing stream in, or adjacent to, the wetland  Lake Fringe wetland  Freshwater tidal wetland  2 points	1	
H 1.3. Richness of plant species  Count the number of plant species in the wetland that cover at least 10 ft <sup>2</sup> .  Different patches of the same species can be combined to meet the size threshold and you do not have to name the species.  Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle  If you counted: > 19 species  5 - 19 species  7 - 19 species  9 - 19 species  1 - 2 - 3 species  9 - 19 species  1 - 19 species  9 - 19 species	1	
H 1.4. Interspersion of habitats  Decide from the diagrams below whether interspersion among Cowardin plants classes (described in H 1.1), or the classes and unvegetated areas (can include open water or mudflats) is high, moderate, low, or none. If you have four or more plant classes or three classes and open water, the rating is always high.  None = 0 points  Low = 1 point  Moderate = 2 points  All three diagrams in this row are HIGH = 3points	1	

H 1.5. Special habitat features:	_	
Check the habitat features that are present in the wetland. <i>The number of checks is the number of points</i> .	2	
Large, downed, woody debris within the wetland (> 4 in diameter and 6 ft long).		
Standing snags (dbh > 4 in) within the wetland		
Undercut banks are present for at least 6.6 ft (2 m) and/or overhanging plants extends at least 3.3 ft (1 m)		
over a stream (or ditch) in, or contiguous with the wetland, for at least 33 ft (10 m)		
Stable steep banks of fine material that might be used by beaver or muskrat for denning (> 30 degree		
slope) OR signs of recent beaver activity are present (cut shrubs or trees that have not yet weathered		
where wood is exposed)		
☑ At least ¼ ac of thin-stemmed persistent plants or woody branches are present in areas that are		
permanently or seasonally inundated (structures for egg-laying by amphibians)		
$\boxed{\checkmark}$ Invasive plants cover less than 25% of the wetland area in every stratum of plants (see H 1.1 for list of		
strata)		
Total for H 1 Add the points in the boxes above	6	
Rating of Site Potential If score is: 15-18 = H 7-14 = M 0-6 = L Record the rating on	the first page	
H 2.0. Does the landscape have the potential to support the habitat functions of the site?		
H 2.1. Accessible habitat (include only habitat that directly abuts wetland unit).	0	
Calculate: % undisturbed habitat $\frac{3.00}{}$ + [(% moderate and low intensity land uses)/2] $\frac{0.00}{}$ = $\frac{3.00}{}$ %	U	
If total accessible habitat is:		
$\square$ > $^1/_3$ (33.3%) of 1 km Polygon points = 3		
20-33% of 1 km Polygon points = 2		
10-19% of 1 km Polygon points = 1		
✓ < 10% of 1 km Polygon points = 0		
H 2.2. Undisturbed habitat in 1 km Polygon around the wetland.	4	
Calculate: % undisturbed habitat $\frac{15.00}{}$ + [(% moderate and low intensity land uses)/2] $\frac{2.50}{}$ = $\frac{17.50}{}$ %	1	
Undisturbed habitat > 50% of Polygon points = 3		
Undisturbed habitat 10-50% and in 1-3 patches points = 2		
Undisturbed habitat 10-50% and > 3 patches points = 1		
Undisturbed habitat < 10% of 1 km Polygon points = 0		
H 2.3. Land use intensity in 1 km Polygon: If	0	
✓ > 50% of 1 km Polygon is high intensity land use points = (-2)	-2	
$\Box$ < 50% of 1 km Polygon is high intensity points = 0		
Total for H 2 Add the points in the boxes above	-1	
Rating of Landscape Potential If score is: 4-6 = H 1-3 = M		
nating of zanascape Potential in Score isi	re jiist page	
H 3.0. Is the habitat provided by the site valuable to society?		
H 3.1. Does the site provide habitat for species valued in laws, regulations, or policies? Choose only the highest score	0	
that applies to the wetland being rated.	Ĭ	
Site meets ANY of the following criteria: points = 2		
It has 3 or more priority habitats within 100 m (see next page)		
It provides habitat for Threatened or Endangered species (any plant or animal on the state or federal lists)		
It is mapped as a location for an individual WDFW priority species		
It is a Wetland of High Conservation Value as determined by the Department of Natural Resources		
It has been categorized as an important habitat site in a local or regional comprehensive plan, in a		
Shoreline Master Plan, or in a watershed plan Site has 1 or 2 priority habitats (listed on next page) within 100 m points = 1		
✓ Site does not meet any of the criteria above points = 0		
Rating of Value If score is: $2 = H$ $1 = M$ $\sqrt{0} = L$ Record the rating on	the first page	

# **WDFW Priority Habitats**

<u>Priority habitats listed by WDFW</u> (see complete descriptions of WDFW priority habitats, and the counties in which they can be found, in: Washington Department of Fish and Wildlife. 2008. Priority Habitat and Species List. Olympia, Washington. 177 pp. <a href="http://wdfw.wa.gov/publications/00165/wdfw00165.pdf">http://wdfw.wa.gov/publications/00165/wdfw00165.pdf</a> or access the list from here: <a href="http://wdfw.wa.gov/conservation/phs/list/">http://wdfw.wa.gov/conservation/phs/list/</a>)

Count how many of the following priority habitats are within 330 ft (100 m) of the wetland unit: *NOTE:* This question is independent of the land use between the wetland unit and the priority habitat.

— **Aspen Stands:** Pure or mixed stands of aspen greater than 1 ac (0.4 ha).

**Biodiversity Areas and Corridors**: Areas of habitat that are relatively important to various species of native fish and wildlife (*full descriptions in WDFW PHS report*).

**Herbaceous Balds:** Variable size patches of grass and forbs on shallow soils over bedrock.

**Old-growth/Mature forests:** Old-growth west of Cascade crest – Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 8 trees/ac (20 trees/ha) > 32 in (81 cm) dbh or > 200 years of age. Mature forests – Stands with average diameters exceeding 21 in (53 cm) dbh; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80-200 years old west of the Cascade crest.

- **Oregon White Oak:** Woodland stands of pure oak or oak/conifer associations where canopy coverage of the oak component is important (*full descriptions in WDFW PHS report p. 158 see web link above*).
- **Riparian**: The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.
- **Westside Prairies:** Herbaceous, non-forested plant communities that can either take the form of a dry prairie or a wet prairie (*full descriptions in WDFW PHS report p. 161 see web link above*).

**Instream:** The combination of physical, biological, and chemical processes and conditions that interact to provide functional life history requirements for instream fish and wildlife resources.

**Nearshore**: Relatively undisturbed nearshore habitats. These include Coastal Nearshore, Open Coast Nearshore, and Puget Sound Nearshore. (*full descriptions of habitats and the definition of relatively undisturbed are in WDFW report – see web link on previous page*).

**Caves:** A naturally occurring cavity, recess, void, or system of interconnected passages under the earth in soils, rock, ice, or other geological formations and is large enough to contain a human.

**Cliffs:** Greater than 25 ft (7.6 m) high and occurring below 5000 ft elevation.

**Talus:** Homogenous areas of rock rubble ranging in average size 0.5 - 6.5 ft (0.15 - 2.0 m), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.

**Snags and Logs:** Trees are considered snags if they are dead or dying and exhibit sufficient decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a diameter at breast height of > 20 in (51 cm) in western Washington and are > 6.5 ft (2 m) in height. Priority logs are > 12 in (30 cm) in diameter at the largest end, and > 20 ft (6 m) long.

**Note:** All vegetated wetlands are by definition a priority habitat but are not included in this list because they are addressed elsewhere.


# **CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS**

Wetland Type	Category
Check off any criteria that apply to the wetland. Circle the category when the appropriate criteria are met.	
SC 1.0. Estuarine wetlands	
Does the wetland meet the following criteria for Estuarine wetlands?	
The dominant water regime is tidal,	
□ Vegetated, and	
With a salinity greater than 0.5 ppt Yes –Go to <b>SC 1.1</b> No= <b>Not an estuarine wetland</b>	
SC 1.1. Is the wetland within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area	
Preserve, State Park or Educational, Environmental, or Scientific Reserve designated under WAC 332-30-151?	
Yes = Category I No - Go to SC 1.2	Cat. I
SC 1.2. Is the wetland unit at least 1 ac in size and meets at least two of the following three conditions?	
The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing, and has less	
	Cat. I
than 10% cover of non-native plant species. (If non-native species are <i>Spartina</i> , see page 25)	
☐At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-	
mowed grassland.  The wetland has at least two of the following features: tidal channels, depressions with open water, or	Cat. II
contiguous freshwater wetlands.	
contiguous freshwater wetianus.	
SC 2.0. Wetlands of High Conservation Value (WHCV)	
SC 2.1. Has the WA Department of Natural Resources updated their website to include the list of Wetlands of High	
Conservation Value?	Cat. I
SC 2.2. Is the wetland listed on the WDNR database as a Wetland of High Conservation Value?	
Yes = Category I Vo = Not a WHCV	
SC 2.3. Is the wetland in a Section/Township/Range that contains a Natural Heritage wetland?	
http://www1.dnr.wa.gov/nhp/refdesk/datasearch/wnhpwetlands.pdf	
Yes – Contact WNHP/WDNR and go to SC 2.4 No = Not a WHCV	
SC 2.4. Has WDNR identified the wetland within the S/T/R as a Wetland of High Conservation Value and listed it on	
their website?	
SC 3.0. Bogs	
Does the wetland (or any part of the unit) meet both the criteria for soils and vegetation in bogs? <i>Use the key</i>	
below. If you answer YES you will still need to rate the wetland based on its functions.	
SC 3.1. Does an area within the wetland unit have organic soil horizons, either peats or mucks, that compose 16 in or	
more of the first 32 in of the soil profile?	
SC 3.2. Does an area within the wetland unit have organic soils, either peats or mucks, that are less than 16 in deep	
over bedrock, or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or pond?  Yes – Go to SC 3.3 No = Is not a bog	
SC 3.3. Does an area with peats or mucks have more than 70% cover of mosses at ground level, AND at least a 30%	
cover of plant species listed in Table 4?	
<b>NOTE:</b> If you are uncertain about the extent of mosses in the understory, you may substitute that criterion by	
measuring the pH of the water that seeps into a hole dug at least 16 in deep. If the pH is less than 5.0 and the	
plant species in Table 4 are present, the wetland is a bog.	Cat. I
SC 3.4. Is an area with peats or mucks forested (> 30% cover) with Sitka spruce, subalpine fir, western red cedar,	
western hemlock, lodgepole pine, quaking aspen, Engelmann spruce, or western white pine, AND any of the	
species (or combination of species) listed in Table 4 provide more than 30% of the cover under the canopy?	
Yes = Is a Category I bog No = Is not a bog	

	ı
SC 4.0. Forested Wetlands	
Does the wetland have at least <u>1 contiguous acre</u> of forest that meets one of these criteria for the WA	
Department of Fish and Wildlife's forests as priority habitats? If you answer YES you will still need to rate	
the wetland based on its functions.	
Old-growth forests (west of Cascade crest): Stands of at least two tree species, forming a multi-layered	
canopy with occasional small openings; with at least 8 trees/ac (20 trees/ha) that are at least 200 years of	
age OR have a diameter at breast height (dbh) of 32 in (81 cm) or more.	
Mature forests (west of the Cascade Crest): Stands where the largest trees are 80- 200 years old OR the	
species that make up the canopy have an average diameter (dbh) exceeding 21 in (53 cm).	Cat. I
Yes = Category I  No = Not a forested wetland for this section	Cat. I
SC 5.0. Wetlands in Coastal Lagoons	
Does the wetland meet all of the following criteria of a wetland in a coastal lagoon?	
$oxedsymbol{oxed}$ The wetland lies in a depression adjacent to marine waters that is wholly or partially separated from	
marine waters by sandbanks, gravel banks, shingle, or, less frequently, rocks	
The lagoon in which the wetland is located contains ponded water that is saline or brackish (> 0.5 ppt)	6-4.
during most of the year in at least a portion of the lagoon (needs to be measured near the bottom)	Cat. I
Yes – Go to SC 5.1 ✓ No = Not a wetland in a coastal lagoon	
SC 5.1. Does the wetland meet all of the following three conditions?	
The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing), and has less than 20% cover of aggressive, opportunistic plant species (see list of species on p. 100).	Cat. II
At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-	
mowed grassland.	
The wetland is larger than $^{1}/_{10}$ ac (4350 ft <sup>2</sup> )	
Yes = Category I No = Category II	
SC 6.0. Interdunal Wetlands	
Is the wetland west of the 1889 line (also called the Western Boundary of Upland Ownership or WBUO)? If	
you answer yes you will still need to rate the wetland based on its habitat functions.	
In practical terms that means the following geographic areas:  Long Beach Peninsula: Lands west of SR 103	
Grayland-Westport: Lands west of SR 105	Cat I
Ocean Shores-Copalis: Lands west of SR 115 and SR 109	
Yes – Go to SC 6.1 No = not an interdunal wetland for rating	
SC 6.1. Is the wetland 1 ac or larger and scores an 8 or 9 for the habitat functions on the form (rates H,H,H or H,H,M	Cat. II
for the three aspects of function)?	
SC 6.2. Is the wetland 1 ac or larger, or is it in a mosaic of wetlands that is 1 ac or larger?	🦳
Yes = Category II No – Go to SC 6.3	Cat. III
SC 6.3. Is the unit between 0.1 and 1 ac, or is it in a mosaic of wetlands that is between 0.1 and 1 ac?	
Yes = Category III No = Category IV	Cat 1/4 [
	Cat. IV
Category of wetland based on Special Characteristics	NA
If you answered No for all types, enter "Not Applicable" on Summary Form	

Wetland name or number 27-2

This page left blank intentionally










Figure 27-2-3



Wetland 27-2: 303(d) listed waters





http://www.ecy.wa.go

# Vater Quality Improvement Projects (TMDLs)

'ater Quality Improvement > Water Quality Improvement Projects by WRIA 9: Duwamish-Green

#### **VRIA 9: Duwamish-Green**

ne following table lists overview information for water quality improvement projects (including total maximum daily loads, or TMDLs) for this water resource inventory area (WRIA). Please use links (where available) for more information on a project.

#### **Counties**

• King

Waterbody Name	Pollutants	Status**	TMDL Lead
Duwamish and Lower Green River	Ammonia-N	Approved by EPA	<u>Joan Nolan</u> 425-649-4425
Fauntleroy Creek	Fecal Coliform	Approved by EPA Has an implementation plan	<u>Joan Nolan</u> 425-649-4425
Fenwick Lake	Total Phosphorus	Approved by EPA (1993, Clean Lakes Program) Category 5, 2008 Water Quality Assessment	<u>Tricia Shoblom</u> 425-649-7288
Green River and Newaukum Creek	Temperature Dissolved Oxygen	Green River TMDL Approved by EPA Newaukum Creek TMDL Approved by EPA Has an implementation plan	<u>Joan Nolan</u> 425-649-4425
Lake Sawyer	Total Phosphorus	Approved by EPA Has an implementation plan	<u>Tricia Shoblom</u> 425-649-7288
Soos Creek	Fecal Coliform	Under development	<u>Dave Garland</u> 425-649-7031
	Aquatic Habitat Dissolved Oxygen Temperature		<u>Joan Nolan</u> 425-649-4425

<sup>\*\*</sup> Status will be listed as one of the following: Approved by EPA, Under Development or Implementation

#### For more information about WRIA 9:

- Waterbodies in WRIA 9 using the Water Quality Assessment Query Tool
- Watershed Information for WRIA 9
- \* The Department of Ecology and other state resource agencies frequently use a system of 62 "Water Resource Inventory Areas" or "WRIAS" to refer to the state's major watershed basins.

#### Back to top of page

Last updated June 2014

 ${\it Copyright} @ \ {\it Washington State Department of Ecology. See \ http://www.ecy.wa.gov/copyright.htm} \\$ 

# **RATING SUMMARY – Western Washington**

Name of wetland (	or ID #): 27-3			Date of	site visit: <u>2/25/</u> 2016
Rated by L. Daniels	ki/M.Dalzell	Traine	ed by Ecology?	✓ Yes 🔲 N	o Date of training 10/13
HGM Class used fo	r rating Slope		Wetland has m	ultiple HGN	1 classes? ☐ Y 🔽 N
	is not complete f base aerial pho			ed (figures o	can be combined).
VERALL WETLA	ND CATEGO	ORY IV (ba	ised on function	ns 🗸 or sp	ecial characteristics_
1. Category of v	wetland based	d on FUNCTIO	ONS		
	<b>Category I</b> – Tot	al score = 23 - 2	27		Score for each
	Category II – To	tal score = 20 -	- 22		function based
	<b>Category III</b> – To	tal score = 16	- 19		on three
	Category IV – To				ratings (order of ratings is not
FUNCTION	Improving	Hydrologic	Habitat		important)
	Water Quality				9 = H,H,H
		Circle the ap	propriate ratings		8 = H,H,M
Site Potential	H M L ✓	H	H		7 = H,H,L
Landscape Potential	H M ✓ L	H M L√	H M L		7 = H,M,M
Value	H <b></b> ✓ M□L□	H M L	H□ M□ [√	TOTAL	6 = H,M,L
Score Based on	0	4	2	40	6 = M,M,M 5 = H,L,L
Ratings	6	4	3	13	5 = M,M,L
					4 = M,L,L
					3 = L,L,L
2 Cotonomilhoo	ad an CDECIA	LCUADACTE	DICTICC of	- <b>4</b>   d	,-,-

# 2. Category based on SPECIAL CHARACTERISTICS of wetland

CHARACTERISTIC	CATEGORY
Estuarine	I 🔲 II
Wetland of High Conservation Value	I
Bog	I
Mature Forest	I
Old Growth Forest	I
Coastal Lagoon	I II II
Interdunal	I _II _ III _ IV
None of the above	*

# Maps and figures required to answer questions correctly for Western Washington

# **Depressional Wetlands**

Map of:	To answer questions:	Figure #
Cowardin plant classes	D 1.3, H 1.1, H 1.4	
Hydroperiods	D 1.4, H 1.2	
Location of outlet (can be added to map of hydroperiods)	D 1.1, D 4.1	
Boundary of area within 150 ft of the wetland (can be added to another figure)	D 2.2, D 5.2	
Map of the contributing basin	D 4.3, D 5.3	
1 km Polygon: Area that extends 1 km from entire wetland edge - including	H 2.1, H 2.2, H 2.3	
polygons for accessible habitat and undisturbed habitat		
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	D 3.1, D 3.2	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	D 3.3	

### **Riverine Wetlands**

Map of:	To answer questions:	Figure #
Cowardin plant classes	H 1.1, H 1.4	
Hydroperiods	H 1.2	
Ponded depressions	R 1.1	
Boundary of area within 150 ft of the wetland (can be added to another figure)	R 2.4	
Plant cover of trees, shrubs, and herbaceous plants	R 1.2, R 4.2	
Width of unit vs. width of stream (can be added to another figure)	R 4.1	
Map of the contributing basin	R 2.2, R 2.3, R 5.2	
1 km Polygon: Area that extends 1 km from entire wetland edge - including	H 2.1, H 2.2, H 2.3	
polygons for accessible habitat and undisturbed habitat		
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	R 3.1	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	R 3.2, R 3.3	

### Lake Fringe Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes	L 1.1, L 4.1, H 1.1, H 1.4	
Plant cover of trees, shrubs, and herbaceous plants	L 1.2	
Boundary of area within 150 ft of the wetland (can be added to another figure)	L 2.2	
1 km Polygon: Area that extends 1 km from entire wetland edge - including polygons for accessible habitat and undisturbed habitat	H 2.1, H 2.2, H 2.3	
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	L 3.1, L 3.2	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	L 3.3	

### Slope Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes	H 1.1, H 1.4	27-3-1
Hydroperiods	H 1.2	27-3-1
Plant cover of <b>dense</b> trees, shrubs, and herbaceous plants	S 1.3	27-3-1
Plant cover of <b>dense, rigid</b> trees, shrubs, and herbaceous plants	S 4.1	27.2.4
(can be added to figure above)		27-3-1
Boundary of 150 ft buffer (can be added to another figure)	S 2.1, S 5.1	27-3-2
1 km Polygon: Area that extends 1 km from entire wetland edge - including	H 2.1, H 2.2, H 2.3	27 2 2
polygons for accessible habitat and undisturbed habitat		27-3-3
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	S 3.1, S 3.2	27-3-4
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	\$ 3.3	27-3-5

# **HGM Classification of Wetlands in Western Washington**

For questions 1-7, the criteria described must apply to the entire unit being rated.

If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in questions 1-7 apply, and go to Question 8.

1.	Are the water levels in the entire unit usually controlled by tides except during floods?		
	✓ NO – go to 2 <b>YES</b> – the wetland class is <b>Tidal Fringe</b> – go to 1.1		
1	.1 Is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)?		
	NO – Saltwater Tidal Fringe (Estuarine)  If your wetland can be classified as a Freshwater Tidal Fringe use the forms for Riverine wetlands. If it is Saltwater Tidal Fringe it is an Estuarine wetland and is not scored. This method cannot be used to score functions for estuarine wetlands.		
2.	The entire wetland unit is flat and precipitation is the only source ( $>90\%$ ) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit.		
	✓ NO – go to 3		
3.	Does the entire wetland unit <b>meet all</b> of the following criteria?  The vegetated part of the wetland is on the shores of a body of permanent open water (without any plants on the surface at any time of the year) at least 20 ac (8 ha) in size; At least 30% of the open water area is deeper than 6.6 ft (2 m).		
	✓ NO – go to 4		
4.	Does the entire wetland unit <b>meet all</b> of the following criteria?  ✓ The wetland is on a slope ( <i>slope can be very gradual</i> ),  ✓ The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks,  — The water leaves the wetland <b>without being impounded</b> .		
	✓ NO – go to 5 <b>YES –</b> The wetland class is <b>Slope</b>		
	<b>NOTE</b> : Surface water does not pond in these type of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3 ft diameter and less than 1 ft deep).		
5.	Does the entire wetland unit <b>meet all</b> of the following criteria?  The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river,  The overbank flooding occurs at least once every 2 years.		

VV	etland name or number	
	✓ NO – go to 6 <b>NOTE</b> : The Riverine unit can contain depressi not flooding	YES – The wetland class is <b>Riverine</b> ons that are filled with water when the river is
6.		pression in which water ponds, or is saturated to the neans that any outlet, if present, is higher than the interior
	✓NO – go to 7	YES – The wetland class is <b>Depressional</b>
7.	flooding? The unit does not pond surface wat	area with no obvious depression and no overbank er more than a few inches. The unit seems to be The wetland may be ditched, but has no obvious natural
	✓ NO – go to 8	YES – The wetland class is <b>Depressional</b>

27-3

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a Depressional wetland has a zone of flooding along its sides. GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within the wetland unit being scored.

**NOTE**: Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the HGM class listed in column 2 is less than 10% of the unit; classify the wetland using the class that represents more than 90% of the total area.

HGM classes within the wetland unit	HGM class to
being rated	use in rating
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake Fringe	Lake Fringe
Depressional + Riverine along stream	Depressional
within boundary of depression	
Depressional + Lake Fringe	Depressional
Riverine + Lake Fringe	Riverine
Salt Water Tidal Fringe and any other	Treat as
class of freshwater wetland	ESTUARINE

If you are still unable to determine which of the above criteria apply to your wetland, or if you have **more than 2 HGM classes** within a wetland boundary, classify the wetland as Depressional for the rating.

The wetland unit contains a small portion of depressional area at the toe of slope (<10%), therefore the unit is rated as a slope wetland.

DEPRESSIONAL AND FLATS WETLANDS		
Water Quality Functions - Indicators that the site functions to improve water quality		
D 1.0. Does the site have the potential to improve water quality?		
D 1.1. Characteristics of surface water outflows from the wetland:		
Wetland is a depression or flat depression (QUESTION 7 on key) with no surface water leaving it (no outlet).		
points = 3		
Wetland has an intermittently flowing stream or ditch, OR highly constricted permanently flowing outlet.	0	
points = 2  Wetland has an unconstricted, or slightly constricted, surface outlet that is permanently flowing points = 1		
Wetland is a flat depression (QUESTION 7 on key), whose outlet is a permanently flowing ditch. points = 1		
D 1.2. The soil 2 in below the surface (or duff layer) is true clay or true organic (use NRCS definitions). Yes = 4 🗸 No = 0	0	
D 1.3. Characteristics and distribution of persistent plants (Emergent, Scrub-shrub, and/or Forested Cowardin classes):		
Wetland has persistent, ungrazed, plants > 95% of area points = 5		
Wetland has persistent, ungrazed, plants > $\frac{1}{2}$ of area points = 3	0	
Wetland has persistent, ungrazed plants $> \frac{1}{10}$ of area points = 1		
Wetland has persistent, ungrazed plants $<^1/_{10}$ of area points = 0		
D 1.4. Characteristics of seasonal ponding or inundation:		
This is the area that is ponded for at least 2 months. See description in manual.		
Area seasonally ponded is > ½ total area of wetland points = 4	0	
Area seasonally ponded is > ¼ total area of wetland points = 2		
☐ Area seasonally ponded is < ¼ total area of wetland points = 0		
Total for D 1 Add the points in the boxes above	0	
Rating of Site Potential If score is:12-16 = H6-11 = M0-5 = L Record the rating on the first page		
D 2.0. Does the landscape have the potential to support the water quality function of the site?		
D 2.1. Does the wetland unit receive stormwater discharges?  Yes = 1  No = 0	0	
D 2.2. Is $> 10\%$ of the area within 150 ft of the wetland in land uses that generate pollutants? $\square$ Yes = 1 $\square$ No = 0	0	
D 2.3. Are there septic systems within 250 ft of the wetland?	0	
D 2.4. Are there other sources of pollutants coming into the wetland that are not listed in questions D 2.1-D 2.3?	0	
SourceYes = 1 No = 0	U	
Total for D 2 Add the points in the boxes above	0	
Rating of Landscape Potential If score is: 3 or 4 = H 1 or 2 = M 0 = L Record the rating on the fire	st page	
D 3.0. Is the water quality improvement provided by the site valuable to society?		
D 3.1. Does the wetland discharge directly (i.e., within 1 mi) to a stream, river, lake, or marine water that is on the	0	
303(d) list? Yes = 1 No = 0	0	
D 3.2. Is the wetland in a basin or sub-basin where an aquatic resource is on the 303(d) list? Yes = 1 No = 0	0	
D 3.3. Has the site been identified in a watershed or local plan as important for maintaining water quality (answer YES	0	
if there is a TMDL for the basin in which the unit is found)?  Yes = 2 No = 0	_	
Total for D 3 Add the points in the boxes above	0	
<b>Rating of Value</b> If score is: $2-4 = H$ $1 = M$ $0 = L$ Record the rating on the first page		

DEPRESSIONAL AND FLATS WETLANDS		
Hydrologic Functions - Indicators that the site functions to reduce flooding and stream degradation		
D 4.0. Does the site have the potential to reduce flooding and erosion?		
D 4.1. Characteristics of surface water outflows from the wetland:  Wetland is a depression or flat depression with no surface water leaving it (no outlet)  Wetland has an intermittently flowing stream or ditch, OR highly constricted permanently flowing outletpoints = 2  Wetland is a flat depression (QUESTION 7 on key), whose outlet is a permanently flowing ditch  Wetland has an unconstricted, or slightly constricted, surface outlet that is permanently flowing  points = 0	0	
D 4.2. Depth of storage during wet periods: Estimate the height of ponding above the bottom of the outlet. For wetlands with no outlet, measure from the surface of permanent water or if dry, the deepest part.  Marks of ponding are 3 ft or more above the surface or bottom of outlet points = 7  Marks of ponding between 2 ft to < 3 ft from surface or bottom of outlet points = 5  Marks are at least 0.5 ft to < 2 ft from surface or bottom of outlet points = 3  The wetland is a "headwater" wetland points = 3  Wetland is flat but has small depressions on the surface that trap water points = 1  Marks of ponding less than 0.5 ft (6 in) points = 0	0	
D 4.3. Contribution of the wetland to storage in the watershed: Estimate the ratio of the area of upstream basin contributing surface water to the wetland to the area of the wetland unit itself.  The area of the basin is less than 10 times the area of the unit  The area of the basin is 10 to 100 times the area of the unit  The area of the basin is more than 100 times the area of the unit  Entire wetland is in the Flats class  D 4.3. Contribution of the wetland unit itself.  Points = 5  The area of the basin is 10 to 100 times the area of the unit  Points = 0  Points = 5	0	
Total for D 4 Add the points in the boxes above	0	
Rating of Site Potential If score is: 12-16 = H 6-11 = M 0-5 = L Record the rating on the	first page	
D 5.0. Does the landscape have the potential to support hydrologic functions of the site?		
D 5.1. Does the wetland receive stormwater discharges? $ Yes = 1  No = 0 $	0	
D 5.2. Is >10% of the area within 150 ft of the wetland in land uses that generate excess runoff? Yes = 1 No = 0	0	
D 5.3. Is more than 25% of the contributing basin of the wetland covered with intensive human land uses (residential at >1 residence/ac, urban, commercial, agriculture, etc.)?  Yes = 1  No = 0	0	
Total for D 5 Add the points in the boxes above	0	
Rating of Landscape Potential If score is: 3 = H 1 or 2 = M 0 = L Record the rating on the	first page	
D 6.0. Are the hydrologic functions provided by the site valuable to society?		
D 6.1. The unit is in a landscape that has flooding problems. Choose the description that best matches conditions around the wetland unit being rated. Do not add points. Choose the highest score if more than one condition is met.  The wetland captures surface water that would otherwise flow down-gradient into areas where flooding has damaged human or natural resources (e.g., houses or salmon redds):  • Flooding occurs in a sub-basin that is immediately down-gradient of unit. points = 2  • Surface flooding problems are in a sub-basin farther down-gradient. points = 1  Flooding from groundwater is an issue in the sub-basin. points = 1  The existing or potential outflow from the wetland is so constrained by human or natural conditions that the water stored by the wetland cannot reach areas that flood. Explain why points = 0  There are no problems with flooding downstream of the wetland. points = 0	0	
D 6.2. Has the site been identified as important for flood storage or flood conveyance in a regional flood control plan?  Yes = 2 No = 0	0	
Total for D 6 Add the points in the boxes above	0	
Rating of Value If score is: 2-4 = H 1 = M 0 = L  Record the rating on the	first page	

RIVERINE AND FRESHWATER TIDAL FRINGE WETLANDS		
Water Quality Functions - Indicators that the site functions to improve water quality		
R 1.0. Does the site have the potential to improve water quality?		
R 1.1. Area of surface depressions within the Riverine wetland that can trap sediments during a flooding event:		
$\square$ Depressions cover $>^3/_4$ area of wetland points = 8		
Depressions cover > ½ area of wetland points = 4	0	
Depressions present but cover < ½ area of wetland points = 2		
No depressions present points = 0		
R 1.2. Structure of plants in the wetland (areas with >90% cover at person height, <b>not</b> Cowardin classes)		
Trees or shrubs $> \frac{2}{3}$ area of the wetland points = 8		
Trees or shrubs $> \frac{1}{3}$ area of the wetland points = 6	0	
Herbaceous plants (> 6 in high) > $^2/_3$ area of the wetland points = 6		
Herbaceous plants (> 6 in high) > $^{1}/_{3}$ area of the wetland points = 3		
Trees, shrubs, and ungrazed herbaceous $< \frac{1}{3}$ area of the wetland points = 0		
Total for R 1 Add the points in the boxes above	0	
Rating of Site Potential If score is: 12-16 = H 6-11 = M 0-5 = L Record the rating on	the first page	
R 2.0. Does the landscape have the potential to support the water quality function of the site?		
R 2.1. Is the wetland within an incorporated city or within its UGA? $\qquad \qquad \qquad$	0	
R 2.2. Does the contributing basin to the wetland include a UGA or incorporated area? Yes = 1 No = 0	0	
R 2.3. Does at least 10% of the contributing basin contain tilled fields, pastures, or forests that have been clearcut within the last 5 years?  Yes = 1 No = 0	0	
R 2.4. Is > 10% of the area within 150 ft of the wetland in land uses that generate pollutants?	0	
R 2.5. Are there other sources of pollutants coming into the wetland that are not listed in questions R 2.1-R 2.4  Other sources	0	
Total for R 2 Add the points in the boxes above	0	
Rating of Landscape Potential If score is: 3-6 = H 1 or 2 = M 0 = L Record the rating on	the first page	
R 3.0. Is the water quality improvement provided by the site valuable to society?		
R 3.1. Is the wetland along a stream or river that is on the 303(d) list or on a tributary that drains to one within 1 mi?		
Yes = 1 No = 0	0	
R 3.2. Is the wetland along a stream or river that has TMDL limits for nutrients, toxics, or pathogens?	0	
R 3.3. Has the site been identified in a watershed or local plan as important for maintaining water quality? (answer YES if there is a TMDL for the drainage in which the unit is found)  [ Yes = 2  No = 0]	0	
Total for R 3 Add the points in the boxes above	0	
Rating of Value If score is 2-4 = H 1 = M 0 = L  Record the rating on	the first page	

RIVERINE AND FRESHWATER TIDAL FRINGE WETLANDS		
Hydrologic Functions - Indicators that site functions to reduce flooding and stream erosion		
R 4.0. Does the site have the potential to reduce flooding and erosion?		
R 4.1. Characteristics of the overbank storage the wetland provides:	0	
Estimate the average width of the wetland perpendicular to the direction of the flow and the width of the		
stream or river channel (distance between banks). Calculate the ratio: (average width of wetland)/(average		
width of stream between banks).		
If the ratio is more than 20 points = 9		
If the ratio is 10-20 points = 6		
If the ratio is 5-<10 points = 4		
If the ratio is 1-<5 points = 2		
If the ratio is < 1 points = 1		
R 4.2. Characteristics of plants that slow down water velocities during floods: Treat large woody debris as forest or	0	
shrub. Choose the points appropriate for the best description (polygons need to have >90% cover at person		
height. These are <u>NOT Cowardin</u> classes).		
Forest or shrub for $>^1/_3$ area OR emergent plants $>^2/_3$ area points = 7		
Forest or shrub for $> \frac{1}{10}$ area OR emergent plants $> \frac{1}{3}$ area points = 4		
Plants do not meet above criteria points = 0		
Total for R 4 Add the points in the boxes above	0	
Rating of Site Potential If score is: 12-16 = H 6-11 = M 0-5 = L Record the rating on the		
R 5.0. Does the landscape have the potential to support the hydrologic functions of the site?		
R 5.1. Is the stream or river adjacent to the wetland downcut?  Yes = 0 No = 1	0	
R 5.2. Does the up-gradient watershed include a UGA or incorporated area?  Yes = 1 No = 0	0	
R 5.3. Is the up-gradient stream or river controlled by dams?  Yes = 0 No = 1	0	
Total for R 5 Add the points in the boxes above	0	
Rating of Landscape Potential If score is:3 = H1 or 2 = M0 = L  Record the rating on the	he first page	
R 6.0. Are the hydrologic functions provided by the site valuable to society?		
R 6.1. Distance to the nearest areas downstream that have flooding problems?	0	
Choose the description that best fits the site.	U	
The sub-basin immediately down-gradient of the wetland has flooding problems that result in damage to		
human or natural resources (e.g., houses or salmon redds) points = 2		
Surface flooding problems are in a sub-basin farther down-gradient points = 1		
No flooding problems anywhere downstream points = 0		
R 6.2. Has the site been identified as important for flood storage or flood conveyance in a regional flood control plan?	0	
Total for R 6 Add the points in the boxes above	0	
Rating of Value If score is: 2-4 = H 1 = M 0 = L Record the rating on the	he first page	

LAKE FRINGE WETLANDS		
Water Quality Functions - Indicators that the site functions to improve water quality		
L 1.0. Does the site have the potential to improve water quality?		
L 1.1. Average width of plants along the lakeshore (use polygons of Cowardin classes):	0	
Plants are more than 33 ft (10 m) wide points = 6		
Plants are more than 16 ft (5 m) wide and <33 ft  points = 3		
☐ Plants are more than 6 ft (2 m) wide and <16 ft points = 1		
Plants are less than 6 ft wide points = 0		
L 1.2. Characteristics of the plants in the wetland: Choose the appropriate description that results in the highest points, and do not include any open water in your estimate of coverage. The herbaceous plants can be either the dominant form or as an understory in a shrub or forest community. These are not Cowardin classes. Area of cover is total cover in the unit, but it can be in patches. Herbaceous does not include aquatic bed.		
Cover of herbaceous plants is >90% of the vegetated area points = 6		
Cover of herbaceous plants is $> \frac{2}{3}$ of the vegetated area points = 4		
Cover of herbaceous plants is $> \frac{1}{3}$ of the vegetated area points = 3		
Other plants that are not aquatic bed > $\frac{2}{3}$ unit points = 3		
Adult be displayed and open water cover $> \frac{2}{3}$ of the unit points = 0		
Total for L 1 Add the points in the boxes above	0	
Rating of Site Potential If score is:8-12 = H4-7 = M0-3 = L Record the rating on the first page		
L 2.0. Does the landscape have the potential to support the water quality function of the site?		
L 2.1. Is the lake used by power boats? $\qquad \qquad \qquad$	0	
L 2.2. Is > 10% of the area within 150 ft of wetland unit on the upland side in land uses that generate pollutants?	0	
L 2.3. Does the lake have problems with algal blooms or excessive plant growth such as milfoil? Yes = 1 No = 0	0	
Total for L 2 Add the points in the boxes above	0	
Rating of Landscape Potential: If score is: 2 or 3 = H 1 = M 0 = L Record the rating on the	he first page	
L 3.0. Is the water quality improvement provided by the site valuable to society?		
L 3.1. Is the lake on the 303(d) list of degraded aquatic resources? $\square$ Yes = 1 $\square$ No = 0	0	
L 3.2. Is the lake in a sub-basin where water quality is an issue (at least one aquatic resource in the basin is on the 303(d) list)? $\square$ Yes = 1 $\square$ No = 0	0	
L 3.3. Has the site been identified in a watershed or local plan as important for maintaining water quality? <i>Answer YES</i> if there is a TMDL for the lake or basin in which the unit is found.	0	
Total for L 3 Add the points in the boxes above	0	
Rating of Value If score is: 2-4 = H 1 = M 0 = L Record the rating on the	he first page	

LAKE FRINGE WETLANDS			
Hydrologic Functions - Indicators that the wetland unit functions to reduce shoreline erosion			
L 4.0. Does the site have the potential to reduce shoreline erosion?			
L 4.1. Distance along shore and average width of Cowardin classes along the lakeshore ( <b>do not</b> include Aquatic bed): Choose the highest scoring description that matches conditions in the wetland.		0	
> ¾ of distance is Scrub-shrub or Forested at least 33 ft (10 m) wide	points = 6		
> ¾ of distance is Scrub-shrub or Forested at least 6 ft (2 m) wide	points = 4		
> ¼ distance is Scrub-shrub or Forested at least 33 ft (10 m) wide	points = 4		
Plants are at least 6 ft (2 m) wide (any type except Aquatic bed)	points = 2		
Plants are less than 6 ft (2 m) wide (any type except Aquatic bed)	points = 0		
Rating of Site Potential: If score is:6 = M0-5 = L   Record the rating on the first page.			
L 5.0. Does the landscape have the potential to support the hydrologic functions of the site?			
L 5.1. Is the lake used by power boats with more than 10 hp?	Yes = 1 No = 0	0	
L 5.2. Is the fetch on the lake side of the unit at least 1 mile in distance?	☐ Yes = 1 ☐ No = 0	0	
Total for L 5 Add the points in the boxes above		0	
Rating of Landscape Potential If score is: 2 = H 1 = M 0 = L  Record the rating on the first po			
L 6.0. Are the hydrologic functions provided by the site valuable to society?			
L 6.1. Are there resources along the shore that can be impacted by erosion? If more than one resource is present, choose the one with the highest score.		0	
There are human structures or old growth/mature forests within 25 ft of OHWM of the shore in the unit			
	points = 2		
There are nature trails or other paths and recreational activities within 25 ft of OHWM	points = 1		
Other resources that could be impacted by erosion	points = 1		
There are no resources that can be impacted by erosion along the shores of the unit	points = 0		
Rating of Value: If score is: 2 = H 1 = M 0 = L	Rating of Value: If score is: $\boxed{2} = H$ $\boxed{1} = M$ $\boxed{0} = L$ Record the rating on the first pag		

NOTES and FIELD OBSERVATIONS:

SLOPE WETLANDS  Water Quality Functions - Indicators that the site functions to improve water quality			
S 1.0. Does the site have the potential to improve water quality?			
S 1.1. Characteristics of the average slope of the wetland: (a 1% slope has a 1 ft vertical drop in elevation for every 100 ft of horizontal distance)	0		
Slope is 1% or less points = 3			
✓ Slope is greater than 5% points = 0			
S 1.2. The soil 2 in below the surface (or duff layer) is true clay or true organic (use NRCS definitions): Yes = 3 ✓ No = 0	0		
S 1.3. Characteristics of the plants in the wetland that trap sediments and pollutants:  Choose the points appropriate for the description that best fits the plants in the wetland. Dense means you have trouble seeing the soil surface (>75% cover), and uncut means not grazed or mowed and plants are higher than 6 in.			
Dense, uncut, herbaceous plants > 90% of the wetland area points = 6			
✓ Dense, uncut, herbaceous plants > ½ of area  points = 3			
Dense, woody, plants > ½ of area points = 2			
Dense, uncut, herbaceous plants > ¼ of area  Poes not most any of the criteria plants = 0			
Does not meet any of the criteria above for plants points = 0  Total for S 1  Add the points in the boxes above	3		
·			
Rating of Site Potential If score is:12 = H6-11 = M7_0-5 = L Record the rating on the first page			
	, , , ,		
S 2.0. Does the landscape have the potential to support the water quality function of the site?	,		
S 2.0. Does the landscape have the potential to support the water quality function of the site?  S 2.1. Is > 10% of the area within 150 ft on the uphill side of the wetland in land uses that generate pollutants?  ☐ Yes = 1 ✓ No = 0	0		
S 2.1. Is > 10% of the area within 150 ft on the uphill side of the wetland in land uses that generate pollutants?  ☐ Yes = 1 ✓ No = 0  S 2.2. Are there other sources of pollutants coming into the wetland that are not listed in question S 2.1?			
S 2.1. Is > 10% of the area within 150 ft on the uphill side of the wetland in land uses that generate pollutants?  Yes = 1 ✓ No = 0  S 2.2. Are there other sources of pollutants coming into the wetland that are not listed in question S 2.1?  Other sources Runoff from I5			
S 2.1. Is > 10% of the area within 150 ft on the uphill side of the wetland in land uses that generate pollutants?  ☐ Yes = 1 ✓ No = 0  S 2.2. Are there other sources of pollutants coming into the wetland that are not listed in question S 2.1?			
S 2.1. Is > 10% of the area within 150 ft on the uphill side of the wetland in land uses that generate pollutants?  Yes = 1 ✓ No = 0  S 2.2. Are there other sources of pollutants coming into the wetland that are not listed in question S 2.1?  Other sources Runoff from I5	0 1		
S 2.1. Is > 10% of the area within 150 ft on the uphill side of the wetland in land uses that generate pollutants?  Yes = 1 ✓ No = 0  S 2.2. Are there other sources of pollutants coming into the wetland that are not listed in question S 2.1?  Other sources Runoff from I5  Total for S 2  Add the points in the boxes above	0 1		
S 2.1. Is > 10% of the area within 150 ft on the uphill side of the wetland in land uses that generate pollutants?  Yes = 1 ✓ No = 0  S 2.2. Are there other sources of pollutants coming into the wetland that are not listed in question S 2.1?  Other sources Runoff from I5  Total for S 2  Add the points in the boxes above  Rating of Landscape Potential If score is: ✓ 1-2 = M	0 1		
S 2.1. Is > 10% of the area within 150 ft on the uphill side of the wetland in land uses that generate pollutants?  ☐ Yes = 1 ✓ No = 0  S 2.2. Are there other sources of pollutants coming into the wetland that are not listed in question S 2.1?  Other sources Runoff from I5  Total for S 2  Add the points in the boxes above  Rating of Landscape Potential If score is: ✓ 1-2 = M ☐ 0 = L  S 3.0. Is the water quality improvement provided by the site valuable to society?  S 3.1. Does the wetland discharge directly (i.e., within 1 mi) to a stream, river, lake, or marine water that is on the	O  1  1 the first page		
S 2.1. Is > 10% of the area within 150 ft on the uphill side of the wetland in land uses that generate pollutants?  Yes = 1 No = 0  S 2.2. Are there other sources of pollutants coming into the wetland that are not listed in question S 2.1?  Other sources Runoff from 15  Total for S 2  Add the points in the boxes above  Rating of Landscape Potential If score is: 1-2 = M 0 = L  Record the rating on S  S 3.0. Is the water quality improvement provided by the site valuable to society?  S 3.1. Does the wetland discharge directly (i.e., within 1 mi) to a stream, river, lake, or marine water that is on the 303(d) list?  Yes = 1 No = 0  Yes = 1 No = 0	O  1  1 the first page		
S 2.1. Is > 10% of the area within 150 ft on the uphill side of the wetland in land uses that generate pollutants?  ☐ Yes = 1 ✓ No = 0  S 2.2. Are there other sources of pollutants coming into the wetland that are not listed in question S 2.1?  Other sources Runoff from I5  Total for S 2  Add the points in the boxes above  Rating of Landscape Potential If score is: ✓ 1-2 = M ☐ 0 = L  Record the rating on S  S 3.0. Is the water quality improvement provided by the site valuable to society?  S 3.1. Does the wetland discharge directly (i.e., within 1 mi) to a stream, river, lake, or marine water that is on the 303(d) list?  ☐ Yes = 1 ✓ No = 0  S 3.2. Is the wetland in a basin or sub-basin where water quality is an issue? At least one aquatic resource in the basin is on the 303(d) list.  ☐ Yes = 1 ☐ No = 0  S 3.3. Has the site been identified in a watershed or local plan as important for maintaining water quality? Answer YES	O 1 1 the first page 0 1		

Wetland 27-3 is located in the Mill Creek basin in WRIA 9. Mill Creek drains into the Green River.

CLODE WETLANDS		
SLOPE WETLANDS		
Hydrologic Functions - Indicators that the site functions to reduce flooding and stream erosion		
S 4.0. Does the site have the potential to reduce flooding and stream erosion?		
S 4.1. Characteristics of plants that reduce the velocity of surface flows during storms: Choose the points appropriate for the description that best fits conditions in the wetland. Stems of plants should be thick enough (usually $> 1/8$ in), or dense enough, to remain erect during surface flows.		
Dense, uncut, <b>rigid</b> plants cover > 90% of the area of the wetland points = 1		
✓ All other conditions points = 0		
Rating of Site Potential If score is: $\boxed{1} = M$ $\boxed{\checkmark} 0 = L$ Record the rating on the		
S 5.0. Does the landscape have the potential to support the hydrologic functions of the site?		
S 5.1. Is more than 25% of the area within 150 ft upslope of wetland in land uses or cover that generate excess surface runoff?	0	
Rating of Landscape Potential If score is: 1 = M 0 = L  Record the rating on the first p		
S 6.0. Are the hydrologic functions provided by the site valuable to society?		
S 6.1. Distance to the nearest areas downstream that have flooding problems:	1	
The sub-basin immediately down-gradient of site has flooding problems that result in damage to human or		
☐ natural resources (e.g., houses or salmon redds)  7 Surface file of the divergence line and beginning to the design for the end of the divergence line and beginning to the divergence line and beginning to the divergence line and beginning to the design for the end of the divergence line and beginning to the divergence line and beginning to the divergence line and the divergence line a		
✓ Surface flooding problems are in a sub-basin farther down-gradient points = 1  No flooding problems anywhere downstream points = 0		
S 6.2. Has the site been identified as important for flood storage or flood conveyance in a regional flood control plan?  ☐ Yes = 2 ✓ No = 0	0	
Total for S 6 Add the points in the boxes above	1	
Rating of Value If score is: $\boxed{2-4 = H  \boxed{1} = M  \boxed{0} = L}$ Record the rating on the first pa		

NOTES and FIELD OBSERVATIONS:

These questions apply to wetlands of all HGM classes.		
HABITAT FUNCTIONS - Indicators that site functions to provide important habitat		
H 1.0. Does the site have the potential to provide habitat?		
H 1.1. Structure of plant community: Indicators are Cowardin classes and strata within the Forested class. Check the Cowardin plant classes in the wetland. Up to 10 patches may be combined for each class to meet the threshold of ¼ ac or more than 10% of the unit if it is smaller than 2.5 ac. Add the number of structures checked.  Aquatic bed  Emergent  Scrub-shrub (areas where shrubs have > 30% cover)  Forested (areas where trees have > 30% cover)  If the unit has a Forested class, check if:  The Forested class has 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) that each cover 20% within the Forested polygon	0	
H 1.2. Hydroperiods  Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or ¼ ac to count (see text for descriptions of hydroperiods).  Permanently flooded or inundated  Seasonally flooded or inundated  Occasionally flooded or inundated  Saturated only  Permanently flowing stream or river in, or adjacent to, the wetland  Seasonally flowing stream in, or adjacent to, the wetland  Lake Fringe wetland  Freshwater tidal wetland  2 points  2 points	1	
H 1.3. Richness of plant species  Count the number of plant species in the wetland that cover at least 10 ft <sup>2</sup> .  Different patches of the same species can be combined to meet the size threshold and you do not have to name the species.  Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle  If you counted: > 19 species  5 - 19 species  7 points = 1  9 points = 0	0	
H 1.4. Interspersion of habitats  Decide from the diagrams below whether interspersion among Cowardin plants classes (described in H 1.1), or the classes and unvegetated areas (can include open water or mudflats) is high, moderate, low, or none. If you have four or more plant classes or three classes and open water, the rating is always high.  None = 0 points  Low = 1 point  Moderate = 2 points  All three diagrams in this row are HIGH = 3points	0	

Fire a contrary of the contrar	
H 1.5. Special habitat features:	1
Check the habitat features that are present in the wetland. The number of checks is the number of points.	
Large, downed, woody debris within the wetland (> 4 in diameter and 6 ft long).	
Standing snags (dbh > 4 in) within the wetland	
Undercut banks are present for at least 6.6 ft (2 m) and/or overhanging plants extends at least 3.3 ft (1 m)	
over a stream (or ditch) in, or contiguous with the wetland, for at least 33 ft (10 m)	
Stable steep banks of fine material that might be used by beaver or muskrat for denning (> 30 degree	
slope) OR signs of recent beaver activity are present (cut shrubs or trees that have not yet weathered	
where wood is exposed)	
At least ¼ ac of thin-stemmed persistent plants or woody branches are present in areas that are	
permanently or seasonally inundated (structures for egg-laying by amphibians)	
Invasive plants cover less than 25% of the wetland area in every stratum of plants (see H 1.1 for list of	
strata)	
Total for H 1 Add the points in the boxes above	2
Rating of Site Potential If score is: 15-18 = H 7-14 = M 0-6 = L Record the rating on	
	the jiist page
H 2.0. Does the landscape have the potential to support the habitat functions of the site?	<b>.</b>
H 2.1. Accessible habitat (include only habitat that directly abuts wetland unit).	0
Calculate: % undisturbed habitat $\frac{3.00}{}$ + [(% moderate and low intensity land uses)/2] $\frac{0.00}{}$ = $\frac{3.00}{}$ %	
If total accessible habitat is:	
$\square > 1/3$ (33.3%) of 1 km Polygon points = 3	
20-33%  of  1  km Polygon	
✓ < 10% of 1 km Polygon points = 0	
H 2.2. Undisturbed habitat in 1 km Polygon around the wetland.	
40.50	1
Undisturbed habitat > 50% of Polygon points = 3	
Undisturbed habitat 10-50% and in 1-3 patches points = 2	
✓ Undisturbed habitat 10-50% and > 3 patches points = 1	
Undisturbed habitat < 10% of 1 km Polygon points = 0	
H 2 <u>.3.</u> Land use intensity in 1 km Polygon: If	-2
$\sqrt{\ }$ > 50% of 1 km Polygon is high intensity land use points = (-2)	_
Total for H 2 Add the points in the boxes above	-1
Rating of Landscape Potential If score is: 4-6 = H 1-3 = M <a href="#">1-3 = M</a> <a href="#">1 &lt; 1 = L</a> Record the rating on the	he first page
H20 billio billion in the the discrete billion in the 2	<u> </u>
H 3.0. Is the habitat provided by the site valuable to society?	
H 3.1. Does the site provide habitat for species valued in laws, regulations, or policies? Choose only the highest score	0
that applies to the wetland being rated.	l
Site meets ANY of the following criteria: points = 2	
It has 3 or more priority habitats within 100 m (see next page)	
It provides habitat for Threatened or Endangered species (any plant or animal on the state or federal lists)	
It is mapped as a location for an individual WDFW priority species	
It is a Wetland of High Conservation Value as determined by the Department of Natural Resources	
It has been categorized as an important habitat site in a local or regional comprehensive plan, in a	
Shoreline Master Plan, or in a watershed plan	
Site has 1 or 2 priority habitats (listed on next page) within 100 m	
✓ Site does not meet any of the criteria above points = 0	
Rating of Value If score is: $2 = H$ $1 = M$ $0 = L$ Record the rating on	the first page

Wetland Rating System for Western WA: 2014 Update Rating Form – Effective January 1, 2015

## **WDFW Priority Habitats**

<u>Priority habitats listed by WDFW</u> (see complete descriptions of WDFW priority habitats, and the counties in which they can be found, in: Washington Department of Fish and Wildlife. 2008. Priority Habitat and Species List. Olympia, Washington. 177 pp. <a href="http://wdfw.wa.gov/publications/00165/wdfw00165.pdf">http://wdfw.wa.gov/publications/00165/wdfw00165.pdf</a> or access the list from here: <a href="http://wdfw.wa.gov/conservation/phs/list/">http://wdfw.wa.gov/conservation/phs/list/</a>)

Count how many of the following priority habitats are within 330 ft (100 m) of the wetland unit: *NOTE:* This question is independent of the land use between the wetland unit and the priority habitat.

— **Aspen Stands:** Pure or mixed stands of aspen greater than 1 ac (0.4 ha).

**Biodiversity Areas and Corridors**: Areas of habitat that are relatively important to various species of native fish and wildlife (*full descriptions in WDFW PHS report*).

**Herbaceous Balds:** Variable size patches of grass and forbs on shallow soils over bedrock.

**Old-growth/Mature forests:** Old-growth west of Cascade crest – Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 8 trees/ac (20 trees/ha) > 32 in (81 cm) dbh or > 200 years of age. Mature forests – Stands with average diameters exceeding 21 in (53 cm) dbh; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80-200 years old west of the Cascade crest.

- **Oregon White Oak:** Woodland stands of pure oak or oak/conifer associations where canopy coverage of the oak component is important (*full descriptions in WDFW PHS report p. 158 see web link above*).
- **Riparian**: The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.
- **Westside Prairies:** Herbaceous, non-forested plant communities that can either take the form of a dry prairie or a wet prairie (*full descriptions in WDFW PHS report p. 161 see web link above*).

**Instream:** The combination of physical, biological, and chemical processes and conditions that interact to provide functional life history requirements for instream fish and wildlife resources.

**Nearshore**: Relatively undisturbed nearshore habitats. These include Coastal Nearshore, Open Coast Nearshore, and Puget Sound Nearshore. (*full descriptions of habitats and the definition of relatively undisturbed are in WDFW report – see web link on previous page*).

**Caves:** A naturally occurring cavity, recess, void, or system of interconnected passages under the earth in soils, rock, ice, or other geological formations and is large enough to contain a human.

**Cliffs:** Greater than 25 ft (7.6 m) high and occurring below 5000 ft elevation.

**Talus:** Homogenous areas of rock rubble ranging in average size 0.5 - 6.5 ft (0.15 - 2.0 m), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.

**Snags and Logs:** Trees are considered snags if they are dead or dying and exhibit sufficient decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a diameter at breast height of > 20 in (51 cm) in western Washington and are > 6.5 ft (2 m) in height. Priority logs are > 12 in (30 cm) in diameter at the largest end, and > 20 ft (6 m) long.

**Note:** All vegetated wetlands are by definition a priority habitat but are not included in this list because they are addressed elsewhere.

## **CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS**

Wetland Type	Category
Check off any criteria that apply to the wetland. Circle the category when the appropriate criteria are met.	
SC 1.0. Estuarine wetlands	
Does the wetland meet the following criteria for Estuarine wetlands?	
The dominant water regime is tidal,	
□ Vegetated, and	
With a salinity greater than 0.5 ppt Yes –Go to <b>SC 1.1</b> No= <b>Not an estuarine wetland</b>	
SC 1.1. Is the wetland within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area	
Preserve, State Park or Educational, Environmental, or Scientific Reserve designated under WAC 332-30-151?	
Yes = Category I No - Go to SC 1.2	Cat. I
SC 1.2. Is the wetland unit at least 1 ac in size and meets at least two of the following three conditions?	
The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing, and has less	
	Cat. I
than 10% cover of non-native plant species. (If non-native species are <i>Spartina</i> , see page 25)	
☐At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-	
mowed grassland.  The wetland has at least two of the following features: tidal channels, depressions with open water, or	Cat. II
contiguous freshwater wetlands.	
contiguous freshwater wetianus.	
SC 2.0. Wetlands of High Conservation Value (WHCV)	
SC 2.1. Has the WA Department of Natural Resources updated their website to include the list of Wetlands of High	
Conservation Value?	Cat. I
SC 2.2. Is the wetland listed on the WDNR database as a Wetland of High Conservation Value?	
Yes = Category I Vo = Not a WHCV	
SC 2.3. Is the wetland in a Section/Township/Range that contains a Natural Heritage wetland?	
http://www1.dnr.wa.gov/nhp/refdesk/datasearch/wnhpwetlands.pdf	
Yes – Contact WNHP/WDNR and go to SC 2.4 No = Not a WHCV	
SC 2.4. Has WDNR identified the wetland within the S/T/R as a Wetland of High Conservation Value and listed it on	
their website?	
SC 3.0. Bogs	
Does the wetland (or any part of the unit) meet both the criteria for soils and vegetation in bogs? <i>Use the key</i>	
below. If you answer YES you will still need to rate the wetland based on its functions.	
SC 3.1. Does an area within the wetland unit have organic soil horizons, either peats or mucks, that compose 16 in or	
more of the first 32 in of the soil profile?	
SC 3.2. Does an area within the wetland unit have organic soils, either peats or mucks, that are less than 16 in deep	
over bedrock, or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or pond?  Yes – Go to SC 3.3  No = Is not a bog	
SC 3.3. Does an area with peats or mucks have more than 70% cover of mosses at ground level, AND at least a 30%	
cover of plant species listed in Table 4?	
<b>NOTE:</b> If you are uncertain about the extent of mosses in the understory, you may substitute that criterion by	
measuring the pH of the water that seeps into a hole dug at least 16 in deep. If the pH is less than 5.0 and the	
plant species in Table 4 are present, the wetland is a bog.	Cat. I
SC 3.4. Is an area with peats or mucks forested (> 30% cover) with Sitka spruce, subalpine fir, western red cedar,	
western hemlock, lodgepole pine, quaking aspen, Engelmann spruce, or western white pine, AND any of the	
species (or combination of species) listed in Table 4 provide more than 30% of the cover under the canopy?	
Yes = Is a Category I bog No = Is not a bog	

SC 4.0. Forested Wetlands	
Does the wetland have at least <u>1 contiguous acre</u> of forest that meets one of these criteria for the WA Department of Fish and Wildlife's forests as priority habitats? <i>If you answer YES you will still need to rate</i>	
the wetland based on its functions.	
Old-growth forests (west of Cascade crest): Stands of at least two tree species, forming a multi-layered	
canopy with occasional small openings; with at least 8 trees/ac (20 trees/ha) that are at least 200 years of	
age OR have a diameter at breast height (dbh) of 32 in (81 cm) or more.	
Mature forests (west of the Cascade Crest): Stands where the largest trees are 80-200 years old OR the	
species that make up the canopy have an average diameter (dbh) exceeding 21 in (53 cm).	Cat. I
Yes = Category I No = Not a forested wetland for this section	
SC 5.0. Wetlands in Coastal Lagoons	
Does the wetland meet all of the following criteria of a wetland in a coastal lagoon?	
The wetland lies in a depression adjacent to marine waters that is wholly or partially separated from	
marine waters by sandbanks, gravel banks, shingle, or, less frequently, rocks	
The lagoon in which the wetland is located contains ponded water that is saline or brackish (> 0.5 ppt) during most of the year in at least a portion of the lagoon (needs to be measured near the bottom)	Cat. I
Yes – Go to SC 5.1  No = Not a wetland in a coastal lagoon	
SC 5.1. Does the wetland meet all of the following three conditions?	
The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing), and has less	
than 20% cover of aggressive, opportunistic plant species (see list of species on p. 100).	Cat. II
$\square$ At least $rac{3}{4}$ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-	
mowed grassland.	
The wetland is larger than $\frac{1}{10}$ ac (4350 ft <sup>2</sup> )	
Yes = Category I No = Category II	
SC 6.0. Interdunal Wetlands	
Is the wetland west of the 1889 line (also called the Western Boundary of Upland Ownership or WBUO)? If	
you answer yes you will still need to rate the wetland based on its habitat functions.	
In practical terms that means the following geographic areas:  Long Beach Peninsula: Lands west of SR 103	
Grayland-Westport: Lands west of SR 105	Cat I
Ocean Shores-Copalis: Lands west of SR 115 and SR 109	
Yes – Go to SC 6.1 No = not an interdunal wetland for rating	
SC 6.1. Is the wetland 1 ac or larger and scores an 8 or 9 for the habitat functions on the form (rates H,H,H or H,H,M	Cat. II
for the three aspects of function)?	
SC 6.2. Is the wetland 1 ac or larger, or is it in a mosaic of wetlands that is 1 ac or larger?  Yes = Category II No – Go to SC 6.3	Cat. III
SC 6.3. Is the unit between 0.1 and 1 ac, or is it in a mosaic of wetlands that is between 0.1 and 1 ac?	
Yes = Category III No = Category IV	Cat. IV
	Cat. IV
Category of wetland based on Special Characteristics	NA
If you answered No for all types, enter "Not Applicable" on Summary Form	I .

Wetland name or number 27-3

This page left blank intentionally






Figure 27-3-1

Federal Way Link Extension





Wetland 27-3: 303(d) listed waters





http://www.ecy.wa.go

## Vater Quality Improvement Projects (TMDLs)

'ater Quality Improvement > Water Quality Improvement Projects by WRIA 9: Duwamish-Green

#### **VRIA 9: Duwamish-Green**

ne following table lists overview information for water quality improvement projects (including total maximum daily loads, or TMDLs) for this water resource inventory area (WRIA). Please use links (where available) for more information on a project.

#### **Counties**

• King

Waterbody Name	Pollutants	Status**	TMDL Lead
Duwamish and Lower Green River	Ammonia-N	Approved by EPA	<u>Joan Nolan</u> 425-649-4425
Fauntleroy Creek	Fecal Coliform	Approved by EPA Has an implementation plan	<u>Joan Nolan</u> 425-649-4425
Fenwick Lake	Total Phosphorus	Approved by EPA (1993, Clean Lakes Program) Category 5, 2008 Water Quality Assessment	<u>Tricia Shoblom</u> 425-649-7288
Green River and Newaukum Creek	Temperature Dissolved Oxygen	Green River TMDL Approved by EPA Newaukum Creek TMDL Approved by EPA Has an implementation plan	<u>Joan Nolan</u> 425-649-4425
Lake Sawyer	Total Phosphorus	Approved by EPA Has an implementation plan	<u>Tricia Shoblom</u> 425-649-7288
Soos Creek	Fecal Coliform	Under development	<u>Dave Garland</u> 425-649-7031
	Aquatic Habitat Dissolved Oxygen Temperature		<u>Joan Nolan</u> 425-649-4425

<sup>\*\*</sup> Status will be listed as one of the following: Approved by EPA, Under Development or Implementation

#### For more information about WRIA 9:

- Waterbodies in WRIA 9 using the Water Quality Assessment Query Tool
- Watershed Information for WRIA 9
- \* The Department of Ecology and other state resource agencies frequently use a system of 62 "Water Resource Inventory Areas" or "WRIAS" to refer to the state's major watershed basins.

#### Back to top of page

Last updated June 2014

 ${\it Copyright} @ \ {\it Washington State Department of Ecology. See \ http://www.ecy.wa.gov/copyright.htm} \\$ 

#### WETLAND RATING FORM - WESTERN WASHINGTON

Version 2 - Updated July 2006 to increase accuracy and reproducibility among users Updated Oct 2008 with the new WDFW definitions for priority habitats

Name of wetland (if known):	28-1, Dolloff	Lake	_ Date of site	visit: 3/21/13
Rated by P Togher	Trained by	y Ecology? Ye	s <b>√</b> No Da	te of training 5/200
SEC: <u>9</u> TWNSHP: <u>21N</u> RNGE:	4E Is S/T/R in A	Appendix D? Y	Yes No <u></u> ✓	, <del>-</del>
Map of wetland ເ	ınit: Figure <u>28</u>	Estimated	size	-
S	UMMARY O	F RATING	7	
Category based on FUNCTIO	ONS provided b	y wetland		
I II <u> </u>	V			
C-4	Score	for Water Qua	lity Functions	24
Category I = Score >=70 Category II = Score 51-69	Sco	ore for Hydrolo	gic Functions	12
Category III = Score 30-50		Score for Hab	itat Functions	20
Category IV = Score < 30	1	TOTAL score f	or Functions	56
Category based on SPECIAI	. CHARACTEI	RISTICS of v	wetland	
I II Does not a				
Final Category		est" category i	from above)	II
Summary of	basic information	about the wet	land unit	
Wetland Unit has Sp	pecial	Wetland H		
Characteristics		used for	Kating	
Estuarine Natural Heritage W	etland	Depressional Riverine		
Bog	CHUHU	Lake-fringe		<u></u>
Mature Forest		Slope		•

**Flats** 

Freshwater Tidal

Check if unit has multiple HGM classes present

**Old Growth Forest** 

**Coastal Lagoon** 

None of the above

**Interdunal** 

## Does the wetland unit being rated meet any of the criteria below?

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered animal or plant species (T/E species)?  For the purposes of this rating system, "documented" means the wetland is on the appropriate state or federal database.		✓
SP2. Has the wetland unit been documented as habitat for any State listed Threatened or Endangered animal species?  For the purposes of this rating system, "documented" means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		✓
SP3. Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?		✓
SP4. Does the wetland unit have a local significance in addition to its functions?  For example, the wetland has been identified in the Shoreline Master  Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		✓

## To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.

The hydrogeomorphic classification groups wetlands into those that function in similar ways. This simplifies the questions needed to answer how well the wetland functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

## **Classification of Wetland Units in Western Washington**

If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in questions 1-7 apply, and go to Question 8.

1. Are the water levels in the entire unit usually controlled by tides (i.e. except during floods)?  ✓ NO – go to 2  YES – the wetland class is <b>Tidal Fringe</b>
If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? YES – Freshwater Tidal Fringe NO – Saltwater Tidal Fringe (Estuarine)
If your wetland can be classified as a Freshwater Tidal Fringe use the forms for <b>Riverine</b> wetlands. If it is Saltwater Tidal Fringe it is rated as an <b>Estuarine</b> wetland. Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term "Estuarine" wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p. ).
2. The entire wetland unit is flat and precipitation is the only source (>90%) of water to it.  Groundwater and surface water runoff are NOT sources of water to the unit.  ▼NO − go to 3  YES − The wetland class is Flats
If your wetland can be classified as a "Flats" wetland, use the form for <b>Depressional</b> wetlands.
3. Does the entire wetland unit <b>meet both</b> of the following criteria?  ✓ The vegetated part of the wetland is on the shores of a body of permanent open water (without any vegetation on the surface) at least 20 acres (8 ha) in size;  ✓ At least 30% of the open water area is deeper than 6.6 ft (2 m)?  NO – go to 4 ✓ YES – The wetland class is Lake-fringe (Lacustrine Fringe)
4. Does the entire wetland unit <b>meet all</b> of the following criteria? The wetland is on a slope ( <i>slope can be very gradual</i> ), The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.
The water leaves the wetland without being impounded?
NOTE: Surface water does not pond in these type of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually
<3ft diameter and less than 1 foot deep). ✓ NO - go to 5 YES – The wetland class is Slope

5. Does the entire wetland unit <b>meet all</b> of the following criteria?
The unit is in a valley, or stream channel, where it gets inundated by overbank
flooding from that stream or river
The overbank flooding occurs at least once every two years.
NOTE: The riverine unit can contain depressions that are filled with water when the river is
not flooding.
NO - go to 6 YES – The wetland class is <b>Riverine</b>
<b>6</b> . Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. <i>This means that any outlet, if present, is higher than the</i>
interior of the wetland.
NO – go to 7 YES – The wetland class is <b>Depressional</b>
7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank
flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious
natural outlet.
✓ NO – go to 8 <b>YES</b> – The wetland class is <b>Depressional</b>

**8**. Your wetland unit seems to be difficult to classify and probably contains several different HGM clases. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. NOTE: Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit; classify the wetland using the class that represents more than 90% of the total area.

HGM Classes within the wetland unit being rated	HGM Class to Use in Rating
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater	Treat as ESTUARINE under
wetland	wetlands with special
	characteristics

If you are unable still to determine which of the above criteria apply to your wetland, or if you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.

L	Lake-fringe Wetlands	Points
	WATER QUALITY FUNCTIONS - Indicators that the wetland unit functions to	(only 1 score per box)
	improve water quality	•
L	L 1. Does the wetland unit have the <u>potential</u> to improve water quality?	(see p.59)
L	L 1.1 Average width of vegetation along the lakeshore (use polygons of Cowardin classes):	Figure
_	Vegetation is more than 33ft (10m) wide points = 6	6
	Vegetation is more than 16 (5m) wide and $<33$ ft points = 3	
	Vegetation is more than 6ft (2m) wide and <16 ft points = 1 Vegetation is less than 6 ft wide points = 0	
	Map of Cowardin classes with widths marked	
L	L 1.2 Characteristics of the vegetation in the wetland: <i>choose the appropriate description</i>	Figure
L	that results in the highest points, and do not include any open water in your estimate of	
	coverage. The herbaceous plants can be either the dominant form or as an understory in a	6
	shrub or forest community. These are not Cowardin classes. Area of Cover is total cover	
	in the unit, but it can be in patches. NOTE: Herbaceous does not include aquatic bed.	
	Cover of herbaceous plants is $>90\%$ of the vegetated area points = 6 Cover of herbaceous plants is $>2/3$ of the vegetated area points = 4	
	Cover of herbaceous plants is $>1/3$ of the vegetated area points = 3	
	Other vegetation that is not aquatic bed or herbaceous covers $> 2/3$ unit points = 3	
	Other vegetation that is not aquatic bed in $> 1/3$ vegetated area points = 1	
	Aquatic bed vegetation and open water cover $> 2/3$ of the unit points $= 0$	
	Map with polygons of different vegetation types	
L	Add the points in the boxes above	12
L	Answer YES if you know or believe there are pollutants in the lake water, or polluted surface water flowing through the unit to the lake. Note which of the following conditions provide the sources of pollutants. A unit may have pollutants coming from several sources, but any single source would qualify as opportunity.  — Wetland is along the shores of a lake or reservoir that does not meet water quality standards  — Grazing in the wetland or within 150ft  — Polluted water discharges to wetland along upland edge  — Tilled fields or orchards within 150 feet of wetland  — Residential or urban areas are within 150 ft of wetland  — Parks with grassy areas that are maintained, ballfields, golf courses (all within 150 ft. of lake shore)  — Power boats with gasoline or diesel engines use the lake  — Other	
т	YES multiplier is 2 NO multiplier is 1  TOTAL - Water Quality Functions Multiply the score from L1 by L2	
L	Add score to table on p. 1	24

**Comments** 

	Lake-fringe Wetlands	Points	
	HYDROLOGIC FUNCTIONS - Indicators that the wetland unit functions to	(only 1 score per box)	
	reduce shoreline erosion	per bony	
L	L 3. Does the wetland unit have the <u>potential</u> to reduce shoreline erosion?		
L	L 3 Distance along shore and average width of Cowardin classes along the lakeshore ( <b>do</b>	Figure	
•	<b>not</b> include aquatic bed): (choose the highest scoring description that matches conditions in the wetland)		
	> 3/4 of distance is shrubs or forest at least 33 ft (10m) wide points = 6		
	> 3/4 of distance is shrubs or forest at least 6 ft. (2 m) wide points = 4		
	$> \frac{1}{4}$ distance is shrubs or forest at least 33 ft (10m) wide points = 4		
	Vegetation is at least 6 ft $(2m)$ wide $(any type except aquatic bed)$ points = 2		
	Vegetation is less than 6 ft $(2m)$ wide $(any type except aquatic bed)$ points = 0		
	Aerial photo or map with Cowardin vegetation classes	<u> </u>	
$ \mathbf{L} $	Record the points from the box above	6	
L	L 4. Does the wetland unit have the <u>opportunity</u> to reduce erosion?	(see p.63)	
-	Are there features along the shore that will be impacted if the shoreline erodes? <i>Note</i>		
	which of the following conditions apply.		
	<ul> <li>There are human structures and activities along the upland edge of the wetland (buildings, fields) that can be damaged by erosion.</li> </ul>		
	<ul> <li>There are undisturbed natural resources along the upland edge of the wetland (e.g. mature forests other wetlands) than can be damaged by shoreline erosion</li> </ul>		
	— Other	multiplier	
	YES multiplier is 2 NO multiplier is 1	Yes	
L	<b>TOTAL - Hydrologic Functions</b> Multiply the score from L 3 by L 4 <i>Add score to table on p. 1</i>	12	

**Comments** 

These questions apply to wetlands of all HG		achitat	Points (only 1 score
HABITAT FUNCTIONS - Indicators that unit function			per box)
H 1. Does the wetland unit have the <u>potential</u> to pr	ovide habitat for many	species?	
H 1.1 Vegetation structure (see p. 72)			Figure
Check the types of vegetation classes present (as defined		old for each	4 Struc.
class is ¼ acre or more than 10% of the area if unit i	s smaller than 2.5 acres.		4
Aquatic bed			4
Emergent plants Scrub/shrub (areas where shrubs have >30%	cover)		
Forested (areas where trees have >30% cover			
If the unit has a forested class check if:	1)		
The forested class has 3 out of 5 strata (cano	ny sub-canony shrubs her	haceous	
moss/ground-cover) that each cover 20%			
Add the number of vegetation structures that qualify. If	1 0		
That the humber of vegetation structures that qualify. If	4 structures or more	points $= 4$	
Man of Cowardin variation places	3 structures	points $= 2$	
Map of Cowardin vegetation classes	2 structures	points = 1	
	1 structure	points $= 0$	
H 1.2. <u>Hydroperiods</u> (see p. 73)		*	Figure
Check the types of water regimes (hydroperiods) pr	esent within the wetland. Th	he water	
regime has to cover more than 10% of the wetland or			
descriptions of hydroperiods)	· · · · · · · · · · · · · · · · · · ·		2
Permanently flooded or inundated	4 or more types present	points = 3	2
Seasonally flooded or inundated	3 types present	points $= 2$	
Occasionally flooded or inundated	2 types present	point = 1	
Saturated only	1 type present	points $= 0$	
Permanently flowing stream or river in, or adj			
Seasonally flowing stream in, or adjacent to, the	he wetland		
$\angle$ Lake-fringe wetland = 2 points			
Freshwater tidal wetland = 2 points	Map of hydro	periods	
H 1.3. Richness of Plant Species (see p. 75)			F 10 an
Count the number of plant species in the wetland the		erent patches	5 -19 sp.
of the same species can be combined to meet the siz	e threshold)		1
You do not have to name the species.			
Do not include Eurasian Milfoil, reed canarygro			
If you counted:		points = 2	
List species below if you want to:		points $= 1$	
TYLA, ALRU, COSE, PHAR, SPDO	< 5 species	points = 0	
, , , , , , , , , , , , , , ,			

Total for page 7

H 1.4. Interspersion of habitats (see p. 76)	Figure
Decide from the diagrams below whether interspersion between Cowardin vegetation classes (described in H 1.1), or the classes and unvegetated areas (can include open water or	High
mudflats) is high, medium, low, or none.	3
None = 0 points Low = 1 point Moderate = 2 points	
High = 3 points  NOTE: If you have four or more classes or three vegetation classes and open water the rating is always "high". Use map of Cowardin vegetation classes	
H 1.5. <u>Special Habitat Features:</u> (see p. 77)  Check the habitat features that are present in the wetland. The number of checks is the	
number of points you put into the next column.	3
Large, downed, woody debris within the wetland (>4in. diameter and 6 ft long).	
<ul> <li>✓ Standing snags (diameter at the bottom &gt; 4 inches) in the wetland</li> <li>Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream (or ditch) in, or contiguous with the unit, for at least 33 ft (10m)</li> <li>Stable steep banks of fine material that might be used by beaver or muskrat for denning (&gt;30 degree slope) OR signs of recent beaver activity are present (cut shrubs or trees that have not yet turned grey/brown)</li> <li>✓ At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated.(structures for egg-laying by amphibians)</li> <li>Invasive plants cover less than 25% of the wetland area in each stratum of plants</li> <li>NOTE: The 20% stated in early printings of the manual on page 78 is an error.</li> </ul>	
H 1. TOTAL Score - potential for providing habitat	<b></b>
Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5	13

#### **Comments**

H 2. Does the wetland unit have the opportunity to provide habitat for many species?	
H 2.1 Buffers (see p. 80)	Figure
Choose the description that best represents condition of buffer of wetland unit. The highest scoring criterion that applies to the wetland is to be used in the rating. See text for definition of "undisturbed."	1
<ul> <li>— 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% of circumference. No structures are within the undisturbed part of buffer. (relatively undisturbed also means no-grazing, no landscaping, no daily human use) Points = 5</li> <li>— 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 50% circumference. Points = 4</li> <li>— 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt;95% circumference. Points = 4</li> <li>— 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water &gt; 25% circumference, Points = 3</li> <li>— 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for &gt; 50% circumference. Points = 3</li> </ul>	
If buffer does not meet any of the criteria above	
<ul> <li>No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland &gt; 95% circumference. Light to moderate grazing, or lawns are OK.</li> <li>Points = 2</li> <li>No paved areas or buildings within 50m of wetland for &gt;50% circumference.</li> </ul>	
Light to moderate grazing, or lawns are OK. Points = 2	
<ul><li>Heavy grazing in buffer.</li><li>Points = 1</li></ul>	
<ul> <li>Vegetated buffers are &lt;2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled fields, paving, basalt bedrock extend to edge of wetland</li> <li>Buffer does not meet any of the criteria above.</li> <li>Points = 1</li> <li>Aerial photo showing buffers</li> </ul>	
H 2.2 Corridors and Connections (see p. 81)	
H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed	
uplands that are at least 250 acres in size? (dams in riparian corridors, heavily used gravel	No
roads, paved roads, are considered breaks in the corridor).  YES = 4 points (go to H 2.3)  NO = go to H 2.2.2  H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or	
forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25 acres in size? <b>OR</b> a <b>Lake-fringe</b> wetland, if it does not have an undisturbed corridor as in the question above?	No
YES = <b>2 points</b> (go to $H 2.3$ ) NO = $H 2.2.3$	
H 2.2.3 Is the wetland:  ✓ within 5 mi (8km) of a brackish or salt water estuary OR  within 3 mi of a large field or pasture (>40 acres) OR  within 1 mi of a lake greater than 20 acres?	Yes
YES = 1 point NO = 0 points	

Total for page 2

II 2 2 N 1 1 1	
H 2.3 Near or adjacent to other priority habitats listed by WDFW (see new and complete	
descriptions of WDFW priority habitats, and the counties in which they can be found, in	
the PHS report <a href="http://wdfw.wa.gov/hab/phslist.htm">http://wdfw.wa.gov/hab/phslist.htm</a> )	
Which of the following priority habitats are within 330ft (100m) of the wetland unit? <i>NOTE: the</i>	
connections do not have to be relatively undisturbed.	
Aspen Stands: Pure or mixed stands of aspen greater than 0.4 ha (1 acre).	
Biodiversity Areas and Corridors: Areas of habitat that are relatively important to various	
species of native fish and wildlife (full descriptions in WDFW PHS report p. 152).	
Herbaceous Balds: Variable size patches of grass and forbs on shallow soils over bedrock.	
Old-growth/Mature forests: (Old-growth west of Cascade crest) Stands of at least 2 tree	
species, forming a multi-layered canopy with occasional small openings; with at least 20	
trees/ha (8 trees/acre) > 81 cm (32 in) dbh or > 200 years of age. (Mature forests) Stands	
with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less that 100%;	None
crown cover may be less that 100%; decay, decadence, numbers of snags, and quantity of	
large downed material is generally less than that found in old-growth; 80 - 200 years old	
west of the Cascade crest.	
Oregon white Oak: Woodlands Stands of pure oak or oak/conifer associations where	
canopy coverage of the oak component is important (full descriptions in WDFW PHS	
report p. 158).	
Riparian: The area adjacent to aquatic systems with flowing water that contains elements of	
both aquatic and terrestrial ecosystems which mutually influence each other.	
Westside Prairies: Herbaceous, non-forested plant communities that can either take the	
form of a dry prairie or a wet prairie (full descriptions in WDFW PHS report p. 161).	
Instream: The combination of physical, biological, and chemical processes and conditions	
that interact to provide functional life history requirements for instream fish and wildlife	
resources.	
Nearshore: Relatively undisturbed nearshore habitats. These include Coastal Nearshore,	
Open Coast Nearshore, and Puget Sound Nearshore. (full descriptions of habitats and the	
definition of relatively undisturbed are in WDFW report: pp. 167-169 and glossary in	
Appendix A).	
Caves: A naturally occurring cavity, recess, void, or system of interconnected passages under	
the earth in soils, rock, ice, or other geological formations and is large enough to contain a	
human.	
Cliffs: Greater than 7.6 m (25 ft) high and occurring below 5000 ft.	
Talus: Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft),	
composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine	
tailings. May be associated with cliffs.	
Snags and Logs: Trees are considered snags if they are dead or dying and exhibit sufficient	
decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a	
diameter at breast height of $> 51$ cm (20 in) in western Washington and are $> 2$ m (6.5 ft) in	
height. Priority logs are $> 30$ cm (12 in) in diameter at the largest end, and $> 6$ m (20 ft)	
	0
long.  If wetland has <b>3 or more</b> priority habitats = <b>4 points</b>	
If wetland has 2 priority habitats = 3 points  If wetland has 1 priority habitats = 1 points  No habitate = 0 points	
If wetland has 1 priority habitat = 1 point  No habitats = 0 points	
Note: All vegetated wetlands are by definition a priority habitat but are not included in this	
list. Nearby wetlands are addressed in question H 2.4)	

H 2.4 Wetland Landscape (choose the <b>one</b> description of the landscape around the wetland that best fits) (see p. 84)	5
There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development.  ✓ The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile  There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed  The wetland is Lake-fringe on a lake with disturbance and there are 3 other lake-fringe wetland within ½ mile  There is at least 1 wetland within ½ mile.  points = 3  There are no wetlands within ½ mile.  points = 0	
<b>H 2</b> . TOTAL Score - opportunity for providing habitat <i>Add the scores from H2.1,H2.2, H2.3, H2.4</i>	7
TOTAL for H 1 from page 14	13
<b>Total Score for Habitat Functions</b> – add the points for H 1, H 2 and record the result on p. 1	20

## **CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS**

Please determine if the wetland meets the attributes described below and circle the appropriate answers and Category.

Wetland Type	Category
Check off any criteria that apply to the wetland. Circle the Category when the	
appropriate criteria are met.  SC 1.0 Estuarine wetlands (see p. 86)	
Does the wetland unit meet the following criteria for Estuarine wetlands?	
<ul> <li>— The dominant water regime is tidal,</li> <li>— Vegetated, and</li> <li>— With a salinity greater than 0.5 ppt.</li> <li>YES = Go to SC 1.1</li> <li>NO ✓</li> </ul>	
SC 1.1 Is the wetland unit within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area Preserve, State Park or Educational, Environmental, or Scientific Reserve designated under WAC 332-30-151?	Cat. I
SC 1.2 Is the wetland unit at least 1 acre in size and meets at least two of the following three conditions? YES = Category I NO = Category II  — The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing, and has less than 10% cover of non-native plant species. If the non-native <i>Spartina</i> spp. are the only species that cover more than 10% of the wetland, then the wetland should be given a dual rating (I/II). The area of Spartina would be rated a Category II while the relatively undisturbed upper marsh with native species would be a Category I. Do not, however, exclude the area of Spartina in determining the size threshold of 1 acre.  — At least 3/4 of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-mowed grassland.  — The wetland has at least 2 of the following features: tidal channels, depressions with open water, or contiguous freshwater wetlands.	Cat. I Cat. II  Dual rating I/II

### SC 2.0 Natural Heritage Wetlands (see p. 87) Cat. I Natural Heritage wetlands have been identified by the Washington Natural Heritage Program/DNR as either high quality undisturbed wetlands or wetlands that support state Threatened, Endangered, or Sensitive plant species. SC 2.1 Is the wetland unit being rated in a Section/Township/Range that contains a Natural Heritage wetland? (this question is used to screen out most sites before you need to contact WNHP/DNR) S/T/R information from Appendix D \_\_\_ or accessed from WNHP/DNR web site \_\_\_\_ NO **√** YES\_\_\_\_ – contact WNHP/DNR (see p. 79) and go to SC 2.2 SC 2.2 Has DNR identified the wetland as a high quality undisturbed wetland or as or as a site with state threatened or endangered plant species? NO ✓ not a Heritage Wetland YES = Category ISC 3.0 Bogs (see p. 87) Does the wetland unit (or any part of the unit) meet both the criteria for soils and vegetation in bogs? Use the key below to identify if the wetland is a bog. If you answer yes you will still need to rate the wetland based on its functions. 1. Does the unit have organic soil horizons (i.e. layers of organic soil), either peats or mucks, that compose 16 inches or more of the first 32 inches of the soil profile? (See Appendix B for a field key to identify organic soils)? Yes -No - go to Q. 2 go to Q. 3 2. Does the unit have organic soils, either peats or mucks that are less than 16 inches deep over bedrock, or an impermeable hardpan such as clay or volcanic ash, or that are floating on a lake or pond? Yes - go to Q. 3 No - Is not a bog for purpose of rating 3. Does the unit have more than 70% cover of mosses at ground level, AND other plants, if present, consist of the "bog" species listed in Table 3 as a significant component of the vegetation (more than 30% of the total shrub and herbaceous cover consists of species in Table 3)? Yes – Is a bog for purpose of rating No - go to Q. 4 NOTE: If you are uncertain about the extent of mosses in the understory you may substitute that criterion by measuring the pH of the water that seeps into a hole dug at least 16" deep. If the pH is less than 5.0 and the "bog" plant species in Table 3 are present, the wetland is a bog. 1. Is the unit forested (> 30% cover) with sitka spruce, subalpine fir, western red cedar, western hemlock, lodgepole pine, quaking aspen, Englemann's spruce, or western white pine, WITH any of the species (or combination of species) on the bog species plant list in Table 3 as a significant component of the ground cover (> 30% coverage of the total shrub/herbaceous cover)? No\_\_\_ Is not a bog for purpose of rating 2. YES = Category ICat. I

DC TIO I DI COLCA II CHAMAS (BCC D. 70)	<b>SC 4.0</b>	<b>Forested</b>	Wetlands	(see	p. 90)	)
---	---------------	-----------------	----------	------	--------	---

Does the wetland unit have at least 1 acre of forest that meet one of these criteria for the Department of Fish and Wildlife's forests as priority habitats? *If you answer yes you will still need to rate the wetland based on its functions.* 

— Old-growth forests: (west of Cascade crest) Stands of at least two tree species, forming a multi-layered canopy with occasional small openings; with at least 8 trees/acre (20 trees/hectare) that are at least 200 years of age OR have a diameter at breast height (dbh) of 32 inches (81 cm) or more.

NOTE: The criterion for dbh is based on measurements for upland forests. Two-hundred year old trees in wetlands will often have a smaller dbh because their growth rates are often slower. The DFW criterion is and "OR" so old-growth forests do not necessarily have to have trees of this diameter.

— Mature forests: (west of the Cascade Crest) Stands where the largest trees are 80 – 200 years old OR have average diameters (dbh) exceeding 21 inches (53cm); crown cover may be less that 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth.

YES = Category I

NO **✓** not a forested wetland with special characteristics

Cat. I

#### SC 5.0 Wetlands in Coastal Lagoons (see p. 91)

Does the wetland meet all of the following criteria of a wetland in a coastal lagoon?

- The wetland lies in a depression adjacent to marine waters that is wholly or partially separated from marine waters by sandbanks, gravel banks, shingle, or, less frequently, rocks
- The lagoon in which the wetland is located contains surface water that is saline or brackish (> 0.5 ppt) during most of the year in at least a portion of the lagoon (needs to be measured near the bottom)

YES = Go to SC 5.1

NO ✓ not a wetland in a coastal lagoon

SC 5.1 Does the wetland meets all of the following three conditions?

- The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing), and has less than 20% cover of invasive plant species (see list of invasive species on p. 74).
- At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-mowed grassland.

— The wetland is larger than 1/10 acre (4350 square feet)

YES = Category I NO = Category II

Cat. I

Cat. II

SC 6.0 Interdunal Wetlands (see p. 93)	
Is the wetland unit west of the 1889 line (also called the Western Boundary of Upland	
Ownership or WBUO)?	
YES - go to SC 6.1 NO ✓ not an interdunal wetland for rating	
If you answer yes you will still need to rate the wetland based on its	
functions.	
In practical terms that means the following geographic areas:	
<ul> <li>Long Beach Peninsula- lands west of SR 103</li> </ul>	
Grayland-Westport- lands west of SR 105	
<ul> <li>Ocean Shores-Copalis- lands west of SR 115 and SR 109</li> </ul>	
SC 6.1 Is the wetland one acre or larger, or is it in a mosaic of wetlands that is once acre or larger?	
YES = Category II $NO - go to SC 6.2$	Cat. II
SC 6.2 Is the unit between 0.1 and 1 acre, or is it in a mosaic of wetlands that is between 0.1 and 1 acre?	
YES = Category III	Cat. III
Category of wetland based on Special Characteristics	
Choose the "highest" rating if wetland falls into several categories, and record on	N/A
p. 1.	
If you answered NO for all types enter "Not Applicable" on p.1	





Wetland Boundary Forested Vegetation Scrub/Shrub Vegetation **Emergent Vegetation** 

Aquatic Bed Vegetation

## **RATING SUMMARY – Western Washington**

Name of wetland (	or ID #): 28-2			Date of	site visit: <u>2/25/</u> 2016
Rated by L. Daniels	ki/M.Dalzell	Traine	ed by Ecology?	✓ YesN	o Date of training 10/
HGM Class used fo	r rating Slope		Wetland has m	ultiple HGN	1 classes? Y V N
Source o	f base aerial pho	oto/map BingMa	р		can be combined)ecial characteristics
1. Category of v		d on FUNCTIO	ONS	<u></u> . 0. 0p	
	Category II – To				Score for each function based
	<b>Category III</b> – To				on three ratings
	Category IV – To				(order of ratings is not
FUNCTION	Improving	Hydrologic	Habitat		important)
	Water Quality				9 = H,H,H
		Circle the ap	propriate ratings		8 = H,H,M
Site Potential	H M L ✓	H	H∐ M∐ L[ <b>√</b> ]		7 = H,H,L
andscape Potential	H M M ✓ L	H M L√	H□ M□ L√		7 = H,M,M
Value	H <b>√</b> M□L□	H M V	H M L	TOTAL	6 = H,M,L
Score Based on Ratings	6	4	3	13	6 = M,M,M 5 = H,L,L 5 = M,M,L
					4 = M,L,L
					3 = L,L,L

## 2. Category based on SPECIAL CHARACTERISTICS of wetland

CHARACTERISTIC	CATEGORY
Estuarine	I II
Wetland of High Conservation Value	I
Bog	Ι
Mature Forest	I
Old Growth Forest	I
Coastal Lagoon	I I II
Interdunal	I _II _ III _ IV
None of the above	*

# Maps and figures required to answer questions correctly for Western Washington

## **Depressional Wetlands**

Map of:	To answer questions:	Figure #
Cowardin plant classes	D 1.3, H 1.1, H 1.4	
Hydroperiods	D 1.4, H 1.2	
Location of outlet (can be added to map of hydroperiods)	D 1.1, D 4.1	
Boundary of area within 150 ft of the wetland (can be added to another figure)	D 2.2, D 5.2	
Map of the contributing basin	D 4.3, D 5.3	
1 km Polygon: Area that extends 1 km from entire wetland edge - including	H 2.1, H 2.2, H 2.3	
polygons for accessible habitat and undisturbed habitat		
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	D 3.1, D 3.2	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	D 3.3	

#### **Riverine Wetlands**

Map of:	To answer questions:	Figure #
Cowardin plant classes	H 1.1, H 1.4	
Hydroperiods	H 1.2	
Ponded depressions	R 1.1	
Boundary of area within 150 ft of the wetland (can be added to another figure)	R 2.4	
Plant cover of trees, shrubs, and herbaceous plants	R 1.2, R 4.2	
Width of unit vs. width of stream (can be added to another figure)	R 4.1	
Map of the contributing basin	R 2.2, R 2.3, R 5.2	
1 km Polygon: Area that extends 1 km from entire wetland edge - including	H 2.1, H 2.2, H 2.3	
polygons for accessible habitat and undisturbed habitat		
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	R 3.1	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	R 3.2, R 3.3	

### Lake Fringe Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes	L 1.1, L 4.1, H 1.1, H 1.4	
Plant cover of trees, shrubs, and herbaceous plants	L 1.2	
Boundary of area within 150 ft of the wetland (can be added to another figure)	L 2.2	
1 km Polygon: Area that extends 1 km from entire wetland edge - including polygons for accessible habitat and undisturbed habitat	H 2.1, H 2.2, H 2.3	
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	L 3.1, L 3.2	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	L 3.3	

## Slope Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes	H 1.1, H 1.4	28-2-1
Hydroperiods	H 1.2	28-2-1
Plant cover of <b>dense</b> trees, shrubs, and herbaceous plants	S 1.3	28-2-1
Plant cover of dense, rigid trees, shrubs, and herbaceous plants	S 4.1	28-2-1
(can be added to figure above)		20-2-1
Boundary of 150 ft buffer (can be added to another figure)	S 2.1, S 5.1	28-2-2
1 km Polygon: Area that extends 1 km from entire wetland edge - including	H 2.1, H 2.2, H 2.3	28-2-3
polygons for accessible habitat and undisturbed habitat		20-2-3
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	S 3.1, S 3.2	28-2-4
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	S 3.3	28-2-5

## **HGM Classification of Wetlands in Western Washington**

For questions 1-7, the criteria described must apply to the entire unit being rated.

If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in questions 1-7 apply, and go to Question 8.

1.	Are the water levels in the entire unit usually controlled by tides except during floods?	
	✓ NO – go to 2	
1	.1 Is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)?	
	NO – Saltwater Tidal Fringe (Estuarine)  If your wetland can be classified as a Freshwater Tidal Fringe use the forms for Riverine wetlands. If it is Saltwater Tidal Fringe it is an Estuarine wetland and is not scored. This method cannot be used to score functions for estuarine wetlands.	
2.	The entire wetland unit is flat and precipitation is the only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit.	
	✓ NO – go to 3	
3.	Does the entire wetland unit <b>meet all</b> of the following criteria?  The vegetated part of the wetland is on the shores of a body of permanent open water (without any plants on the surface at any time of the year) at least 20 ac (8 ha) in size; At least 30% of the open water area is deeper than 6.6 ft (2 m).	
	✓ NO – go to 4	
4.	Does the entire wetland unit <b>meet all</b> of the following criteria? The wetland is on a slope ( <i>slope can be very gradual</i> ), The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks, The water leaves the wetland <b>without being impounded</b> .	
	✓ NO – go to 5 <b>YES –</b> The wetland class is <b>Slope</b>	
	<b>NOTE</b> : Surface water does not pond in these type of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3 ft diameter and less than 1 ft deep).	
5.	Does the entire wetland unit <b>meet all</b> of the following criteria?  The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river,  The overbank flooding occurs at least once every 2 years.	

We	Wetland name or number	
	✓ NO – go to 6 <b>NOTE</b> : The Riverine unit can contain depressions not flooding	YES – The wetland class is Riverine that are filled with water when the river is
6.	<ol> <li>Is the entire wetland unit in a topographic depress surface, at some time during the year? This means of the wetland.</li> </ol>	sion in which water ponds, or is saturated to the s that any outlet, if present, is higher than the interior
	✓ NO – go to 7	YES - The wetland class is <b>Depressional</b>
7.	7. Is the entire wetland unit located in a very flat are flooding? The unit does not pond surface water m maintained by high groundwater in the area. The outlet.	1
	✓ NO – go to 8	YES – The wetland class is <b>Depressional</b>

28-2

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a Depressional wetland has a zone of flooding along its sides. GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within the wetland unit being scored.

**NOTE**: Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the HGM class listed in column 2 is less than 10% of the unit; classify the wetland using the class that represents more than 90% of the total area.

HGM classes within the wetland unit	HGM class to
being rated	use in rating
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake Fringe	Lake Fringe
Depressional + Riverine along stream	Depressional
within boundary of depression	
Depressional + Lake Fringe	Depressional
Riverine + Lake Fringe	Riverine
Salt Water Tidal Fringe and any other	Treat as
class of freshwater wetland	ESTUARINE

If you are still unable to determine which of the above criteria apply to your wetland, or if you have **more than 2 HGM classes** within a wetland boundary, classify the wetland as Depressional for the rating.

Wetland 28-2 contains slope and depressional areas. The depressional portion of the wetland contains less than 10% of the wetland unit; therefore the wetland is rated as a slope wetland.

DEPRESSIONAL AND FLATS WETLANDS	
Water Quality Functions - Indicators that the site functions to improve water quality	
D 1.0. Does the site have the potential to improve water quality?	
D 1.1. Characteristics of surface water outflows from the wetland:	
Wetland is a depression or flat depression (QUESTION 7 on key) with no surface water leaving it (no outlet).	
points = 3	
Wetland has an intermittently flowing stream or ditch, OR highly constricted permanently flowing outlet.	0
points = 2  Wetland has an unconstricted, or slightly constricted, surface outlet that is permanently flowing points = 1	
Wetland is a flat depression (QUESTION 7 on key), whose outlet is a permanently flowing ditch. points = 1	
D 1.2. The soil 2 in below the surface (or duff layer) is true clay or true organic (use NRCS definitions). Yes = 4 No = 0	0
D 1.3. Characteristics and distribution of persistent plants (Emergent, Scrub-shrub, and/or Forested Cowardin classes):	
Wetland has persistent, ungrazed, plants > 95% of area points = 5	
Wetland has persistent, ungrazed, plants > ½ of area points = 3	0
Wetland has persistent, ungrazed plants $> \frac{1}{10}$ of area points = 1	
Wetland has persistent, ungrazed plants $<^1/_{10}$ of area points = 0	
D 1.4. Characteristics of seasonal ponding or inundation:	
This is the area that is ponded for at least 2 months. See description in manual.	
Area seasonally ponded is > ½ total area of wetland points = 4	0
Area seasonally ponded is > ¼ total area of wetland points = 2	
Area seasonally ponded is < ¼ total area of wetland points = 0	
Total for D 1 Add the points in the boxes above	0
Rating of Site Potential If score is: 12-16 = H 6-11 = M 0-5 = L Record the rating on the first page	
D 2.0. Does the landscape have the potential to support the water quality function of the site?	
D 2.1. Does the wetland unit receive stormwater discharges?  Yes = 1  No = 0	0
D 2.2. Is > 10% of the area within 150 ft of the wetland in land uses that generate pollutants? $\square$ Yes = 1 $\square$ No = 0	0
D 2.3. Are there septic systems within 250 ft of the wetland?	0
D 2.4. Are there other sources of pollutants coming into the wetland that are not listed in questions D 2.1-D 2.3?	0
SourceYes = 1 No = 0	U
Total for D 2 Add the points in the boxes above	0
Rating of Landscape Potential If score is: 3 or 4 = H 1 or 2 = M 0 = L Record the rating on the fire	st page
D 3.0. Is the water quality improvement provided by the site valuable to society?	
D 3.1. Does the wetland discharge directly (i.e., within 1 mi) to a stream, river, lake, or marine water that is on the	0
303(d) list? Yes = 1 No = 0	0
D 3.2. Is the wetland in a basin or sub-basin where an aquatic resource is on the 303(d) list? Yes = 1 No = 0	0
D 3.3. Has the site been identified in a watershed or local plan as important for maintaining water quality (answer YES	0
if there is a TMDL for the basin in which the unit is found)?  Yes = 2 No = 0	_
Total for D 3 Add the points in the boxes above	0
<b>Rating of Value</b> If score is: $2-4 = H$ $1 = M$ $0 = L$ Record the rating on the first page	

DEPRESSIONAL AND FLATS WETLANDS	
<b>Hydrologic Functions</b> - Indicators that the site functions to reduce flooding and stream degradate	ion
D 4.0. Does the site have the potential to reduce flooding and erosion?	
D 4.1. Characteristics of surface water outflows from the wetland:  Wetland is a depression or flat depression with no surface water leaving it (no outlet)  Wetland has an intermittently flowing stream or ditch, OR highly constricted permanently flowing outletpoints = 2  Wetland is a flat depression (QUESTION 7 on key), whose outlet is a permanently flowing ditch  Wetland has an unconstricted, or slightly constricted, surface outlet that is permanently flowing  points = 0	0
D 4.2. Depth of storage during wet periods: Estimate the height of ponding above the bottom of the outlet. For wetlands with no outlet, measure from the surface of permanent water or if dry, the deepest part.  Marks of ponding are 3 ft or more above the surface or bottom of outlet points = 7  Marks of ponding between 2 ft to < 3 ft from surface or bottom of outlet points = 5  Marks are at least 0.5 ft to < 2 ft from surface or bottom of outlet points = 3  The wetland is a "headwater" wetland points = 3  Wetland is flat but has small depressions on the surface that trap water points = 1  Marks of ponding less than 0.5 ft (6 in) points = 0	0
D 4.3. Contribution of the wetland to storage in the watershed: Estimate the ratio of the area of upstream basin contributing surface water to the wetland to the area of the wetland unit itself.  The area of the basin is less than 10 times the area of the unit  The area of the basin is 10 to 100 times the area of the unit  The area of the basin is more than 100 times the area of the unit  Entire wetland is in the Flats class  D 4.3. Contribution of the wetland unit itself.  Points = 5  The area of the basin is 10 to 100 times the area of the unit  Points = 5  Entire wetland is in the Flats class	0
Total for D 4 Add the points in the boxes above	0
Rating of Site Potential If score is: 12-16 = H 6-11 = M 0-5 = L Record the rating on the	first page
D 5.0. Does the landscape have the potential to support hydrologic functions of the site?	
D 5.1. Does the wetland receive stormwater discharges? $ Yes = 1  No = 0 $	0
D 5.2. Is >10% of the area within 150 ft of the wetland in land uses that generate excess runoff? Yes = 1 No = 0	0
D 5.3. Is more than 25% of the contributing basin of the wetland covered with intensive human land uses (residential at >1 residence/ac, urban, commercial, agriculture, etc.)?  Yes = 1  No = 0	0
Total for D 5 Add the points in the boxes above	0
Rating of Landscape Potential If score is: 3 = H 1 or 2 = M 0 = L Record the rating on the	first page
D 6.0. Are the hydrologic functions provided by the site valuable to society?	
D 6.1. The unit is in a landscape that has flooding problems. Choose the description that best matches conditions around the wetland unit being rated. Do not add points. Choose the highest score if more than one condition is met.  The wetland captures surface water that would otherwise flow down-gradient into areas where flooding has damaged human or natural resources (e.g., houses or salmon redds):  • Flooding occurs in a sub-basin that is immediately down-gradient of unit. points = 2  • Surface flooding problems are in a sub-basin farther down-gradient. points = 1  The existing or potential outflow from the wetland is so constrained by human or natural conditions that the water stored by the wetland cannot reach areas that flood. Explain why points = 0  There are no problems with flooding downstream of the wetland. points = 0	0
D 6.2. Has the site been identified as important for flood storage or flood conveyance in a regional flood control plan?  Yes = 2 No = 0	0
Total for D 6 Add the points in the boxes above	0
Rating of Value If score is: 2-4 = H 1 = M 0 = L Record the rating on the	first page

RIVERINE AND FRESHWATER TIDAL FRINGE WETLANDS	
Water Quality Functions - Indicators that the site functions to improve water quality	
R 1.0. Does the site have the potential to improve water quality?	
R 1.1. Area of surface depressions within the Riverine wetland that can trap sediments during a flooding event:	
$\square$ Depressions cover $>^3/_4$ area of wetland points = 8	
Depressions cover > ½ area of wetland points = 4	0
Depressions present but cover < ½ area of wetland points = 2	
No depressions present points = 0	
R 1.2. Structure of plants in the wetland (areas with >90% cover at person height, <b>not</b> Cowardin classes)	
Trees or shrubs $> \frac{2}{3}$ area of the wetland points = 8	
Trees or shrubs $> \frac{1}{3}$ area of the wetland points = 6	0
Herbaceous plants (> 6 in high) > $^2/_3$ area of the wetland points = 6	
Herbaceous plants (> 6 in high) > $^{1}/_{3}$ area of the wetland points = 3	
Trees, shrubs, and ungrazed herbaceous $< \frac{1}{3}$ area of the wetland points = 0	
Total for R 1 Add the points in the boxes above	0
Rating of Site Potential If score is: 12-16 = H 6-11 = M 0-5 = L Record the rating on	the first page
R 2.0. Does the landscape have the potential to support the water quality function of the site?	
R 2.1. Is the wetland within an incorporated city or within its UGA? $\qquad \qquad \qquad$	0
R 2.2. Does the contributing basin to the wetland include a UGA or incorporated area? Yes = 1 No = 0	0
R 2.3. Does at least 10% of the contributing basin contain tilled fields, pastures, or forests that have been clearcut within the last 5 years?  Yes = 1 No = 0	0
R 2.4. Is > 10% of the area within 150 ft of the wetland in land uses that generate pollutants?	0
R 2.5. Are there other sources of pollutants coming into the wetland that are not listed in questions R 2.1-R 2.4  Other sources Yes = 1  No = 0	0
Total for R 2 Add the points in the boxes above	0
Rating of Landscape Potential If score is: 3-6 = H 1 or 2 = M 0 = L Record the rating on	the first page
R 3.0. Is the water quality improvement provided by the site valuable to society?	
R 3.1. Is the wetland along a stream or river that is on the 303(d) list or on a tributary that drains to one within 1 mi?	
Yes = 1 No = 0	0
R 3.2. Is the wetland along a stream or river that has TMDL limits for nutrients, toxics, or pathogens?	0
R 3.3. Has the site been identified in a watershed or local plan as important for maintaining water quality? (answer YES if there is a TMDL for the drainage in which the unit is found)  [ Yes = 2  No = 0]	0
Total for R 3 Add the points in the boxes above	0
Rating of Value If score is 2-4 = H 1 = M 0 = L  Record the rating on	the first page

RIVERINE AND FRESHWATER TIDAL FRINGE WETLANDS	
Hydrologic Functions - Indicators that site functions to reduce flooding and stream erosion	
R 4.0. Does the site have the potential to reduce flooding and erosion?	
R 4.1. Characteristics of the overbank storage the wetland provides:	0
Estimate the average width of the wetland perpendicular to the direction of the flow and the width of the	
stream or river channel (distance between banks). Calculate the ratio: (average width of wetland)/(average	
width of stream between banks).	
If the ratio is more than 20 points = 9	
If the ratio is 10-20 points = 6	
If the ratio is 5-<10 points = 4	
If the ratio is 1-<5 points = 2	
If the ratio is < 1 points = 1	
R 4.2. Characteristics of plants that slow down water velocities during floods: Treat large woody debris as forest or	0
shrub. Choose the points appropriate for the best description (polygons need to have >90% cover at person	
height. These are <u>NOT Cowardin</u> classes).	
Forest or shrub for $>^1/_3$ area OR emergent plants $>^2/_3$ area points = 7	
Forest or shrub for $> \frac{1}{10}$ area OR emergent plants $> \frac{1}{3}$ area points = 4	
Plants do not meet above criteria points = 0	
Total for R 4 Add the points in the boxes above	0
Rating of Site Potential If score is: 12-16 = H 6-11 = M 0-5 = L Record the rating on the	he first page
R 5.0. Does the landscape have the potential to support the hydrologic functions of the site?	
R 5.1. Is the stream or river adjacent to the wetland downcut?  Yes = 0 No = 1	0
R 5.2. Does the up-gradient watershed include a UGA or incorporated area? Yes = 1 No = 0	0
R 5.3. Is the up-gradient stream or river controlled by dams?	0
Total for R 5 Add the points in the boxes above	0
Rating of Landscape Potential If score is:3 = H1 or 2 = M0 = L  Record the rating on to	he first page
R 6.0. Are the hydrologic functions provided by the site valuable to society?	
R 6.1. Distance to the nearest areas downstream that have flooding problems?	0
Choose the description that best fits the site.	U
The sub-basin immediately down-gradient of the wetland has flooding problems that result in damage to	
human or natural resources (e.g., houses or salmon redds) points = 2	
Surface flooding problems are in a sub-basin farther down-gradient points = 1	
No flooding problems anywhere downstream points = 0	
R 6.2. Has the site been identified as important for flood storage or flood conveyance in a regional flood control plan?	0
Total for R 6 Add the points in the boxes above	0
Rating of Value If score is: 2-4 = H 1 = M 0 = L Record the rating on the	he first page

LAKE FRINGE WETLANDS	
Water Quality Functions - Indicators that the site functions to improve water quality	
L 1.0. Does the site have the potential to improve water quality?	
L 1.1. Average width of plants along the lakeshore (use polygons of Cowardin classes):	0
Plants are more than 33 ft (10 m) wide points = 6	O
Plants are more than 16 ft (5 m) wide and <33 ft points = 3	
Plants are more than 6 ft (2 m) wide and <16 ft points = 1	
Plants are less than 6 ft wide points = 0	
L 1.2. Characteristics of the plants in the wetland: Choose the appropriate description that results in the highest points, and do not include any open water in your estimate of coverage. The herbaceous plants can be either the dominant form or as an understory in a shrub or forest community. These are not Cowardin classes. Area of cover is total cover in the unit, but it can be in patches. Herbaceous does not include aquatic bed.	0
$\square$ Cover of herbaceous plants is >90% of the vegetated area points = 6	
Cover of herbaceous plants is $>^2/_3$ of the vegetated area  points = 4	
Cover of herbaceous plants is $>^1/_3$ of the vegetated area points = 3	
Other plants that are not aquatic bed > $^{2}/_{3}$ unit points = 3  Other plants that are not aquatic bed in > $^{1}/_{3}$ vegetated area points = 1	
Other plants that are not aquatic bed in > $\frac{1}{3}$ vegetated area points = 1  Aquatic bed plants and open water cover > $\frac{2}{3}$ of the unit points = 0	
Total for L 1  Add the points in the boxes above	0
	ie jirst page
L 2.0. Does the landscape have the potential to support the water quality function of the site?	
L 2.1. Is the lake used by power boats?	0
L 2.2. Is > 10% of the area within 150 ft of wetland unit on the upland side in land uses that generate pollutants?	0
L 2.3. Does the lake have problems with algal blooms or excessive plant growth such as milfoil?	0
Total for L 2 Add the points in the boxes above	0
Rating of Landscape Potential: If score is: $\square$ 2 or 3 = H $\square$ 1 = M $\square$ 0 = L Record the rating on the	ne first page
L 3.0. Is the water quality improvement provided by the site valuable to society?	
L 3.1. Is the lake on the 303(d) list of degraded aquatic resources?	0
L 3.2. Is the lake in a sub-basin where water quality is an issue (at least one aquatic resource in the basin is on the 303(d) list)? $\square$ Yes = 1 $\square$ No = 0	0
L 3.3. Has the site been identified in a watershed or local plan as important for maintaining water quality? Answer YES if there is a TMDL for the lake or basin in which the unit is found. $\square$ Yes = 2 $\square$ No = 0	0
Total for L 3 Add the points in the boxes above	0
Rating of Value If score is: 2-4 = H 1 = M 0 = L Record the rating on the	ne first page

LAKE FRINGE WETLANDS		
Hydrologic Functions - Indicators that the wetland unit functions to reduce shoreline erosion		
L 4.0. Does the site have the potential to reduce shoreline erosion?		
L 4.1. Distance along shore and average width of Cowardin classes along the lakeshore ( <b>do not</b> in Choose the highest scoring description that matches conditions in the wetland.	nclude Aquatic bed):	0
> ¾ of distance is Scrub-shrub or Forested at least 33 ft (10 m) wide	points = 6	
> ¾ of distance is Scrub-shrub or Forested at least 6 ft (2 m) wide	points = 4	
> ¼ distance is Scrub-shrub or Forested at least 33 ft (10 m) wide	points = 4	
Plants are at least 6 ft (2 m) wide (any type except Aquatic bed)	points = 2	
Plants are less than 6 ft (2 m) wide (any type except Aquatic bed)	points = 0	
Rating of Site Potential: If score is:6 = M0-5 = L	Record the rating on t	he first page
L 5.0. Does the landscape have the potential to support the hydrologic functions of the	site?	
L 5.1. Is the lake used by power boats with more than 10 hp?	Yes = 1 No = 0	0
L 5.2. Is the fetch on the lake side of the unit at least 1 mile in distance?	Yes = 1 No = 0	0
Total for L 5 Add the points	in the boxes above	0
Rating of Landscape Potential If score is: 2 = H 1 = M 0 = L Record the rating on		he first page
L 6.0. Are the hydrologic functions provided by the site valuable to society?		
L 6.1. Are there resources along the shore that can be impacted by erosion? If more than one resource is present, choose the one with the highest score.		0
There are human structures or old growth/mature forests within 25 ft of OHWM of the shore in the unit		
	points = 2	
There are nature trails or other paths and recreational activities within 25 ft of OHWM	points = 1	
Other resources that could be impacted by erosion	points = 1	
There are no resources that can be impacted by erosion along the shores of the unit	points = 0	
Rating of Value: If score is: 2 = H 1 = M 0 = L	Record the rating on	the first page

NOTES and FIELD OBSERVATIONS:

SLOPE WETLANDS  Water Quality Functions - Indicators that the site functions to improve water quality	
S 1.0. Does the site have the potential to improve water quality?	
S 1.1. Characteristics of the average slope of the wetland: (a 1% slope has a 1 ft vertical drop in elevation for every 100 ft of horizontal distance)	1
Slope is 1% or less points = 3	
Slope is > 1%-2% points = 2	
✓ Slope is > 2%-5% points = 1	
Slope is greater than 5% points = 0	
S 1.2. The soil 2 in below the surface (or duff layer) is true clay or true organic (use NRCS definitions): Yes = 3 No = 0	0
S 1.3. Characteristics of the plants in the wetland that trap sediments and pollutants:	0
Choose the points appropriate for the description that best fits the plants in the wetland. Dense means you have trouble seeing the soil surface (>75% cover), and uncut means not grazed or mowed and plants are higher than 6 in.	
Dense, uncut, herbaceous plants > 90% of the wetland area points = 6	
Dense, uncut, herbaceous plants > ½ of area points = 3	
Dense, woody, plants > ½ of area points = 2	
Dense, uncut, herbaceous plants > ¼ of area points = 1	
✓ Does not meet any of the criteria above for plants points = 0	
Total for S 1 Add the points in the boxes above	1
Rating of Site Potential If score is: 12 = H 6-11 = M 70-5 = L Record the rating on	the first page
S 2.0. Does the landscape have the potential to support the water quality function of the site?	
S 2.0. Does the landscape have the potential to support the water quality function of the site?  S 2.1. Is > 10% of the area within 150 ft on the uphill side of the wetland in land uses that generate pollutants?  ☐ Yes = 1 ✓ No = 0	0
S 2.1. Is > 10% of the area within 150 ft on the uphill side of the wetland in land uses that generate pollutants?	0
S 2.1. Is > 10% of the area within 150 ft on the uphill side of the wetland in land uses that generate pollutants?  Yes = 1 VNo = 0	0
S 2.1. Is > 10% of the area within 150 ft on the uphill side of the wetland in land uses that generate pollutants?  ☐ Yes = 1 ✓ No = 0  S 2.2. Are there other sources of pollutants coming into the wetland that are not listed in question S 2.1?	0 1
S 2.1. Is > 10% of the area within 150 ft on the uphill side of the wetland in land uses that generate pollutants?  Yes = 1 √No = 0  S 2.2. Are there other sources of pollutants coming into the wetland that are not listed in question S 2.1?  Other sources Runoff from Military Road  Yes = 1 No = 0	1
S 2.1. Is > 10% of the area within 150 ft on the uphill side of the wetland in land uses that generate pollutants?  Yes = 1 ✓ No = 0  S 2.2. Are there other sources of pollutants coming into the wetland that are not listed in question S 2.1?  Other sources Runoff from Military Road  Total for S 2  Add the points in the boxes above	1
S 2.1. Is > 10% of the area within 150 ft on the uphill side of the wetland in land uses that generate pollutants?  Yes = 1 ✓ No = 0  S 2.2. Are there other sources of pollutants coming into the wetland that are not listed in question S 2.1?  Other sources Runoff from Military Road  Total for S 2  Add the points in the boxes above  Rating of Landscape Potential If score is: ✓ 1-2 = M	1
S 2.1. Is > 10% of the area within 150 ft on the uphill side of the wetland in land uses that generate pollutants?  ☐ Yes = 1 ✓ No = 0  S 2.2. Are there other sources of pollutants coming into the wetland that are not listed in question S 2.1?  Other sources Runoff from Military Road  ☐ Yes = 1 ☐ No = 0  Total for S 2  Add the points in the boxes above  Rating of Landscape Potential If score is: ☑ 1-2 = M ☐ 0 = L  Record the rating on  S 3.0. Is the water quality improvement provided by the site valuable to society?  S 3.1. Does the wetland discharge directly (i.e., within 1 mi) to a stream, river, lake, or marine water that is on the	1 1 the first page
S 2.1. Is > 10% of the area within 150 ft on the uphill side of the wetland in land uses that generate pollutants?  ☐ Yes = 1 ☑ No = 0  S 2.2. Are there other sources of pollutants coming into the wetland that are not listed in question S 2.1?  Other sources Runoff from Military Road  ☐ Yes = 1 ☐ No = 0  Total for S 2  Add the points in the boxes above  Rating of Landscape Potential If score is: ☑ 1-2 = M ☐ 0 = L  Record the rating on  S 3.0. Is the water quality improvement provided by the site valuable to society?  S 3.1. Does the wetland discharge directly (i.e., within 1 mi) to a stream, river, lake, or marine water that is on the 303(d) list?  ☐ Yes = 1 ☑ No = 0  S 3.2. Is the wetland in a basin or sub-basin where water quality is an issue? At least one aquatic resource in the basin is	1 1 the first page
S 2.1. Is > 10% of the area within 150 ft on the uphill side of the wetland in land uses that generate pollutants?  ☐ Yes = 1 ✓ No = 0  S 2.2. Are there other sources of pollutants coming into the wetland that are not listed in question S 2.1?  Other sources Runoff from Military Road  ☐ Total for S 2  Add the points in the boxes above  Rating of Landscape Potential If score is: ☑ 1-2 = M ☐ 0 = L  Record the rating on  S 3.0. Is the water quality improvement provided by the site valuable to society?  S 3.1. Does the wetland discharge directly (i.e., within 1 mi) to a stream, river, lake, or marine water that is on the 303(d) list?  ☐ Yes = 1 ☑ No = 0  S 3.2. Is the wetland in a basin or sub-basin where water quality is an issue? At least one aquatic resource in the basin is on the 303(d) list.  ☐ Yes = 1 ☐ No = 0  S 3.3. Has the site been identified in a watershed or local plan as important for maintaining water quality? Answer YES	1 1 the first page  0 1

Wetland 27-3 is located in the Mill Creek basin in WRIA 9. Mill Creek drains into the Green River.

SLOPE WETLANDS  Underland Functions - Indicators that the site functions to reduce fleeding and stream exercion		
Hydrologic Functions - Indicators that the site functions to reduce flooding and stream erosion		
S 4.0. Does the site have the potential to reduce flooding and stream erosion?		
S 4.1. Characteristics of plants that reduce the velocity of surface flows during storms: Choose the points appropriate for the description that best fits conditions in the wetland. Stems of plants should be thick enough (usually > $^{1}/_{8}$ in), or dense enough, to remain erect during surface flows.	0	
Dense, uncut, <b>rigid</b> plants cover > 90% of the area of the wetland points = 1		
All other conditions points = 0		
Rating of Site Potential If score is: 1 = M 0 = L Record the rating on	the first nage	
necora merating on	ine jii se page	
S 5.0. Does the landscape have the potential to support the hydrologic functions of the site?		
S 5.1. Is more than 25% of the area within 150 ft upslope of wetland in land uses or cover that generate excess surface runoff? $\square$ Yes = 1 $\checkmark$ No = 0	0	
Rating of Landscape Potential If score is:1 = M0 = L Record the rating on	the first page	
S 6.0. Are the hydrologic functions provided by the site valuable to society?		
S 6.1. Distance to the nearest areas downstream that have flooding problems:  The sub-basin immediately down-gradient of site has flooding problems that result in damage to human or	1	
natural resources (e.g., houses or salmon redds) points = 2		
Surface flooding problems are in a sub-basin farther down-gradient points = 1		
☐ No flooding problems anywhere downstream points = 0		
S 6.2. Has the site been identified as important for flood storage or flood conveyance in a regional flood control plan?  ☐ Yes = 2 ✓ No = 0	0	
Total for S 6 Add the points in the boxes above	1	
Rating of Value If score is: $2-4 = H$ $\sqrt{1} = M$ $0 = L$ Record the rating on	the first page	

NOTES and FIELD OBSERVATIONS:

These questions apply to wetlands of all HGM classes.	
HABITAT FUNCTIONS - Indicators that site functions to provide important habitat	
H 1.0. Does the site have the potential to provide habitat?	
H 1.1. Structure of plant community: Indicators are Cowardin classes and strata within the Forested class. Check the Cowardin plant classes in the wetland. Up to 10 patches may be combined for each class to meet the threshold of ¼ ac or more than 10% of the unit if it is smaller than 2.5 ac. Add the number of structures checked.  Aquatic bed  Emergent  Scrub-shrub (areas where shrubs have > 30% cover)  Forested (areas where trees have > 30% cover)  If the unit has a Forested class, check if:  The Forested class has 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) that each cover 20% within the Forested polygon	1
H 1.2. Hydroperiods  Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or ¼ ac to count (see text for descriptions of hydroperiods).  Permanently flooded or inundated  Seasonally flooded or inundated  Occasionally flooded or inundated  Saturated only  Permanently flowing stream or river in, or adjacent to, the wetland  Seasonally flowing stream in, or adjacent to, the wetland  Lake Fringe wetland  Freshwater tidal wetland  2 points  2 points	1
H 1.3. Richness of plant species  Count the number of plant species in the wetland that cover at least 10 ft².  Different patches of the same species can be combined to meet the size threshold and you do not have to name the species.  Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle  If you counted: > 19 species  5 - 19 species  7 - 19 species  9 - 19 species  1 - 19 species  9 - 19 species  1 - 19 species  9 - 19 species  1 - 19 species	1
H 1.4. Interspersion of habitats  Decide from the diagrams below whether interspersion among Cowardin plants classes (described in H 1.1), or the classes and unvegetated areas (can include open water or mudflats) is high, moderate, low, or none. If you have four or more plant classes or three classes and open water, the rating is always high.  None = 0 points  Low = 1 point  Moderate = 2 points  All three diagrams in this row are HIGH = 3points	1

H 1.5. Special habitat features:	2	
Check the habitat features that are present in the wetland. The number of checks is the number of points.	2	
Large, downed, woody debris within the wetland (> 4 in diameter and 6 ft long).		
Standing snags (dbh > 4 in) within the wetland		
Undercut banks are present for at least 6.6 ft (2 m) and/or overhanging plants extends at least 3.3 ft (1 m)		
over a stream (or ditch) in, or contiguous with the wetland, for at least 33 ft (10 m)		
Stable steep banks of fine material that might be used by beaver or muskrat for denning (> 30 degree		
slope) OR signs of recent beaver activity are present (cut shrubs or trees that have not yet weathered		
where wood is exposed)		
At least ¼ ac of thin-stemmed persistent plants or woody branches are present in areas that are		
permanently or seasonally inundated (structures for egg-laying by amphibians)		
Invasive plants cover less than 25% of the wetland area in every stratum of plants (see H 1.1 for list of		
strata)		
Total for H 1 Add the points in the boxes above	6	
Rating of Site Potential If score is: 15-18 = H 7-14 = M 0-6 = L Record the rating on	the first page	
H 2.0. Does the landscape have the potential to support the habitat functions of the site?		
H 2.1. Accessible habitat (include only habitat that directly abuts wetland unit).	0	
Calculate: % undisturbed habitat $\frac{5.00}{}$ + [(% moderate and low intensity land uses)/2] $\frac{0.00}{}$ = $\frac{5.00}{}$ %	0	
If total accessible habitat is:		
$\square > 1/3$ (33.3%) of 1 km Polygon points = 3		
20-33% of 1 km Polygon points = 2		
10-19% of 1 km Polygon points = 1		
✓ < 10% of 1 km Polygon points = 0		
H 2.2. Undisturbed habitat in 1 km Polygon around the wetland.	4	
Calculate: % undisturbed habitat $\frac{30.00}{100}$ + [(% moderate and low intensity land uses)/2] $\frac{5.00}{100}$ = $\frac{35.00}{100}$ %	1	
Undisturbed habitat > 50% of Polygon points = 3		
Undisturbed habitat 10-50% and in 1-3 patches points = 2		
✓ Undisturbed habitat 10-50% and > 3 patches points = 1		
Undisturbed habitat < 10% of 1 km Polygon points = 0		
H 2.3. Land use intensity in 1 km Polygon: If		
$\boxed{\checkmark}$ > 50% of 1 km Polygon is high intensity land use points = (-2)	-2	
	4	
Total for H 2 Add the points in the boxes above	-1	
Rating of Landscape Potential If score is: 4-6 = H 1-3 = M < 1 = L Record the rating on the	he first page	
H 3.0. Is the habitat provided by the site valuable to society?		
H 3.1. Does the site provide habitat for species valued in laws, regulations, or policies? Choose only the highest score	0	
that applies to the wetland being rated.	0	
Site meets ANY of the following criteria: points = 2		
It has 3 or more priority habitats within 100 m (see next page)		
It provides habitat for Threatened or Endangered species (any plant or animal on the state or federal lists)		
It is mapped as a location for an individual WDFW priority species		
It is a Wetland of High Conservation Value as determined by the Department of Natural Resources		
It has been categorized as an important habitat site in a local or regional comprehensive plan, in a		
Shoreline Master Plan, or in a watershed plan		
Site has 1 or 2 priority habitats (listed on next page) within 100 m		
✓ Site does not meet any of the criteria above points = 0		
Rating of Value If score is: $2 = H$ $1 = M$ $0 = L$ Record the rating on	the first page	

## **WDFW Priority Habitats**

<u>Priority habitats listed by WDFW</u> (see complete descriptions of WDFW priority habitats, and the counties in which they can be found, in: Washington Department of Fish and Wildlife. 2008. Priority Habitat and Species List. Olympia, Washington. 177 pp. <a href="http://wdfw.wa.gov/publications/00165/wdfw00165.pdf">http://wdfw.wa.gov/publications/00165/wdfw00165.pdf</a> or access the list from here: <a href="http://wdfw.wa.gov/conservation/phs/list/">http://wdfw.wa.gov/conservation/phs/list/</a>)

Count how many of the following priority habitats are within 330 ft (100 m) of the wetland unit: *NOTE:* This question is independent of the land use between the wetland unit and the priority habitat.

— **Aspen Stands:** Pure or mixed stands of aspen greater than 1 ac (0.4 ha).

**Biodiversity Areas and Corridors**: Areas of habitat that are relatively important to various species of native fish and wildlife (*full descriptions in WDFW PHS report*).

**Herbaceous Balds:** Variable size patches of grass and forbs on shallow soils over bedrock.

**Old-growth/Mature forests:** Old-growth west of Cascade crest – Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 8 trees/ac (20 trees/ha) > 32 in (81 cm) dbh or > 200 years of age. Mature forests – Stands with average diameters exceeding 21 in (53 cm) dbh; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80-200 years old west of the Cascade crest.

- **Oregon White Oak:** Woodland stands of pure oak or oak/conifer associations where canopy coverage of the oak component is important (*full descriptions in WDFW PHS report p. 158 see web link above*).
- **Riparian**: The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.
- **Westside Prairies:** Herbaceous, non-forested plant communities that can either take the form of a dry prairie or a wet prairie (*full descriptions in WDFW PHS report p. 161 see web link above*).

**Instream:** The combination of physical, biological, and chemical processes and conditions that interact to provide functional life history requirements for instream fish and wildlife resources.

**Nearshore**: Relatively undisturbed nearshore habitats. These include Coastal Nearshore, Open Coast Nearshore, and Puget Sound Nearshore. (*full descriptions of habitats and the definition of relatively undisturbed are in WDFW report – see web link on previous page*).

**Caves:** A naturally occurring cavity, recess, void, or system of interconnected passages under the earth in soils, rock, ice, or other geological formations and is large enough to contain a human.

**Cliffs:** Greater than 25 ft (7.6 m) high and occurring below 5000 ft elevation.

**Talus:** Homogenous areas of rock rubble ranging in average size 0.5 - 6.5 ft (0.15 - 2.0 m), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.

**Snags and Logs:** Trees are considered snags if they are dead or dying and exhibit sufficient decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a diameter at breast height of > 20 in (51 cm) in western Washington and are > 6.5 ft (2 m) in height. Priority logs are > 12 in (30 cm) in diameter at the largest end, and > 20 ft (6 m) long.

**Note:** All vegetated wetlands are by definition a priority habitat but are not included in this list because they are addressed elsewhere.


#### **CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS**


Wetland Type	Category
Check off any criteria that apply to the wetland. Circle the category when the appropriate criteria are met.	
SC 1.0. Estuarine wetlands	
Does the wetland meet the following criteria for Estuarine wetlands?	
The dominant water regime is tidal,	
□ Vegetated, and	
With a salinity greater than 0.5 ppt Yes –Go to <b>SC 1.1</b> No= <b>Not an estuarine wetland</b>	
SC 1.1. Is the wetland within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area	
Preserve, State Park or Educational, Environmental, or Scientific Reserve designated under WAC 332-30-151?	
Yes = Category I No - Go to SC 1.2	Cat. I
SC 1.2. Is the wetland unit at least 1 ac in size and meets at least two of the following three conditions?	
The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing, and has less	
	Cat. I
than 10% cover of non-native plant species. (If non-native species are <i>Spartina</i> , see page 25)	
☐At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-	
mowed grassland.  The wetland has at least two of the following features: tidal channels, depressions with open water, or	Cat. II
contiguous freshwater wetlands.	
contiguous freshwater wetianus.	
SC 2.0. Wetlands of High Conservation Value (WHCV)	
SC 2.1. Has the WA Department of Natural Resources updated their website to include the list of Wetlands of High	
Conservation Value?	Cat. I
SC 2.2. Is the wetland listed on the WDNR database as a Wetland of High Conservation Value?	
Yes = Category I Vo = Not a WHCV	
SC 2.3. Is the wetland in a Section/Township/Range that contains a Natural Heritage wetland?	
http://www1.dnr.wa.gov/nhp/refdesk/datasearch/wnhpwetlands.pdf	
Yes – Contact WNHP/WDNR and go to SC 2.4 No = Not a WHCV	
SC 2.4. Has WDNR identified the wetland within the S/T/R as a Wetland of High Conservation Value and listed it on	
their website?	
SC 3.0. Bogs	
Does the wetland (or any part of the unit) meet both the criteria for soils and vegetation in bogs? <i>Use the key</i>	
below. If you answer YES you will still need to rate the wetland based on its functions.	
SC 3.1. Does an area within the wetland unit have organic soil horizons, either peats or mucks, that compose 16 in or	
more of the first 32 in of the soil profile?	
SC 3.2. Does an area within the wetland unit have organic soils, either peats or mucks, that are less than 16 in deep	
over bedrock, or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or pond?  Yes – Go to SC 3.3 No = Is not a bog	
SC 3.3. Does an area with peats or mucks have more than 70% cover of mosses at ground level, AND at least a 30%	
cover of plant species listed in Table 4?	
<b>NOTE:</b> If you are uncertain about the extent of mosses in the understory, you may substitute that criterion by	
measuring the pH of the water that seeps into a hole dug at least 16 in deep. If the pH is less than 5.0 and the	
plant species in Table 4 are present, the wetland is a bog.	Cat. I
SC 3.4. Is an area with peats or mucks forested (> 30% cover) with Sitka spruce, subalpine fir, western red cedar,	
western hemlock, lodgepole pine, quaking aspen, Engelmann spruce, or western white pine, AND any of the	
species (or combination of species) listed in Table 4 provide more than 30% of the cover under the canopy?	
Yes = Is a Category I bog No = Is not a bog	


SC 4.0. Forested Wetlands	
Does the wetland have at least <u>1 contiguous acre</u> of forest that meets one of these criteria for the WA	
Department of Fish and Wildlife's forests as priority habitats? If you answer YES you will still need to rate	
the wetland based on its functions.	
Old-growth forests (west of Cascade crest): Stands of at least two tree species, forming a multi-layered	
canopy with occasional small openings; with at least 8 trees/ac (20 trees/ha) that are at least 200 years of	
age OR have a diameter at breast height (dbh) of 32 in (81 cm) or more.	
Mature forests (west of the Cascade Crest): Stands where the largest trees are 80-200 years old OR the	
species that make up the canopy have an average diameter (dbh) exceeding 21 in (53 cm).	Cat. I
Yes = Category I  No = Not a forested wetland for this section	
SC 5.0. Wetlands in Coastal Lagoons	
Does the wetland meet all of the following criteria of a wetland in a coastal lagoon?	
The wetland lies in a depression adjacent to marine waters that is wholly or partially separated from	
marine waters by sandbanks, gravel banks, shingle, or, less frequently, rocks	
The lagoon in which the wetland is located contains ponded water that is saline or brackish (> 0.5 ppt)	6-4.4
during most of the year in at least a portion of the lagoon (needs to be measured near the bottom)	Cat. I
Yes – Go to SC 5.1 No = Not a wetland in a coastal lagoon	
SC 5.1. Does the wetland meet all of the following three conditions?	
The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing), and has less	Cat. II
than 20% cover of aggressive, opportunistic plant species (see list of species on p. 100).	Cat. II
At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-	
mowed grassland.	
The wetland is larger than $^{1}/_{10}$ ac (4350 ft <sup>2</sup> )	
Yes = Category I No = Category II	
SC 6.0. Interdunal Wetlands	
Is the wetland west of the 1889 line (also called the Western Boundary of Upland Ownership or WBUO)? If	
you answer yes you will still need to rate the wetland based on its habitat functions.	
In practical terms that means the following geographic areas:	
Long Beach Peninsula: Lands west of SR 103	6-4.
Grayland-Westport: Lands west of SR 105	Cat I
Ocean Shores-Copalis: Lands west of SR 115 and SR 109	
Yes – Go to SC 6.1 ✓ No = not an interdunal wetland for rating	
CCC1 lethe wetlend 1 as an lenger and seems on 0 and 6 anthological formations on the forms (notes 11111 and 1111 M	Cat. II
SC 6.1. Is the wetland 1 ac or larger and scores an 8 or 9 for the habitat functions on the form (rates H,H,H or H,H,M for the three aspects of function)?  Yes = Category I No – Go to SC 6.2	
SC 6.2. Is the wetland 1 ac or larger, or is it in a mosaic of wetlands that is 1 ac or larger?	
Yes = <b>Category II</b> No – Go to <b>SC 6.3</b>	Cat. III
SC 6.3. Is the unit between 0.1 and 1 ac, or is it in a mosaic of wetlands that is between 0.1 and 1 ac?	
Yes = Category III No = Category IV	
	Cat. IV
Category of wetland based on Special Characteristics	NIA
If you answered No for all types, enter "Not Applicable" on Summary Form	NA

Wetland name or number 28-2


This page left blank intentionally







Wetland 28-2: 303(d) listed waters





http://www.ecy.wa.go

## Vater Quality Improvement Projects (TMDLs)

'ater Quality Improvement > Water Quality Improvement Projects by WRIA 9: Duwamish-Green

#### **VRIA 9: Duwamish-Green**

ne following table lists overview information for water quality improvement projects (including total maximum daily loads, or TMDLs) for this water resource inventory area (WRIA). Please use links (where available) for more information on a project.

#### **Counties**

• King

Waterbody Name	Pollutants	Status**	TMDL Lead
Duwamish and Lower Green River	Ammonia-N	Approved by EPA	<u>Joan Nolan</u> 425-649-4425
Fauntleroy Creek	Fecal Coliform	Approved by EPA Has an implementation plan	<u>Joan Nolan</u> 425-649-4425
Fenwick Lake	Total Phosphorus	Approved by EPA (1993, Clean Lakes Program) Category 5, 2008 Water Quality Assessment	<u>Tricia Shoblom</u> 425-649-7288
Green River and Newaukum Creek	Temperature Dissolved Oxygen	Green River TMDL Approved by EPA Newaukum Creek TMDL Approved by EPA Has an implementation plan	<u>Joan Nolan</u> 425-649-4425
Lake Sawyer	Total Phosphorus	Approved by EPA Has an implementation plan	<u>Tricia Shoblom</u> 425-649-7288
Soos Creek	Fecal Coliform	Under development	<u>Dave Garland</u> 425-649-7031
	Aquatic Habitat Dissolved Oxygen Temperature		<u>Joan Nolan</u> 425-649-4425

<sup>\*\*</sup> Status will be listed as one of the following: Approved by EPA, Under Development or Implementation

#### For more information about WRIA 9:

- Waterbodies in WRIA 9 using the Water Quality Assessment Query Tool
- Watershed Information for WRIA 9
- \* The Department of Ecology and other state resource agencies frequently use a system of 62 "Water Resource Inventory Areas" or "WRIAS" to refer to the state's major watershed basins.

#### Back to top of page

Last updated June 2014

 ${\it Copyright} @ \ Washington \ State \ Department \ of \ Ecology. \ See \ http://www.ecy.wa.gov/copyright.htm$ 

## **RATING SUMMARY – Western Washington**

Name of wetland (	or ID #): 28-3			Date of s	site visit: <u>2/25/</u> 2016
Rated by L. Daniels	ki/M.Dalzell	Traine	d by Ecology?	✓ Yes 🔲 No	Date of training 10/13
HGM Class used fo	r rating Depres	ssional	Wetland has m	ultiple HGM	classes? <a>Y</a> <a>D</a> <a>N</a>
Source o	f base aerial pho	oto/map <u>BingMa</u>	р		ean be combined)
VERALL VVEILA	ND CAILGO	(Da	isea on function	iis <u>iv</u> ioi spe	ecial characteristics_[
1. Category of v	wetland based	d on FUNCTIO	ONS		
	Category I – Tot	al score = 23 - 2	27		Coons for soak
	Category II – To	tal score = 20 -	22		Score for each function based
	<b>Category III</b> – To				on three
					ratings (order of ratings
	Category IV – To	otal score = 9 - 1	15		is not
FUNCTION	Improving	Hydrologic	Habitat		important)
	Water Quality				9 = H,H,H
		Circle the ap	propriate ratings		8 = H,H,M
Site Potential	H□ M√L□	H	H		7 = H,H,L
Landscape Potential	H M ✓ L	H <b></b> ✓ M  L	H□ M□ L√		7 = H,M,M
Value	H <b></b> ✓ M□L□	H M V L	H□ M□ L√	TOTAL	6 = H,M,L
Score Based on	7	0	4	47	6 = M,M,M 5 = H,L,L
Ratings	7	6	4	17	5 = M,M,L
					4 = M,L,L
					3 = L,L,L
	and an CDECIA	LOUADACTE	DICTION (		,-,-

#### 2. Category based on SPECIAL CHARACTERISTICS of wetland

CHARACTERISTIC	CATEGORY
Estuarine	I 🔲 II
Wetland of High Conservation Value	I
Bog	I
Mature Forest	I
Old Growth Forest	I
Coastal Lagoon	I II II
Interdunal	I _II _ III _ IV
None of the above	*

# Maps and figures required to answer questions correctly for Western Washington

#### **Depressional Wetlands**

Map of:	To answer questions:	Figure #
Cowardin plant classes	D 1.3, H 1.1, H 1.4	28-3-1
Hydroperiods	D 1.4, H 1.2	28-3-1
Location of outlet (can be added to map of hydroperiods)	D 1.1, D 4.1	28-3-1
Boundary of area within 150 ft of the wetland (can be added to another figure)	D 2.2, D 5.2	28-3-2
Map of the contributing basin	D 4.3, D 5.3	28-3-3
1 km Polygon: Area that extends 1 km from entire wetland edge - including polygons for accessible habitat and undisturbed habitat	H 2.1, H 2.2, H 2.3	28-3-4
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	D 3.1, D 3.2	28-3-5
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	D 3.3	28-3-6

#### **Riverine Wetlands**

Map of:	To answer questions:	Figure #
Cowardin plant classes	H 1.1, H 1.4	
Hydroperiods	H 1.2	
Ponded depressions	R 1.1	
Boundary of area within 150 ft of the wetland (can be added to another figure)	R 2.4	
Plant cover of trees, shrubs, and herbaceous plants	R 1.2, R 4.2	
Width of unit vs. width of stream (can be added to another figure)	R 4.1	
Map of the contributing basin	R 2.2, R 2.3, R 5.2	
1 km Polygon: Area that extends 1 km from entire wetland edge - including	H 2.1, H 2.2, H 2.3	
polygons for accessible habitat and undisturbed habitat		
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	R 3.1	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	R 3.2, R 3.3	

#### Lake Fringe Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes	L 1.1, L 4.1, H 1.1, H 1.4	
Plant cover of trees, shrubs, and herbaceous plants	L 1.2	
Boundary of area within 150 ft of the wetland (can be added to another figure)	L 2.2	
1 km Polygon: Area that extends 1 km from entire wetland edge - including	H 2.1, H 2.2, H 2.3	
polygons for accessible habitat and undisturbed habitat		
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	L 3.1, L 3.2	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	L 3.3	

#### Slope Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes	H 1.1, H 1.4	
Hydroperiods	H 1.2	
Plant cover of <b>dense</b> trees, shrubs, and herbaceous plants	S 1.3	
Plant cover of dense, rigid trees, shrubs, and herbaceous plants	S 4.1	
(can be added to figure above)		
Boundary of 150 ft buffer (can be added to another figure)	S 2.1, S 5.1	
1 km Polygon: Area that extends 1 km from entire wetland edge - including	H 2.1, H 2.2, H 2.3	
polygons for accessible habitat and undisturbed habitat		
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	S 3.1, S 3.2	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	S 3.3	

## **HGM Classification of Wetlands in Western Washington**

For questions 1-7, the criteria described must apply to the entire unit being rated.

If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in questions 1-7 apply, and go to Question 8.

1.	Are the water levels in the entire unit usually controlled by tides except during floods?	
	NO – go to 2 <b>YES</b> – the wetland class is <b>Tidal Fringe</b> – go to 1.1	
1	.1 Is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand	l)?
	NO – Saltwater Tidal Fringe (Estuarine)  If your wetland can be classified as a Freshwater Tidal Fringe use the forms for Riverine wetlands is Saltwater Tidal Fringe it is an Estuarine wetland and is not scored. This method cannot be use score functions for estuarine wetlands.	-
2.	The entire wetland unit is flat and precipitation is the only source ( $>90\%$ ) of water to it. Ground and surface water runoff are NOT sources of water to the unit.	water
	✓ NO – go to 3	
3.	Does the entire wetland unit <b>meet all</b> of the following criteria?  The vegetated part of the wetland is on the shores of a body of permanent open water (without plants on the surface at any time of the year) at least 20 ac (8 ha) in size; At least 30% of the open water area is deeper than 6.6 ft (2 m).	ıt any
	✓ NO – go to 4 <b>YES –</b> The wetland class is <b>Lake Fringe</b> (Lacustrine Fringe)	
4.	Does the entire wetland unit <b>meet all</b> of the following criteria? The wetland is on a slope ( <i>slope can be very gradual</i> ), The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks, The water leaves the wetland <b>without being impounded</b> .	n
	✓ NO – go to 5 <b>YES –</b> The wetland class is <b>Slope</b>	
	<b>NOTE</b> : Surface water does not pond in these type of wetlands except occasionally in very small as shallow depressions or behind hummocks (depressions are usually <3 ft diameter and less than deep).	
5.	Does the entire wetland unit <b>meet all</b> of the following criteria?  The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from stream or river,  The overbank flooding occurs at least once every 2 years.	that

We	etland name or number	
	NO – go to 6  NOTE: The Riverine unit can contain depression not flooding	YES – The wetland class is <b>Riverine</b> ons that are filled with water when the river is
6.		pression in which water ponds, or is saturated to the eeans that any outlet, if present, is higher than the interior
	✓ NO – go to 7	YES – The wetland class is <b>Depressional</b>
7.	flooding? The unit does not pond surface water	area with no obvious depression and no overbank er more than a few inches. The unit seems to be The wetland may be ditched, but has no obvious natural
	✓ NO – go to 8	YES – The wetland class is <b>Depressional</b>

28-3

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a Depressional wetland has a zone of flooding along its sides. GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within the wetland unit being scored.

**NOTE**: Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the HGM class listed in column 2 is less than 10% of the unit; classify the wetland using the class that represents more than 90% of the total area.

HGM classes within the wetland unit	HGM class to
being rated	use in rating
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake Fringe	Lake Fringe
Depressional + Riverine along stream	Depressional
within boundary of depression	
Depressional + Lake Fringe	Depressional
Riverine + Lake Fringe	Riverine
Salt Water Tidal Fringe and any other	Treat as
class of freshwater wetland	ESTUARINE

If you are still unable to determine which of the above criteria apply to your wetland, or if you have **more than 2 HGM classes** within a wetland boundary, classify the wetland as Depressional for the rating.

Wetland 28-3 contains slope and depressional areas. The depressional portion of the wetland contains more than 90% of the wetland unit; therefore the wetland is rated as a depressional wetland.

DEPRESSIONAL AND FLATS WETLANDS		
Water Quality Functions - Indicators that the site functions to improve water quality		
D 1.0. Does the site have the potential to improve water quality?		
D 1.1. Characteristics of surface water outflows from the wetland:		
<ul> <li>Wetland is a depression or flat depression (QUESTION 7 on key) with no surface water leaving it (no outlet).</li> <li>points = 3</li> <li>Wetland has an intermittently flowing stream or ditch, OR highly constricted permanently flowing outlet.</li> </ul>	2	
wetland has an unconstricted, or slightly constricted, surface outlet that is permanently flowing points = 1 Wetland is a flat depression (QUESTION 7 on key), whose outlet is a permanently flowing ditch. points = 1		
D 1.2. The soil 2 in below the surface (or duff layer) is true clay or true organic (use NRCS definitions). Yes = 4 No = 0	0	
D 1.3. Characteristics and distribution of persistent plants (Emergent, Scrub-shrub, and/or Forested Cowardin classes):  ✓ Wetland has persistent, ungrazed, plants > 95% of area  Wetland has persistent, ungrazed, plants > ½ of area  Wetland has persistent, ungrazed plants > ¹/₁₀ of area  Wetland has persistent, ungrazed plants < ¹/₁₀ of area  points = 0	5	
D 1.4. Characteristics of seasonal ponding or inundation:  This is the area that is ponded for at least 2 months. See description in manual.  ✓ Area seasonally ponded is > ½ total area of wetland  Area seasonally ponded is > ¼ total area of wetland  Area seasonally ponded is < ¼ total area of wetland  Area seasonally ponded is < ¼ total area of wetland  Points = 0	4	
Total for D 1 Add the points in the boxes above	11	
Rating of Site Potential If score is: 12-16 = H 6-11 = M 0-5 = L Record the rating on the first pa	ge	
D 2.0. Does the landscape have the potential to support the water quality function of the site?		
D 2.1. Does the wetland unit receive stormwater discharges?	1	
D 2.2. Is > 10% of the area within 150 ft of the wetland in land uses that generate pollutants? $\checkmark$ Yes = 1 No = 0	1	
D 2.3. Are there septic systems within 250 ft of the wetland? $\qquad \qquad \qquad$	0	
D 2.4. Are there other sources of pollutants coming into the wetland that are not listed in questions D 2.1-D 2.3?  SourceYes = 1  No = 0	0	
Total for D 2 Add the points in the boxes above	2	
Rating of Landscape Potential If score is: 3 or 4 = H 1 or 2 = M 0 = L Record the rating on the first page		
D 3.0. Is the water quality improvement provided by the site valuable to society?		
D 3.1. Does the wetland discharge directly (i.e., within 1 mi) to a stream, river, lake, or marine water that is on the 303(d) list?  Yes = 1  No = 0	0	
D 3.2. Is the wetland in a basin or sub-basin where an aquatic resource is on the 303(d) list?  Yes = 1 No = 0	1	
D 3.3. Has the site been identified in a watershed or local plan as important for maintaining water quality (answer YES if there is a TMDL for the basin in which the unit is found)?	2	
Total for D 3 Add the points in the boxes above	3	
Rating of Value If score is: $\boxed{2-4} = H$ $\boxed{1} = M$ $\boxed{0} = L$ Record the rating on the first page		

Wetland 28-3 is located in the Mill Creek and Hylebos Creek basins in WRIA 9. Mill Creek drains into the Green River, and Hylebos Creek drains into Commencement Bay/Puget Sound. Both Mill Creek and Hylebos Creek are on the 303(d) list.

DEPRESSIONAL AND FLATS WETLANDS	
<b>Hydrologic Functions</b> - Indicators that the site functions to reduce flooding and stream degradat	ion
D 4.0. Does the site have the potential to reduce flooding and erosion?	
D 4.1. Characteristics of surface water outflows from the wetland:  Wetland is a depression or flat depression with no surface water leaving it (no outlet)  Wetland has an intermittently flowing stream or ditch, OR highly constricted permanently flowing outletpoints = 2  Wetland is a flat depression (QUESTION 7 on key), whose outlet is a permanently flowing ditch  Wetland has an unconstricted, or slightly constricted, surface outlet that is permanently flowing  points = 0	2
D 4.2. Depth of storage during wet periods: Estimate the height of ponding above the bottom of the outlet. For wetlands with no outlet, measure from the surface of permanent water or if dry, the deepest part.  Marks of ponding are 3 ft or more above the surface or bottom of outlet points = 7  Marks of ponding between 2 ft to < 3 ft from surface or bottom of outlet points = 5  Marks are at least 0.5 ft to < 2 ft from surface or bottom of outlet points = 3  The wetland is a "headwater" wetland points = 3  Wetland is flat but has small depressions on the surface that trap water points = 1  ✓ Marks of ponding less than 0.5 ft (6 in)	0
D 4.3. Contribution of the wetland to storage in the watershed: Estimate the ratio of the area of upstream basin contributing surface water to the wetland to the area of the wetland unit itself.  ☐ The area of the basin is less than 10 times the area of the unit ☐ The area of the basin is 10 to 100 times the area of the unit ☐ The area of the basin is more than 100 times the area of the unit ☐ Entire wetland is in the Flats class ☐ Points = 5 ☐ Description of the area of upstream basin the area of the unit the points = 5 ☐ Description of the area of upstream basin contribution of the area of the wetland unit itself.  ☐ The area of the basin is 10 to 100 times the area of the unit points = 3 ☐ The area of the basin is more than 100 times the area of the unit points = 5 ☐ Description of the wetland to the area of the unit points = 5 ☐ Description of the wetland to the area of the unit points = 5 ☐ Description of the wetland to the area of the unit points = 5 ☐ Description of the wetland to the area of the unit points = 5 ☐ Description of the wetland to the area of the unit points = 5 ☐ Description of the wetland to the area of the unit points = 5 ☐ Description of the wetland to the area of the unit points = 5 ☐ Description of the area of the unit points = 5 ☐ Description of the area of the unit points = 5 ☐ Description of the area of the unit points = 5 ☐ Description of the area of the unit points = 5 ☐ Description of the area of the unit points = 5 ☐ Description of the area of the unit points = 5 ☐ Description of the area of the unit points = 5 ☐ Description of the area of the unit points = 5 ☐ Description of the area of the unit points = 5 ☐ Description of the area of the unit points = 5 ☐ Description of the area of the unit points = 5 ☐ Description of the	3
Total for D 4 Add the points in the boxes above	5
Rating of Site Potential If score is: 12-16 = H 6-11 = M 0-5 = L Record the rating on the	first page
D 5.0. Does the landscape have the potential to support hydrologic functions of the site?	
D 5.1. Does the wetland receive stormwater discharges?  Yes = 1  No = 0	1
D 5.2. Is >10% of the area within 150 ft of the wetland in land uses that generate excess runoff? Ves = 1 No = 0	1
D 5.3. Is more than 25% of the contributing basin of the wetland covered with intensive human land uses (residential at >1 residence/ac, urban, commercial, agriculture, etc.)?  Ves = 1  No = 0	1
Total for D 5 Add the points in the boxes above	3
Rating of Landscape Potential If score is: 3 = H 1 or 2 = M 0 = L Record the rating on the	first page
D 6.0. Are the hydrologic functions provided by the site valuable to society?	<u> </u>
D 6.1. The unit is in a landscape that has flooding problems. Choose the description that best matches conditions around the wetland unit being rated. Do not add points. Choose the highest score if more than one condition is met.  The wetland captures surface water that would otherwise flow down-gradient into areas where flooding has damaged human or natural resources (e.g., houses or salmon redds):  ■ Flooding occurs in a sub-basin that is immediately down-gradient of unit. points = 2  ■ Surface flooding problems are in a sub-basin farther down-gradient. points = 1  ■ Flooding from groundwater is an issue in the sub-basin. points = 1  The existing or potential outflow from the wetland is so constrained by human or natural conditions that the water stored by the wetland cannot reach areas that flood. Explain why points = 0  ■ There are no problems with flooding downstream of the wetland. points = 0	1
D 6.2. Has the site been identified as important for flood storage or flood conveyance in a regional flood control plan? Yes = 2  ✓ No = 0	0
Total for D 6 Add the points in the boxes above	1

Rating of Value If score is: 2-4 = H 1 = M 0 = L

Record the rating on the first page

RIVERINE AND FRESHWATER TIDAL FRINGE WETLANDS	
Water Quality Functions - Indicators that the site functions to improve water quality	
R 1.0. Does the site have the potential to improve water quality?	
R 1.1. Area of surface depressions within the Riverine wetland that can trap sediments during a flooding event:	
$\square$ Depressions cover $>^3/_4$ area of wetland points = 8	
Depressions cover > ½ area of wetland points = 4	0
Depressions present but cover < ½ area of wetland points = 2	
No depressions present points = 0	
R 1.2. Structure of plants in the wetland (areas with >90% cover at person height, <b>not</b> Cowardin classes)	
Trees or shrubs $> \frac{2}{3}$ area of the wetland points = 8	
Trees or shrubs $> \frac{1}{3}$ area of the wetland points = 6	0
Herbaceous plants (> 6 in high) > $\frac{2}{3}$ area of the wetland points = 6	
Herbaceous plants (> 6 in high) > $^{1}/_{3}$ area of the wetland points = 3	
Trees, shrubs, and ungrazed herbaceous $< \frac{1}{3}$ area of the wetland points = 0	
Total for R 1 Add the points in the boxes above	0
Rating of Site Potential If score is: 12-16 = H 6-11 = M 0-5 = L Record the rating on a	he first page
R 2.0. Does the landscape have the potential to support the water quality function of the site?	-
R 2.1. Is the wetland within an incorporated city or within its UGA? $\qquad \qquad \qquad$	0
R 2.2. Does the contributing basin to the wetland include a UGA or incorporated area?	0
R 2.3. Does at least 10% of the contributing basin contain tilled fields, pastures, or forests that have been clearcut within the last 5 years?    Yes = 1   No = 0	0
R 2.4. Is > 10% of the area within 150 ft of the wetland in land uses that generate pollutants?	0
R 2.5. Are there other sources of pollutants coming into the wetland that are not listed in questions R 2.1-R 2.4  Other sources	0
Total for R 2 Add the points in the boxes above	0
Rating of Landscape Potential If score is: 3-6 = H 1 or 2 = M 0 = L  Record the rating on a	he first page
R 3.0. Is the water quality improvement provided by the site valuable to society?	
R 3.1. Is the wetland along a stream or river that is on the 303(d) list or on a tributary that drains to one within 1 mi?	0
Yes = 1 No = 0	)
R 3.2. Is the wetland along a stream or river that has TMDL limits for nutrients, toxics, or pathogens?	0
R 3.3. Has the site been identified in a watershed or local plan as important for maintaining water quality? (answer YES if there is a TMDL for the drainage in which the unit is found) $\square$ Yes = 2 $\square$ No = 0	0
Total for R 3 Add the points in the boxes above	0
Rating of Value If score is 2-4 = H 1 = M 0 = L  Record the rating on a	he first page

RIVERINE AND FRESHWATER TIDAL FRINGE WETLANDS		
Hydrologic Functions - Indicators that site functions to reduce flooding and stream erosion		
R 4.0. Does the site have the potential to reduce flooding and erosion?		
R 4.1. Characteristics of the overbank storage the wetland provides:	0	
Estimate the average width of the wetland perpendicular to the direction of the flow and the width of the		
stream or river channel (distance between banks). Calculate the ratio: (average width of wetland)/(average		
width of stream between banks).		
If the ratio is more than 20 points = 9		
If the ratio is 10-20 points = 6		
If the ratio is 5-<10 points = 4		
If the ratio is 1-<5 points = 2		
If the ratio is < 1 points = 1		
R 4.2. Characteristics of plants that slow down water velocities during floods: Treat large woody debris as forest or	0	
shrub. Choose the points appropriate for the best description (polygons need to have >90% cover at person		
height. These are <u>NOT Cowardin</u> classes).		
Forest or shrub for $>^1/_3$ area OR emergent plants $>^2/_3$ area points = 7		
Forest or shrub for $> \frac{1}{10}$ area OR emergent plants $> \frac{1}{3}$ area points = 4		
Plants do not meet above criteria points = 0		
Total for R 4 Add the points in the boxes above	0	
Rating of Site Potential If score is: 12-16 = H 6-11 = M 0-5 = L Record the rating on the	he first page	
R 5.0. Does the landscape have the potential to support the hydrologic functions of the site?		
R 5.1. Is the stream or river adjacent to the wetland downcut?  Yes = 0 No = 1	0	
R 5.2. Does the up-gradient watershed include a UGA or incorporated area?  Yes = 1 No = 0	0	
R 5.3. Is the up-gradient stream or river controlled by dams?  Yes = 0 No = 1	0	
Total for R 5 Add the points in the boxes above	0	
Rating of Landscape Potential If score is:3 = H1 or 2 = M0 = L  Record the rating on the	he first page	
R 6.0. Are the hydrologic functions provided by the site valuable to society?		
R 6.1. Distance to the nearest areas downstream that have flooding problems?	0	
Choose the description that best fits the site.	U	
The sub-basin immediately down-gradient of the wetland has flooding problems that result in damage to		
human or natural resources (e.g., houses or salmon redds) points = 2		
Surface flooding problems are in a sub-basin farther down-gradient points = 1		
No flooding problems anywhere downstream points = 0		
R 6.2. Has the site been identified as important for flood storage or flood conveyance in a regional flood control plan?	0	
Total for R 6 Add the points in the boxes above	0	
Rating of Value If score is: 2-4 = H 1 = M 0 = L Record the rating on the	he first page	

LAKE FRINGE WETLANDS  Water Quality Functions Indicators that the site functions to improve water quality		
Water Quality Functions - Indicators that the site functions to improve water quality L 1.0. Does the site have the potential to improve water quality?		
L 1.1. Average width of plants along the lakeshore (use polygons of Cowardin classes):  Plants are more than 33 ft (10 m) wide  Plants are more than 16 ft (5 m) wide and <33 ft  Plants are more than 6 ft (2 m) wide and <16 ft  Plants are less than 6 ft wide  Plants are less than 6 ft wide	0	
L 1.2. Characteristics of the plants in the wetland: Choose the appropriate description that results in the highest points, and do not include any open water in your estimate of coverage. The herbaceous plants can be either the dominant form or as an understory in a shrub or forest community. These are not Cowardin classes. Area of cover is total cover in the unit, but it can be in patches. Herbaceous does not include aquatic bed.  Cover of herbaceous plants is >90% of the vegetated area points = 6  Cover of herbaceous plants is >²/₃ of the vegetated area points = 4  Cover of herbaceous plants is >¹/₃ of the vegetated area points = 3  Other plants that are not aquatic bed > ²/₃ unit points = 1  Aquatic bed plants and open water cover > ²/₃ of the unit points = 0	0	
Total for L 1 Add the points in the boxes above	0	
Rating of Site Potential If score is: 8-12 = H 4-7 = M 0-3 = L  Record the rating on the first  L 2.0. Does the landscape have the potential to support the water quality function of the site?		
L 2.1. Is the lake used by power boats?	0	
L 2.2. Is > 10% of the area within 150 ft of wetland unit on the upland side in land uses that generate pollutants?  Yes = 1 No = 0	0	
L 2.3. Does the lake have problems with algal blooms or excessive plant growth such as milfoil? Yes = 1 No = 0	0	
Total for L 2 Add the points in the boxes above	0	
Rating of Landscape Potential: If score is: 2 or 3 = H 1 = M 0 = L Record the rating on the	he first page	
L 3.0. Is the water quality improvement provided by the site valuable to society?		
L 3.1. Is the lake on the 303(d) list of degraded aquatic resources? $\qquad \qquad \qquad$	0	
L 3.2. Is the lake in a sub-basin where water quality is an issue (at least one aquatic resource in the basin is on the 303(d) list)? $\qquad \qquad \qquad$	0	
L 3.3. Has the site been identified in a watershed or local plan as important for maintaining water quality? Answer YES if there is a TMDL for the lake or basin in which the unit is found. $\Box$ Yes = 2 $\Box$ No = 0	0	
Total for L 3 Add the points in the boxes above	0	
Rating of Value If score is: 2-4 = H 1 = M 0 = L Record the rating on the	he first page	

<u>LAKE FRINGE WETLANDS</u>		
Hydrologic Functions - Indicators that the wetland unit functions to reduce shoreline eros	ion	
L 4.0. Does the site have the potential to reduce shoreline erosion?		
L 4.1. Distance along shore and average width of Cowardin classes along the lakeshore ( <b>do not</b> include Aquatic bed):	0	
Choose the highest scoring description that matches conditions in the wetland.	U	
> ¾ of distance is Scrub-shrub or Forested at least 33 ft (10 m) wide points = 6		
> ¾ of distance is Scrub-shrub or Forested at least 6 ft (2 m) wide points = 4		
> 1/4 distance is Scrub-shrub or Forested at least 33 ft (10 m) wide points = 4		
Plants are at least 6 ft (2 m) wide (any type except Aquatic bed) points = 2		
Plants are less than 6 ft (2 m) wide (any type except Aquatic bed) points = 0		
Rating of Site Potential: If score is:6 = M0-5 = L Record the rating on	the first page	
	_	
L 5.0. Does the landscape have the potential to support the hydrologic functions of the site?		
L 5.1. Is the lake used by power boats with more than 10 hp?  Yes = 1 No = 0	0	
L 5.2. Is the fetch on the lake side of the unit at least 1 mile in distance? $\qquad \qquad \qquad$	0	
Total for L 5 Add the points in the boxes above	0	
Rating of Landscape Potential If score is: $\square 2 = H$ $\square 1 = M$ $\square 0 = L$ Record the rating on		
L 6.0. Are the hydrologic functions provided by the site valuable to society?		
L 6.1. Are there resources along the shore that can be impacted by erosion? If more than one resource is present,	_	
choose the one with the highest score.	0	
There are human structures or old growth/mature forests within 25 ft of OHWM of the shore in the unit		
points = 2		
There are nature trails or other paths and recreational activities within 25 ft of OHWM points = 1		
Other resources that could be impacted by erosion points = 1		
There are no resources that can be impacted by erosion along the shores of the unit points = 0		
Rating of Value: If score is: $\boxed{2} = H$ $\boxed{1} = M$ $\boxed{0} = L$ Record the rating on	the first page	

NOTES and FIELD OBSERVATIONS:

SLOPE WETLANDS		
Water Quality Functions - Indicators that the site functions to improve water quality		
S 1.0. Does the site have the potential to improve water quality?		
S 1.1. Characteristics of the average slope of the wetland: (a 1% slope has a 1 ft vertical drop in elevation for every 100 ft of horizontal distance)  Slope is 1% or less  points = 3	1	
Slope is > 1%-2% points = 2  ✓ Slope is > 2%-5% points = 1  Slope is greater than 5% points = 0		
S 1.2. The soil 2 in below the surface (or duff layer) is true clay or true organic (use NRCS definitions): Yes = 3 No = 0	0	
S 1.3. Characteristics of the plants in the wetland that trap sediments and pollutants:  Choose the points appropriate for the description that best fits the plants in the wetland. Dense means you have trouble seeing the soil surface (>75% cover), and uncut means not grazed or mowed and plants are higher than 6 in.	0	
Dense, uncut, herbaceous plants > 90% of the wetland area  Dense, uncut, herbaceous plants > ½ of area  Dense, woody, plants > ½ of area  Dense, uncut, herbaceous plants > ¼ of area  Dense, uncut, herbaceous plants > ¼ of area  Does not meet any of the criteria above for plants  points = 0		
Total for S 1 Add the points in the boxes above	1	
Rating of Site Potential If score is:12 = H6-11 = M0-5 = L Record the rating on a	the first page	
S 2.0. Does the landscape have the potential to support the water quality function of the site?		
S 2.1. Is > 10% of the area within 150 ft on the uphill side of the wetland in land uses that generate pollutants?  Yes = 1 VNo = 0	0	
S 2.2. Are there other sources of pollutants coming into the wetland that are not listed in question S 2.1?  Other sources Runoff from Military Road $ \checkmark $ Yes = 1  No = 0	1	
Total for S 2 Add the points in the boxes above	1	
Rating of Landscape Potential If score is: ✓ 1-2 = M	the first page	
S 3.0. Is the water quality improvement provided by the site valuable to society?		
S 3.1. Does the wetland discharge directly (i.e., within 1 mi) to a stream, river, lake, or marine water that is on the 303(d) list?	0	
S 3.2. Is the wetland in a basin or sub-basin where water quality is an issue? At least one aquatic resource in the basin is on the 303(d) list. $\square$ Yes = 1 $\checkmark$ No = 0	0	
S 3.3. Has the site been identified in a watershed or local plan as important for maintaining water quality? <i>Answer YES</i> if there is a TMDL for the basin in which unit is found.	2	
Total for S 3 Add the points in the boxes above	2	

Wetland 27-3 is located in the Mill Creek basin in WRIA 9. Mill Creek drains into the Green River.

Rating of Value If score is:  $\boxed{\sqrt{2-4} = H}$   $\boxed{1 = M}$   $\boxed{0 = L}$ 

Record the rating on the first page

SLOPE WETLANDS  Hydrologic Functions - Indicators that the site functions to reduce flooding and stream erosion	
S 4.0. Does the site have the potential to reduce flooding and stream erosion?	
S 4.1. Characteristics of plants that reduce the velocity of surface flows during storms: Choose the points appropriate for the description that best fits conditions in the wetland. Stems of plants should be thick enough (usually > $^{1}/_{8}$ in), or dense enough, to remain erect during surface flows.	0
Dense, uncut, <b>rigid</b> plants cover $> 90\%$ of the area of the wetland points = 1	
All other conditions points = 0	
Rating of Site Potential If score is: $1 = M$ $0 = L$ Record the rating on	the first page
S 5.0. Does the landscape have the potential to support the hydrologic functions of the site?	
S 5.1. Is more than 25% of the area within 150 ft upslope of wetland in land uses or cover that generate excess surface runoff? $\P$ No = 0	0
Rating of Landscape Potential If score is: 1 = M 0 = L  Record the rating on	the first page
S 6.0. Are the hydrologic functions provided by the site valuable to society?	
S 6.1. Distance to the nearest areas downstream that have flooding problems:	1
The sub-basin immediately down-gradient of site has flooding problems that result in damage to human or	'
natural resources (e.g., houses or salmon redds) points = 2	
Surface flooding problems are in a sub-basin farther down-gradient points = 1	
☐ No flooding problems anywhere downstream points = 0	
S 6.2. Has the site been identified as important for flood storage or flood conveyance in a regional flood control plan?  Yes = 2 No = 0	0
Total for S 6 Add the points in the boxes above	1
Rating of Value If score is: $\boxed{2-4 = H}$ $\boxed{\sqrt{1} = M}$ $\boxed{0 = L}$ Record the rating on the f	

NOTES and FIELD OBSERVATIONS:

These questions apply to wetlands of all HGM classes.	
HABITAT FUNCTIONS - Indicators that site functions to provide important habitat	
H 1.0. Does the site have the potential to provide habitat?	
H 1.1. Structure of plant community: Indicators are Cowardin classes and strata within the Forested class. Check the Cowardin plant classes in the wetland. Up to 10 patches may be combined for each class to meet the threshold of ¼ ac or more than 10% of the unit if it is smaller than 2.5 ac. Add the number of structures checked.  Aquatic bed  Emergent  Scrub-shrub (areas where shrubs have > 30% cover)  Forested (areas where trees have > 30% cover)  If the unit has a Forested class, check if:  The Forested class has 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) that each cover 20% within the Forested polygon	1
H 1.2. Hydroperiods  Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or ¼ ac to count (see text for descriptions of hydroperiods).  Permanently flooded or inundated  Seasonally flooded or inundated  Occasionally flooded or inundated  Saturated only  Permanently flowing stream or river in, or adjacent to, the wetland  Seasonally flowing stream in, or adjacent to, the wetland  Lake Fringe wetland  Freshwater tidal wetland  2 points	1
H 1.3. Richness of plant species  Count the number of plant species in the wetland that cover at least 10 ft².  Different patches of the same species can be combined to meet the size threshold and you do not have to name the species.  Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle  If you counted: > 19 species  5 - 19 species  7 - 19 species  9 - 19 species  1 - 19 species  9 - 19 species  1 - 19 species  9 - 19 species  1 - 19 species	1
H 1.4. Interspersion of habitats  Decide from the diagrams below whether interspersion among Cowardin plants classes (described in H 1.1), or the classes and unvegetated areas (can include open water or mudflats) is high, moderate, low, or none. If you have four or more plant classes or three classes and open water, the rating is always high.  None = 0 points  Low = 1 point  Moderate = 2 points  All three diagrams in this row are HIGH = 3points	1

H 1.5. Special habitat features:	3	
Check the habitat features that are present in the wetland. The number of checks is the number of points.		
Large, downed, woody debris within the wetland (> 4 in diameter and 6 ft long).		
Standing snags (dbh > 4 in) within the wetland		
Undercut banks are present for at least 6.6 ft (2 m) and/or overhanging plants extends at least 3.3 ft (1 m		
over a stream (or ditch) in, or contiguous with the wetland, for at least 33 ft (10 m)		
Stable steep banks of fine material that might be used by beaver or muskrat for denning (> 30 degree		
slope) OR signs of recent beaver activity are present (cut shrubs or trees that have not yet weathered		
where wood is exposed)		
At least ¼ ac of thin-stemmed persistent plants or woody branches are present in areas that are		
permanently or seasonally inundated (structures for egg-laying by amphibians)		
Invasive plants cover less than 25% of the wetland area in every stratum of plants (see H 1.1 for list of		
strata)		
Total for H 1 Add the points in the boxes above	7	
Rating of Site Potential If score is: 15-18 = H 7-14 = M 0-6 = L Record the rating of Site Potential If score is: 15-18 = H 7-14 = M 10-6 = L	n the first page	
H 2.0. Does the landscape have the potential to support the habitat functions of the site?		
H 2.1. Accessible habitat (include only habitat that directly abuts wetland unit).		
Calculate: % undisturbed habitat $\frac{3.00}{100}$ + [(% moderate and low intensity land uses)/2] $\frac{0.00}{100}$ = $\frac{3.00}{100}$ %	0	
If total accessible habitat is:		
20-33% of 1 km Polygon points = 2		
10-19% of 1 km Polygon points = 1		
✓ < 10% of 1 km Polygon points = 0		
H 2.2. Undisturbed habitat in 1 km Polygon around the wetland.	1	
Calculate: % undisturbed habitat $\frac{25.00}{}$ + [(% moderate and low intensity land uses)/2] $\frac{5.00}{}$ = $\frac{30.00}{}$ %	'	
Undisturbed habitat > 50% of Polygon points = 3		
Undisturbed habitat 10-50% and in 1-3 patches points = 2		
Undisturbed habitat 10-50% and > 3 patches points = 1		
Undisturbed habitat < 10% of 1 km Polygon points = 0		
H 2.3. Land use intensity in 1 km Polygon: If	_	
$  \cdot  $ > 50% of 1 km Polygon is high intensity land use points = (-2)	-2	
≤ 50% of 1 km Polygon is high intensity points = 0		
Total for H 2 Add the points in the boxes above	-1	
Rating of Landscape Potential If score is: 4-6 = H 1-3 = M √k 1 = L Record the rating on the first page		
H 3.0. Is the habitat provided by the site valuable to society?		
H 3.1. Does the site provide habitat for species valued in laws, regulations, or policies? <i>Choose only the highest score</i>		
that applies to the wetland being rated.	0	
Site meets ANY of the following criteria: points = 2		
It has 3 or more priority habitats within 100 m (see next page)		
It provides habitat for Threatened or Endangered species (any plant or animal on the state or federal lists)		
It is mapped as a location for an individual WDFW priority species		
It is a Wetland of High Conservation Value as determined by the Department of Natural Resources		
It has been categorized as an important habitat site in a local or regional comprehensive plan, in a		
Shoreline Master Plan, or in a watershed plan Site has 1 or 2 priority habitats (listed on next page) within 100 m points = 1		
✓ Site does not meet any of the criteria above points = 0		
Rating of Value If score is: $2 = H$ $1 = M$ $0 = L$ Record the rating	on the first page	

## **WDFW Priority Habitats**

<u>Priority habitats listed by WDFW</u> (see complete descriptions of WDFW priority habitats, and the counties in which they can be found, in: Washington Department of Fish and Wildlife. 2008. Priority Habitat and Species List. Olympia, Washington. 177 pp. <a href="http://wdfw.wa.gov/publications/00165/wdfw00165.pdf">http://wdfw.wa.gov/publications/00165/wdfw00165.pdf</a> or access the list from here: <a href="http://wdfw.wa.gov/conservation/phs/list/">http://wdfw.wa.gov/conservation/phs/list/</a>)

Count how many of the following priority habitats are within 330 ft (100 m) of the wetland unit: *NOTE:* This question is independent of the land use between the wetland unit and the priority habitat.

— **Aspen Stands:** Pure or mixed stands of aspen greater than 1 ac (0.4 ha).

**Biodiversity Areas and Corridors**: Areas of habitat that are relatively important to various species of native fish and wildlife (*full descriptions in WDFW PHS report*).

**Herbaceous Balds:** Variable size patches of grass and forbs on shallow soils over bedrock.

**Old-growth/Mature forests:** Old-growth west of Cascade crest – Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 8 trees/ac (20 trees/ha) > 32 in (81 cm) dbh or > 200 years of age. Mature forests – Stands with average diameters exceeding 21 in (53 cm) dbh; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80-200 years old west of the Cascade crest.

- **Oregon White Oak:** Woodland stands of pure oak or oak/conifer associations where canopy coverage of the oak component is important (*full descriptions in WDFW PHS report p. 158 see web link above*).
- **Riparian**: The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.
- **Westside Prairies:** Herbaceous, non-forested plant communities that can either take the form of a dry prairie or a wet prairie (*full descriptions in WDFW PHS report p. 161 see web link above*).

**Instream:** The combination of physical, biological, and chemical processes and conditions that interact to provide functional life history requirements for instream fish and wildlife resources.

**Nearshore**: Relatively undisturbed nearshore habitats. These include Coastal Nearshore, Open Coast Nearshore, and Puget Sound Nearshore. (*full descriptions of habitats and the definition of relatively undisturbed are in WDFW report – see web link on previous page*).

**Caves:** A naturally occurring cavity, recess, void, or system of interconnected passages under the earth in soils, rock, ice, or other geological formations and is large enough to contain a human.

**Cliffs:** Greater than 25 ft (7.6 m) high and occurring below 5000 ft elevation.

**Talus:** Homogenous areas of rock rubble ranging in average size 0.5 - 6.5 ft (0.15 - 2.0 m), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.

**Snags and Logs:** Trees are considered snags if they are dead or dying and exhibit sufficient decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a diameter at breast height of > 20 in (51 cm) in western Washington and are > 6.5 ft (2 m) in height. Priority logs are > 12 in (30 cm) in diameter at the largest end, and > 20 ft (6 m) long.

**Note:** All vegetated wetlands are by definition a priority habitat but are not included in this list because they are addressed elsewhere.

#### **CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS**

Wetland Type	Category
Check off any criteria that apply to the wetland. Circle the category when the appropriate criteria are met.	
SC 1.0. Estuarine wetlands	
Does the wetland meet the following criteria for Estuarine wetlands?	
The dominant water regime is tidal,	
Vegetated, and	
☐ With a salinity greater than 0.5 ppt ☐ Yes –Go to <b>SC 1.1</b> ☐ No= <b>Not an estuarine wetland</b>	
SC 1.1. Is the wetland within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area Preserve, State Park or Educational, Environmental, or Scientific Reserve designated under WAC 332-30-151?	
Yes = Category I No - Go to SC 1.2	Cat. I
SC 1.2. Is the wetland unit at least 1 ac in size and meets at least two of the following three conditions?	
The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing, and has less	
than 10% cover of non-native plant species. (If non-native species are Spartina, see page 25)	Cat. I
At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-	
mowed grassland.	Cat. II
The wetland has at least two of the following features: tidal channels, depressions with open water, or	
contiguous freshwater wetlands.	
SC 2.0. Wetlands of High Conservation Value (WHCV)	
SC 2.1. Has the WA Department of Natural Resources updated their website to include the list of Wetlands of High	Cat. I
Conservation Value?	
Yes = Category I	
SC 2.3. Is the wetland in a Section/Township/Range that contains a Natural Heritage wetland?	
http://www1.dnr.wa.gov/nhp/refdesk/datasearch/wnhpwetlands.pdf	
Yes – Contact WNHP/WDNR and go to SC 2.4 No = Not a WHCV	
SC 2.4. Has WDNR identified the wetland within the S/T/R as a Wetland of High Conservation Value and listed it on their website?  Yes = Category I No = Not a WHCV	
SC 3.0. Bogs	
Does the wetland (or any part of the unit) meet both the criteria for soils and vegetation in bogs? <i>Use the key</i>	
below. If you answer YES you will still need to rate the wetland based on its functions.	
SC 3.1. Does an area within the wetland unit have organic soil horizons, either peats or mucks, that compose 16 in or	
more of the first 32 in of the soil profile?	
SC 3.2. Does an area within the wetland unit have organic soils, either peats or mucks, that are less than 16 in deep	
over bedrock, or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or pond?  Yes – Go to SC 3.3 No = Is not a bog	
SC 3.3. Does an area with peats or mucks have more than 70% cover of mosses at ground level, AND at least a 30%	
cover of plant species listed in Table 4?	
<b>NOTE:</b> If you are uncertain about the extent of mosses in the understory, you may substitute that criterion by	
measuring the pH of the water that seeps into a hole dug at least 16 in deep. If the pH is less than 5.0 and the	Cat. I
plant species in Table 4 are present, the wetland is a bog. SC 3.4. Is an area with peats or mucks forested (> 30% cover) with Sitka spruce, subalpine fir, western red cedar,	
western hemlock, lodgepole pine, quaking aspen, Engelmann spruce, or western white pine, AND any of the	
species (or combination of species) listed in Table 4 provide more than 30% of the cover under the canopy?	
Yes = Is a Category I bog No = Is not a bog	

SC 4.0. Forested Wetlands	
Does the wetland have at least <u>1 contiguous acre</u> of forest that meets one of these criteria for the WA	
Department of Fish and Wildlife's forests as priority habitats? If you answer YES you will still need to rate	
the wetland based on its functions.	
Old-growth forests (west of Cascade crest): Stands of at least two tree species, forming a multi-layered	
canopy with occasional small openings; with at least 8 trees/ac (20 trees/ha) that are at least 200 years of	
age OR have a diameter at breast height (dbh) of 32 in (81 cm) or more.	
Mature forests (west of the Cascade Crest): Stands where the largest trees are 80-200 years old OR the	
species that make up the canopy have an average diameter (dbh) exceeding 21 in (53 cm).	Cat. I
Yes = Category I  No = Not a forested wetland for this section	Cut. 1
SC 5.0. Wetlands in Coastal Lagoons	
Does the wetland meet all of the following criteria of a wetland in a coastal lagoon?	
The wetland lies in a depression adjacent to marine waters that is wholly or partially separated from	
marine waters by sandbanks, gravel banks, shingle, or, less frequently, rocks	
The lagoon in which the wetland is located contains ponded water that is saline or brackish (> 0.5 ppt)	
during most of the year in at least a portion of the lagoon (needs to be measured near the bottom)	Cat. I
Yes – Go to SC 5.1 No = Not a wetland in a coastal lagoon	
SC 5.1. Does the wetland meet all of the following three conditions?	
The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing), and has less	Cat. II
than 20% cover of aggressive, opportunistic plant species (see list of species on p. 100).	Cat. II
At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-	
mowed grassland.	
The wetland is larger than $^{1}/_{10}$ ac (4350 ft <sup>2</sup> )	
Yes = Category I No = Category II	
SC 6.0. Interdunal Wetlands	
Is the wetland west of the 1889 line (also called the Western Boundary of Upland Ownership or WBUO)? If	
you answer yes you will still need to rate the wetland based on its habitat functions.	
In practical terms that means the following geographic areas:	
Long Beach Peninsula: Lands west of SR 103	
Grayland-Westport: Lands west of SR 105	Cat I
Ocean Shores-Copalis: Lands west of SR 115 and SR 109	
Yes – Go to SC 6.1 No = not an interdunal wetland for rating	
CCC1 lethe wetlend 1 as an lenger and seems on 0 and 6 anthological formations on the forms (notes 11111 and 1111 M	Cat. II
SC 6.1. Is the wetland 1 ac or larger and scores an 8 or 9 for the habitat functions on the form (rates H,H,H or H,H,M for the three aspects of function)? $\Box$ Yes = <b>Category I</b> $\Box$ No – Go to <b>SC 6.2</b>	_ Gui
for the three aspects of function)?	
Yes = <b>Category II</b> No – Go to <b>SC 6.3</b>	Cat. III
SC 6.3. Is the unit between 0.1 and 1 ac, or is it in a mosaic of wetlands that is between 0.1 and 1 ac?	
Yes = Category III No = Category IV	
	Cat. IV
Category of wetland based on Special Characteristics	NIA
If you answered No for all types, enter "Not Applicable" on Summary Form	NA

Wetland name or number 28-3

This page left blank intentionally



Wetland Wetland 28-3




Federal Way Link Extension

Feet


100



Figure 28-3-3



Wetland 28-3: 303(d) listed waters





http://www.ecy.wa.go

# Vater Quality Improvement Projects (TMDLs)

'ater Quality Improvement > Water Quality Improvement Projects by WRIA 9: Duwamish-Green

### **VRIA 9: Duwamish-Green**

ne following table lists overview information for water quality improvement projects (including total maximum daily loads, or TMDLs) for this water resource inventory area (WRIA). Please use links (where available) for more information on a project.

### **Counties**

• King

Waterbody Name	Pollutants	Status**	TMDL Lead
Duwamish and Lower Green River	Ammonia-N	Approved by EPA	<u>Joan Nolan</u> 425-649-4425
Fauntleroy Creek	Fecal Coliform	Approved by EPA Has an implementation plan	<u>Joan Nolan</u> 425-649-4425
Fenwick Lake	Total Phosphorus	Approved by EPA (1993, Clean Lakes Program) Category 5, 2008 Water Quality Assessment	<u>Tricia Shoblom</u> 425-649-7288
Green River and Newaukum Creek	Temperature Dissolved Oxygen	Green River TMDL Approved by EPA Newaukum Creek TMDL Approved by EPA Has an implementation plan	<u>Joan Nolan</u> 425-649-4425
Lake Sawyer	Total Phosphorus	Approved by EPA Has an implementation plan	<u>Tricia Shoblom</u> 425-649-7288
Soos Creek	Fecal Coliform	Under development	<u>Dave Garland</u> 425-649-7031
	Aquatic Habitat Dissolved Oxygen Temperature		<u>Joan Nolan</u> 425-649-4425

<sup>\*\*</sup> Status will be listed as one of the following: Approved by EPA, Under Development or Implementation

### For more information about WRIA 9:

- Waterbodies in WRIA 9 using the Water Quality Assessment Query Tool
- Watershed Information for WRIA 9
- \* The Department of Ecology and other state resource agencies frequently use a system of 62 "Water Resource Inventory Areas" or "WRIAS" to refer to the state's major watershed basins.

## Back to top of page

Last updated June 2014

 ${\bf Copyright} @ {\bf Washington} \ {\bf State} \ {\bf Department} \ {\bf of} \ {\bf Ecology.} \ {\bf See} \ http://www.ecy.wa.gov/copyright.htm$ 

# **RATING SUMMARY – Western Washington**

or ID #): 28-4			Date of	site visit: N/A
ki/M.Dalzell	Traine	ed by Ecology?	√YesN	o Date of training 06/1
r rating Depres	ssional	Wetland has m	ultiple HGN	∕l classes?
•		•	ed (figures o	can be combined). 
ND CATEGO	<b>RY</b> <u>IV</u> (ba	ised on function	ns 🗸 or sp	ecial characteristics_
Category I – Tota	al score = 23 - 2	27		Score for each
C <b>ategory II</b> – Tot	tal score = 20 -	22		function based
				on three ratings
				ratings (order of ratings is not
Improving	Hydrologic	Habitat		important)
Water Quality				9 = H,H,H
	Circle the app	propriate ratings		8 = H,H,M
H□ M√L□	H ☐ M ✓ L	H		7 = H,H,L
H M ✓ L	H M ✓ L	H□ M□ L✓		7 = H,M,M
H M V L	H M V L	H□ M□ L√	TOTAL	6 = H,M,L
6	6	2	15	6 = M,M,M 5 = H,L,L
O	O	3	15	5 = M,M,L
				4 = M,L,L
				3 = L,L,L
	r rating Depression is not completed base aerial photostate base of the complete of base aerial photostate base of the complete of base aerial photostate base of the complete	rrating Depressional  is not complete without the f f base aerial photo/map BingMa  ND CATEGORY IV (ba  vetland based on FUNCTIC Category I — Total score = 23 - 2 Category II — Total score = 20 - 2 Category IV — Total score = 16 Category IV — Total score = 9 - 2  Improving Hydrologic Water Quality  Circle the app H M L H M L H M L H M L H M L	Trained by Ecology?  Trating Depressional  Wetland has m  Is not complete without the figures requested base aerial photo/map  BingMap  ND CATEGORY IV (based on function wetland based on FUNCTIONS)  Category I – Total score = 23 - 27  Category II – Total score = 20 - 22  Category III – Total score = 16 - 19  Category IV – Total score = 9 - 15  Improving Hydrologic Habitat  Circle the appropriate ratings  H M L H M L H M L H M L H M L L  H M L H M L L	Trained by Ecology? ✓ Yes Note That I we without the figures requested (figures of base aerial photo/map BingMap  ND CATEGORY IV (based on functions ✓ or spowetland based on FUNCTIONS)  Category I — Total score = 23 - 27  Category II — Total score = 20 - 22  Category III — Total score = 16 - 19  Category IV — Total score = 9 - 15  Improving Hydrologic Habitat Water Quality  Circle the appropriate ratings  H M L H M L H M L H M L H M L H M L H M L H M L L H M L L H M L L H M L L H M L L H M L L H M L L H M L L H M M L L M M L L M M L L M M L L M M L L M M L L M M L L M M L L M M L L M M L

# 2. Category based on SPECIAL CHARACTERISTICS of wetland

CHARACTERISTIC	CATEGORY
Estuarine	I II
Wetland of High Conservation Value	I
Bog	I
Mature Forest	I 🗌
Old Growth Forest	I 🔲
Coastal Lagoon	I I II
Interdunal	III III IV
None of the above	*

# Maps and figures required to answer questions correctly for Western Washington

# **Depressional Wetlands**

Map of:	To answer questions:	Figure #
Cowardin plant classes	D 1.3, H 1.1, H 1.4	28-4-1
Hydroperiods	D 1.4, H 1.2	28-4-1
Location of outlet (can be added to map of hydroperiods)	D 1.1, D 4.1	NA
Boundary of area within 150 ft of the wetland (can be added to another figure)	D 2.2, D 5.2	28-4-2
Map of the contributing basin	D 4.3, D 5.3	28-4-3
1 km Polygon: Area that extends 1 km from entire wetland edge - including polygons for accessible habitat and undisturbed habitat	H 2.1, H 2.2, H 2.3	28-4-4
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	D 3.1, D 3.2	28-4-5
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	D 3.3	28-4-6

# **Riverine Wetlands**

Map of:	To answer questions:	Figure #
Cowardin plant classes	H 1.1, H 1.4	
Hydroperiods	H 1.2	
Ponded depressions	R 1.1	
Boundary of area within 150 ft of the wetland (can be added to another figure)	R 2.4	
Plant cover of trees, shrubs, and herbaceous plants	R 1.2, R 4.2	
Width of unit vs. width of stream (can be added to another figure)	R 4.1	
Map of the contributing basin	R 2.2, R 2.3, R 5.2	
1 km Polygon: Area that extends 1 km from entire wetland edge - including	H 2.1, H 2.2, H 2.3	
polygons for accessible habitat and undisturbed habitat		
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	R 3.1	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	R 3.2, R 3.3	

# Lake Fringe Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes	L 1.1, L 4.1, H 1.1, H 1.4	
Plant cover of trees, shrubs, and herbaceous plants	L 1.2	
Boundary of area within 150 ft of the wetland (can be added to another figure)	L 2.2	
1 km Polygon: Area that extends 1 km from entire wetland edge - including polygons for accessible habitat and undisturbed habitat	H 2.1, H 2.2, H 2.3	
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	L 3.1, L 3.2	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	L 3.3	

# Slope Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes	H 1.1, H 1.4	
Hydroperiods	H 1.2	
Plant cover of <b>dense</b> trees, shrubs, and herbaceous plants	S 1.3	
Plant cover of dense, rigid trees, shrubs, and herbaceous plants	S 4.1	
(can be added to figure above)		
Boundary of 150 ft buffer (can be added to another figure)	S 2.1, S 5.1	
1 km Polygon: Area that extends 1 km from entire wetland edge - including	H 2.1, H 2.2, H 2.3	
polygons for accessible habitat and undisturbed habitat		
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	S 3.1, S 3.2	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	S 3.3	

# **HGM Classification of Wetlands in Western Washington**

For questions 1-7, the criteria described must apply to the entire unit being rated.

If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in questions 1-7 apply, and go to Question 8.

1.	Are the water levels in the entire unit usually controlled by tides except during floods?
	✓ NO – go to 2
1	.1 Is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)?
	NO – Saltwater Tidal Fringe (Estuarine)  If your wetland can be classified as a Freshwater Tidal Fringe use the forms for Riverine wetlands. If it is Saltwater Tidal Fringe it is an Estuarine wetland and is not scored. This method cannot be used to score functions for estuarine wetlands.
2.	The entire wetland unit is flat and precipitation is the only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit.
	✓ NO – go to 3
3.	Does the entire wetland unit <b>meet all</b> of the following criteria?  The vegetated part of the wetland is on the shores of a body of permanent open water (without any plants on the surface at any time of the year) at least 20 ac (8 ha) in size; At least 30% of the open water area is deeper than 6.6 ft (2 m).
	✓ NO – go to 4
4.	Does the entire wetland unit <b>meet all</b> of the following criteria? The wetland is on a slope ( <i>slope can be very gradual</i> ), The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks, The water leaves the wetland <b>without being impounded</b> .
	✓ NO – go to 5 <b>YES –</b> The wetland class is <b>Slope</b>
	<b>NOTE</b> : Surface water does not pond in these type of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3 ft diameter and less than 1 ft deep).
5.	Does the entire wetland unit <b>meet all</b> of the following criteria?  The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river,  The overbank flooding occurs at least once every 2 years.

W	etland name or number	
	✓ NO – go to 6 <b>NOTE</b> : The Riverine unit can contain depressinot flooding	YES – The wetland class is Riverine ons that are filled with water when the river is
6.		oression in which water ponds, or is saturated to the neans that any outlet, if present, is higher than the interior
	□NO – go to 7	YES – The wetland class is <b>Depressional</b>
7.	flooding? The unit does not pond surface wat	t area with no obvious depression and no overbank er more than a few inches. The unit seems to be The wetland may be ditched, but has no obvious natural
	□ NO – go to 8	YES – The wetland class is <b>Depressional</b>

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a Depressional wetland has a zone of flooding along its sides. GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within the wetland unit being scored.

**NOTE**: Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the HGM class listed in column 2 is less than 10% of the unit; classify the wetland using the class that represents more than 90% of the total area.

HGM classes within the wetland unit	HGM class to
being rated	use in rating
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake Fringe	Lake Fringe
Depressional + Riverine along stream	Depressional
within boundary of depression	
Depressional + Lake Fringe	Depressional
Riverine + Lake Fringe	Riverine
Salt Water Tidal Fringe and any other	Treat as
class of freshwater wetland	ESTUARINE

If you are still unable to determine which of the above criteria apply to your wetland, or if you have **more than 2 HGM classes** within a wetland boundary, classify the wetland as Depressional for the rating.

DEPRESSIONAL AND FLATS WETLANDS		
Water Quality Functions - Indicators that the site functions to improve water quality		
D 1.0. Does the site have the potential to improve water quality?		
D 1.1. Characteristics of surface water outflows from the wetland:		
✓ Wetland is a depression or flat depression (QUESTION 7 on key) with no surface water leaving it (no outlet).		
points = 3 $\square$ Wetland has an intermittently flowing stream or ditch, OR highly constricted permanently flowing outlet.	3	
points = 2	3	
Wetland has an unconstricted, or slightly constricted, surface outlet that is permanently flowing points = 1		
Wetland is a flat depression (QUESTION 7 on key), whose outlet is a permanently flowing ditch. points = 1		
D 1.2. The soil 2 in below the surface (or duff layer) is true clay or true organic (use NRCS definitions). Yes = 4 🗸 No = 0	0	
D 1.3. <u>Characteristics and distribution of persistent plants</u> (Emergent, Scrub-shrub, and/or Forested Cowardin classes):		
✓ Wetland has persistent, ungrazed, plants > 95% of area points = 5	_	
Wetland has persistent, ungrazed, plants > $\frac{1}{10}$ of area points = 3  Wetland has persistent, ungrazed plants > $\frac{1}{10}$ of area points = 1	5	
Wetland has persistent, ungrazed plants $> 7_{10}$ of area points $= 1$ Wetland has persistent, ungrazed plants $< 1/_{10}$ of area points $= 0$		
D 1.4. Characteristics of seasonal ponding or inundation:		
This is the area that is ponded for at least 2 months. See description in manual.		
Area seasonally ponded is > ½ total area of wetland points = 4	2	
✓ Area seasonally ponded is > ¼ total area of wetland points = 2	_	
Area seasonally ponded is < ¼ total area of wetland points = 0		
Total for D 1 Add the points in the boxes above	10	
Rating of Site Potential If score is: 12-16 = H  6-11 = M  0-5 = L Record the rating on the first po	ge	
D 2.0. Does the landscape have the potential to support the water quality function of the site?		
D 2.1. Does the wetland unit receive stormwater discharges?  Yes = 1  No = 0	0	
D 2.2. Is > 10% of the area within 150 ft of the wetland in land uses that generate pollutants?  \[ \sqrt{Yes} = 1 \] No = 0		
D 2.3. Are there septic systems within 250 ft of the wetland?  Yes = 1  No = 0		
D 2.4. Are there other sources of pollutants coming into the wetland that are not listed in questions D 2.1-D 2.3?	0	
SourceYes = 1 V No = 0	0	
Total for D 2 Add the points in the boxes above	1	
Rating of Landscape Potential If score is: 3 or 4 = H 1 or 2 = M 0 = L Record the rating on the fi	st page	
D 3.0. Is the water quality improvement provided by the site valuable to society?		
D 3.1. Does the wetland discharge directly (i.e., within 1 mi) to a stream, river, lake, or marine water that is on the	0	
303(d) list?	0	
D 3.2. Is the wetland in a basin or sub-basin where an aquatic resource is on the 303(d) list?  Yes = 1 No = 0	1	
D 3.3. Has the site been identified in a watershed or local plan as important for maintaining water quality (answer YES if there is a TMDL for the basin in which the unit is found)?	0	
Total for D 3 Add the points in the boxes above	1	
Rating of Value If score is: 2-4 = H 1 = M 0 = L  Record the rating on the first page		

D1.1 - According to the Federal Way GIS data, no pipes are mapped around the wetland.

D3.2 - Wetland 28-4 is located in the Mill Creek basin, and Mill Creek is on the 303(d) list.

DEPRESSIONAL AND FLATS WETLANDS		
Hydrologic Functions - Indicators that the site functions to reduce flooding and stream degradation		
D 4.0. Does the site have the potential to reduce flooding and erosion?		
D 4.1. Characteristics of surface water outflows from the wetland:  Wetland is a depression or flat depression with no surface water leaving it (no outlet)  Wetland has an intermittently flowing stream or ditch, OR highly constricted permanently flowing outletpoints = 2  Wetland is a flat depression (QUESTION 7 on key), whose outlet is a permanently flowing ditch  Wetland has an unconstricted, or slightly constricted, surface outlet that is permanently flowing  points = 0	4	
D 4.2. Depth of storage during wet periods: Estimate the height of ponding above the bottom of the outlet. For wetlands with no outlet, measure from the surface of permanent water or if dry, the deepest part.  Marks of ponding are 3 ft or more above the surface or bottom of outlet  Marks of ponding between 2 ft to < 3 ft from surface or bottom of outlet  Marks are at least 0.5 ft to < 2 ft from surface or bottom of outlet  The wetland is a "headwater" wetland  Wetland is flat but has small depressions on the surface that trap water  Marks of ponding less than 0.5 ft (6 in)	3	
D 4.3. Contribution of the wetland to storage in the watershed: Estimate the ratio of the area of upstream basin contributing surface water to the wetland to the area of the wetland unit itself.  ☐ The area of the basin is less than 10 times the area of the unit  ☐ The area of the basin is 10 to 100 times the area of the unit  ☐ The area of the basin is more than 100 times the area of the unit  ☐ Entire wetland is in the Flats class  ☐ D 4.3. Contribution of the area of upstream basin to the area of the wetland unit itself.  ☐ D 5 ☐ The area of the basin is 10 to 100 times the area of the unit  ☐ D 6 ☐ The area of the basin is more than 100 times the area of the unit  ☐ D 7 ☐ The area of the basin is more than 100 times the area of the unit  ☐ D 8 ☐ The area of the basin is more than 100 times the area of the unit  ☐ D 8 ☐ The area of the basin is more than 100 times the area of the unit  ☐ D 8 ☐ The area of the basin is more than 100 times the area of the unit  ☐ D 8 ☐ The area of the basin is more than 100 times the area of the unit  ☐ D 8 ☐ The area of the basin is more than 100 times the area of the unit  ☐ D 8 ☐ The area of the basin is more than 100 times the area of the unit  ☐ D 8 ☐ The area of the basin is more than 100 times the area of the unit  ☐ D 8 ☐ The area of the basin is more than 100 times the area of the unit  ☐ D 8 ☐ The area of the basin is more than 100 times the area of the unit  ☐ D 8 ☐ The area of the area of the unit  ☐ D 8 ☐ The area of the area of the unit  ☐ D 8 ☐ The area of the area of the unit  ☐ D 8 ☐ The area of the area of the unit  ☐ D 8 ☐ The area of the area of the unit  ☐ D 8 ☐ The area of the area of the unit  ☐ D 8 ☐ The area of the area of the unit  ☐ D 8 ☐ The area of the area of the unit  ☐ D 8 ☐ The area of the area of the unit  ☐ D 8 ☐ The area of the area of the unit  ☐ D 8 ☐ The area of the area of the unit  ☐ D 8 ☐ The area of the area of the unit  ☐ D 8 ☐ The area of the area of the unit  ☐ D 8 ☐ The area of the area of the unit  ☐ D 8 ☐ The area of the area o	3	
Total for D 4 Add the points in the boxes above	10	
Rating of Site Potential If score is: 12-16 = H 6-11 = M 0-5 = L Record the rating on the	first page	
D 5.0. Does the landscape have the potential to support hydrologic functions of the site?		
D 5.1. Does the wetland receive stormwater discharges?  Yes = 1  No = 0	0	
D 5.2. Is >10% of the area within 150 ft of the wetland in land uses that generate excess runoff?  Yes = 1 No = 0	1	
D 5.3. Is more than 25% of the contributing basin of the wetland covered with intensive human land uses (residential at >1 residence/ac, urban, commercial, agriculture, etc.)?  Yes = 1  No = 0	0	
Total for D 5 Add the points in the boxes above	1	
Rating of Landscape Potential If score is: 3 = H 1 or 2 = M 0 = L Record the rating on the	first page	
D 6.0. Are the hydrologic functions provided by the site valuable to society?		
D 6.1. The unit is in a landscape that has flooding problems. Choose the description that best matches conditions around the wetland unit being rated. Do not add points. Choose the highest score if more than one condition is met.  The wetland captures surface water that would otherwise flow down-gradient into areas where flooding has damaged human or natural resources (e.g., houses or salmon redds):  ■ Flooding occurs in a sub-basin that is immediately down-gradient of unit. points = 2  ■ Surface flooding problems are in a sub-basin farther down-gradient. points = 1  ■ Flooding from groundwater is an issue in the sub-basin. points = 1  The existing or potential outflow from the wetland is so constrained by human or natural conditions that the water stored by the wetland cannot reach areas that flood. Explain why points = 0  ■ There are no problems with flooding downstream of the wetland. points = 0	1	
D 6.2. Has the site been identified as important for flood storage or flood conveyance in a regional flood control plan? Yes = 2  ✓ No = 0	0	
Total for D 6 Add the points in the boxes above	1	

Rating of Value If score is: 2-4 = H 1 = M 0 = L

RIVERINE AND FRESHWATER TIDAL FRINGE WETLANDS			
Water Quality Functions - Indicators that the site functions to improve water quality			
R 1.0. Does the site have the potential to improve water quality?			
R 1.1. Area of surface depressions within the Riverine wetland that can trap sediments during a flooding event:  Depressions cover > 3/4 area of wetland  Depressions cover > ½ area of wetland  Depressions present but cover < ½ area of wetland  No depressions present  Points = 0	0		
R 1.2. Structure of plants in the wetland (areas with >90% cover at person height, <b>not</b> Cowardin classes)  Trees or shrubs > $^2/_3$ area of the wetland  Trees or shrubs > $^1/_3$ area of the wetland  Herbaceous plants (> 6 in high) > $^2/_3$ area of the wetland  Herbaceous plants (> 6 in high) > $^1/_3$ area of the wetland  Trees, shrubs, and ungrazed herbaceous < $^1/_3$ area of the wetland  points = 0	0		
Total for R 1 Add the points in the boxes above	0		
Rating of Site Potential If score is: 12-16 = H 6-11 = M 0-5 = L Record the rating on the first page			
R 2.0. Does the landscape have the potential to support the water quality function of the site?	Ι		
R 2.1. Is the wetland within an incorporated city or within its UGA?	0		
R 2.2. Does the contributing basin to the wetland include a UGA or incorporated area?	0		
R 2.3. Does at least 10% of the contributing basin contain tilled fields, pastures, or forests that have been clearcut within the last 5 years?  Yes = 1 No = 0	0		
R 2.4. Is > 10% of the area within 150 ft of the wetland in land uses that generate pollutants? $\square$ Yes = 1 $\square$ No = 0	0		
R 2.5. Are there other sources of pollutants coming into the wetland that are not listed in questions R 2.1-R 2.4  Other sources	0		
Total for R 2 Add the points in the boxes above	0		
Rating of Landscape Potential If score is: 3-6 = H 1 or 2 = M 0 = L Record the rating on t	he first page		
R 3.0. Is the water quality improvement provided by the site valuable to society?			
R 3.1. Is the wetland along a stream or river that is on the 303(d) list or on a tributary that drains to one within 1 mi?	0		
R 3.2. Is the wetland along a stream or river that has TMDL limits for nutrients, toxics, or pathogens?  Yes = 1 No = 0	0		
R 3.3. Has the site been identified in a watershed or local plan as important for maintaining water quality? (answer YES if there is a TMDL for the drainage in which the unit is found) $\qquad \qquad \qquad$	0		
Total for R 3 Add the points in the boxes above	0		
Rating of Value If score is 2-4 = H 1 = M 0 = L  Record the rating on t	he first page		

RIVERINE AND FRESHWATER TIDAL FRINGE WETLANDS  Hydrologic Functions - Indicators that site functions to reduce flooding and stream erosion		
R 4.0. Does the site have the potential to reduce flooding and erosion?	11	
R 4.1. Characteristics of the overbank storage the wetland provides:	0	
Estimate the average width of the wetland perpendicular to the direction of the flow and the width of the		
stream or river channel (distance between banks). Calculate the ratio: (average width of wetland)/(average		
width of stream between banks).		
If the ratio is more than 20 points = 9		
If the ratio is 10-20 points = 6		
If the ratio is 5-<10 points = 4		
If the ratio is 1-<5 points = 2		
If the ratio is < 1 points = 1		
R 4.2. Characteristics of plants that slow down water velocities during floods: Treat large woody debris as forest or	0	
shrub. Choose the points appropriate for the best description (polygons need to have >90% cover at person		
height. These are <u>NOT Cowardin</u> classes).		
Forest or shrub for $>^1/_3$ area OR emergent plants $>^2/_3$ area points = 7		
Forest or shrub for $> \frac{1}{10}$ area OR emergent plants $> \frac{1}{3}$ area  Plants do not react above principle.		
☐ Plants do not meet above criteria points = 0	0	
Total for R 4 Add the points in the boxes above	0	
Rating of Site Potential If score is: 12-16 = H 6-11 = M 0-5 = L Record the rating on t	he first page	
R 5.0. Does the landscape have the potential to support the hydrologic functions of the site?		
R 5.1. Is the stream or river adjacent to the wetland downcut? $Yes = 0$ $No = 1$	0	
R 5.2. Does the up-gradient watershed include a UGA or incorporated area?  Yes = 1 No = 0	0	
R 5.3. Is the up-gradient stream or river controlled by dams? $\qquad \qquad \qquad$	0	
Total for R 5 Add the points in the boxes above	0	
Rating of Landscape Potential If score is: 3 = H 1 or 2 = M 0 = L Record the rating on t	he first page	
R 6.0. Are the hydrologic functions provided by the site valuable to society?		
R 6.1. Distance to the nearest areas downstream that have flooding problems?	0	
Choose the description that best fits the site.		
The sub-basin immediately down-gradient of the wetland has flooding problems that result in damage to		
human or natural resources (e.g., houses or salmon redds) points = 2  Surface flooding problems are in a sub-basin farther down-gradient points = 1		
No flooding problems anywhere downstream  No flooding problems anywhere downstream  No flooding problems anywhere downstream		
R 6.2. Has the site been identified as important for flood storage or flood conveyance in a regional flood control plan?	0	
Total for R 6 Add the points in the boxes above	0	
Rating of Value If score is: 2-4 = H 1 = M 0 = L Record the rating on t	he first page	

LAKE FRINGE WETLANDS			
Water Quality Functions - Indicators that the site functions to improve water quality			
L 1.0. Does the site have the potential to improve water quality?			
L 1.1. Average width of plants along the lakeshore (use polygons of Cowardin classes):	0		
Plants are more than 33 ft (10 m) wide points = 6	O		
Plants are more than 16 ft (5 m) wide and <33 ft points = 3			
Plants are more than 6 ft (2 m) wide and <16 ft points = 1			
Plants are less than 6 ft wide points = 0			
L 1.2. Characteristics of the plants in the wetland: Choose the appropriate description that results in the highest points, and do not include any open water in your estimate of coverage. The herbaceous plants can be either the dominant form or as an understory in a shrub or forest community. These are not Cowardin classes. Area of cover is total cover in the unit, but it can be in patches. Herbaceous does not include aquatic bed.			
☐ Cover of herbaceous plants is >90% of the vegetated area  points = 6			
Cover of herbaceous plants is $>^2/_3$ of the vegetated area points = 4			
Cover of herbaceous plants is $>^1/_3$ of the vegetated area points = 3			
Other plants that are not aquatic bed > $^{2}/_{3}$ unit points = 3  Other plants that are not aquatic bed in > $^{1}/_{3}$ vegetated area points = 1			
Other plants that are not aquatic bed in > $\frac{1}{3}$ vegetated area points = 1  Aquatic bed plants and open water cover > $\frac{2}{3}$ of the unit points = 0			
Total for L 1  Add the points in the boxes above	0		
	ŭ		
Rating of Site Potential If score is:8-12 = H4-7 = M0-3 = L Record the rating on the first page			
L 2.0. Does the landscape have the potential to support the water quality function of the site?	_		
L 2.1. Is the lake used by power boats?	0		
L 2.2. Is > 10% of the area within 150 ft of wetland unit on the upland side in land uses that generate pollutants?	0		
L 2.3. Does the lake have problems with algal blooms or excessive plant growth such as milfoil? Yes = 1 No = 0	0		
Total for L 2 Add the points in the boxes above	0		
Rating of Landscape Potential: If score is: 2 or 3 = H 1 = M 0 = L  Record the rating on the first page			
L 3.0. Is the water quality improvement provided by the site valuable to society?			
L 3.1. Is the lake on the 303(d) list of degraded aquatic resources? $\qquad \qquad \qquad$	0		
L 3.2. Is the lake in a sub-basin where water quality is an issue (at least one aquatic resource in the basin is on the 303(d) list)?  Yes = 1 No = 0	0		
L 3.3. Has the site been identified in a watershed or local plan as important for maintaining water quality? Answer YES if there is a TMDL for the lake or basin in which the unit is found. $\Box$ Yes = 2 $\Box$ No = 0	0		
Total for L 3 Add the points in the boxes above	0		
Rating of Value If score is: 2-4 = H 1 = M 0 = L Record the rating on the	he first page		

LAKE FRINGE WETLANDS			
<b>Hydrologic Functions</b> - Indicators that the wetland unit functions to reduce shoreline ero	sion		
L 4.0. Does the site have the potential to reduce shoreline erosion?			
L 4.1. Distance along shore and average width of Cowardin classes along the lakeshore ( <b>do not</b> include Aquatic bed): Choose the highest scoring description that matches conditions in the wetland.			
> % of distance is Scrub-shrub or Forested at least 33 ft (10 m) wide points = 6			
> % of distance is Scrub-shrub or Forested at least 5 ft (10 m) wide   points = 4			
> ¼ distance is Scrub-shrub or Forested at least 33 ft (10 m) wide points = 4			
Plants are at least 6 ft (2 m) wide (any type except Aquatic bed)			
Plants are less than 6 ft (2 m) wide (any type except Aquatic bed) points = 0			
Rating of Site Potential: If score is:6 = M0-5 = L   Record the rating of	n the first page		
L 5.0. Does the landscape have the potential to support the hydrologic functions of the site?			
L 5.1. Is the lake used by power boats with more than 10 hp?	0 0		
L 5.2. Is the fetch on the lake side of the unit at least 1 mile in distance?			
Total for L 5 Add the points in the boxes above	0		
Rating of Landscape Potential If score is: 2 = H 1 = M 0 = L  Record the rating of	n the first page		
L 6.0. Are the hydrologic functions provided by the site valuable to society?			
L 6.1. Are there resources along the shore that can be impacted by erosion? If more than one resource is present, choose the one with the highest score.	0		
There are human structures or old growth/mature forests within 25 ft of OHWM of the shore in the unit			
points = 2			
There are nature trails or other paths and recreational activities within 25 ft of OHWM points = 1			
Other resources that could be impacted by erosion  points = 1			
There are no resources that can be impacted by erosion along the shores of the unit points = 0			
Rating of Value: If score is: $\boxed{2} = H$ $\boxed{\boxed{1}} = M$ $\boxed{\boxed{0}} = L$ Record the rating of	n the first page		

NOTES and FIELD OBSERVATIONS:

SLOPE WETLANDS  Water Quality Functions - Indicators that the site functions to improve water quality		
S 1.0. Does the site have the potential to improve water quality?		
S 1.1. Characteristics of the average slope of the wetland: (a 1% slope has a 1 ft vertical drop in elevation for every 100 ft of horizontal distance)	0	
Slope is 1% or less points = 3		
Slope is > 1%-2% points = 2		
Slope is > 2%-5% points = 1		
Slope is greater than 5% points = 0		
S 1.2. The soil 2 in below the surface (or duff layer) is true clay or true organic (use NRCS definitions): Yes = 3 No = 0	0	
S 1.3. Characteristics of the plants in the wetland that trap sediments and pollutants:	0	
Choose the points appropriate for the description that best fits the plants in the wetland. Dense means you have trouble seeing the soil surface (>75% cover), and uncut means not grazed or mowed and plants are higher than 6 in.		
Dense, uncut, herbaceous plants > 90% of the wetland area points = 6		
Dense, uncut, herbaceous plants > ½ of area points = 3		
Dense, woody, plants > ½ of area points = 2		
Dense, uncut, herbaceous plants > ¼ of area points = 1		
Does not meet any of the criteria above for plants points = 0		
Total for S 1 Add the points in the boxes above	0	
Rating of Site Potential If score is:12 = H6-11 = M0-5 = L	the first page	
S 2.0. Does the landscape have the potential to support the water quality function of the site?		
S 2.1. Is > 10% of the area within 150 ft on the uphill side of the wetland in land uses that generate pollutants?  Yes = 1 No = 0	0	
S 2.2. Are there other sources of pollutants coming into the wetland that are not listed in question S 2.1?	0	
Other sources Yes = 1 No = 0	U	
Total for S 2 Add the points in the boxes above	0	
Rating of Landscape Potential If score is:1-2 = M		
S 3.0. Is the water quality improvement provided by the site valuable to society?		
S 3.1. Does the wetland discharge directly (i.e., within 1 mi) to a stream, river, lake, or marine water that is on the 303(d) list?	0	
S 3.2. Is the wetland in a basin or sub-basin where water quality is an issue? At least one aquatic resource in the basin is on the 303(d) list. $\square$ Yes = 1 $\square$ No = 0	0	
S 3.3. Has the site been identified in a watershed or local plan as important for maintaining water quality? <i>Answer YES</i> if there is a TMDL for the basin in which unit is found.	0	
Total for S 3 Add the points in the boxes above	0	
Rating of Value If score is: 2-4 = H 1 = M 0 = L Record the rating on	the first page	

SLOPE WETLANDS  Hydrologic Functions - Indicators that the site functions to reduce flooding and stream erosion		
S 4.0. Does the site have the potential to reduce flooding and stream erosion?		
S 4.1. Characteristics of plants that reduce the velocity of surface flows during storms: Choose the points appropriate for the description that best fits conditions in the wetland. Stems of plants should be thick enough (usually > $^{1}/_{8}$ in), or dense enough, to remain erect during surface flows.	0	
Dense, uncut, <b>rigid</b> plants cover > 90% of the area of the wetland		
All other conditions points = 0		
Rating of Site Potential If score is: 1 = M 0 = L Record the rating on	the first page	
S 5.0. Does the landscape have the potential to support the hydrologic functions of the site?		
S 5.1. Is more than 25% of the area within 150 ft upslope of wetland in land uses or cover that generate excess surface runoff?	0	
Rating of Landscape Potential If score is:1 = M0 = L   Record the rating on	the first page	
S 6.0. Are the hydrologic functions provided by the site valuable to society?		
S 6.1. Distance to the nearest areas downstream that have flooding problems:  The sub-basin immediately down-gradient of site has flooding problems that result in damage to human or natural resources (e.g., houses or salmon redds)  Surface flooding problems are in a sub-basin farther down-gradient  No flooding problems anywhere downstream  points = 0	0	
S 6.2. Has the site been identified as important for flood storage or flood conveyance in a regional flood control plan?  Yes = 2 No = 0	0	
Total for S 6 Add the points in the boxes above	0	
Rating of Value If score is: $\square 2-4 = H$ $\square 1 = M$ $\square 0 = L$ Record the rating on	the first page	

NOTES and FIELD OBSERVATIONS:

These questions apply to wetlands of all HGM classes.		
HABITAT FUNCTIONS - Indicators that site functions to provide important habitat		
H 1.0. Does the site have the potential to provide habitat?		
H 1.1. Structure of plant community: Indicators are Cowardin classes and strata within the Forested class. Check the Cowardin plant classes in the wetland. Up to 10 patches may be combined for each class to meet the threshold of ¼ ac or more than 10% of the unit if it is smaller than 2.5 ac. Add the number of structures checked.  Aquatic bed  Emergent  Scrub-shrub (areas where shrubs have > 30% cover)  Forested (areas where trees have > 30% cover)  If the unit has a Forested class, check if:  The Forested class has 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) that each cover 20% within the Forested polygon	1	
H 1.2. Hydroperiods  Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or ¼ ac to count (see text for descriptions of hydroperiods).  Permanently flooded or inundated  Seasonally flooded or inundated  Occasionally flooded or inundated  Saturated only  Permanently flowing stream or river in, or adjacent to, the wetland  Seasonally flowing stream in, or adjacent to, the wetland  Lake Fringe wetland  Freshwater tidal wetland  2 points	1	
H 1.3. Richness of plant species  Count the number of plant species in the wetland that cover at least 10 ft².  Different patches of the same species can be combined to meet the size threshold and you do not have to name the species.  Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle  If you counted: > 19 species  5 - 19 species  7 - 19 species  9 - 19 species  1 - 19 species  9 - 19 species  1 - 19 species  9 - 19 species  1 - 19 species	1	
H 1.4. Interspersion of habitats  Decide from the diagrams below whether interspersion among Cowardin plants classes (described in H 1.1), or the classes and unvegetated areas (can include open water or mudflats) is high, moderate, low, or none. If you have four or more plant classes or three classes and open water, the rating is always high.  None = 0 points  Low = 1 point  Moderate = 2 points  All three diagrams in this row are HIGH = 3points	1	

	<del>                                     </del>	
H 1.5. Special habitat features:		
Check the habitat features that are present in the wetland. The number of checks is the number of points.		
Large, downed, woody debris within the wetland (> 4 in diameter and 6 ft long).		
Standing snags (dbh > 4 in) within the wetland		
Undercut banks are present for at least 6.6 ft (2 m) and/or overhanging plants extends at least 3.3 ft (1 m)		
over a stream (or ditch) in, or contiguous with the wetland, for at least 33 ft (10 m)	<b>^</b>	
Stable steep banks of fine material that might be used by beaver or muskrat for denning (> 30 degree		
slope) OR signs of recent beaver activity are present (cut shrubs or trees that have not yet weathered		
where wood is exposed)		
At least ¼ ac of thin-stemmed persistent plants or woody branches are present in areas that are		
permanently or seasonally inundated (structures for egg-laying by amphibians)		
Invasive plants cover less than 25% of the wetland area in every stratum of plants (see H 1.1 for list of		
strata)		
Total for H 1 Add the points in the boxes above	4	
Rating of Site Potential If score is: 15-18 = H 7-14 = M 0-6 = L Record the rating	·	
	on the just page	
H 2.0. Does the landscape have the potential to support the habitat functions of the site?		
H 2.1. Accessible habitat (include only habitat that directly abuts wetland unit).	0	
Calculate: % undisturbed habitat $\frac{1.00}{}$ + [(% moderate and low intensity land uses)/2] $\frac{1.50}{}$ = $\frac{2.50}{}$ %		
If total accessible habitat is:		
$\square > 1/3$ (33.3%) of 1 km Polygon points = 3		
20-33% of 1 km Polygon points = 2		
10-19% of 1 km Polygon points = 1		
✓ < 10% of 1 km Polygon points = 0		
H 2.2. Undisturbed habitat in 1 km Polygon around the wetland.		
Calculate: % undisturbed habitat $\frac{18.00}{}$ + [(% moderate and low intensity land uses)/2] $\frac{6.00}{}$ = $\frac{24.00}{}$ %	1	
Undisturbed habitat > 50% of Polygon points = 3		
Undisturbed habitat 10-50% and in 1-3 patches points = 3		
✓ Undisturbed habitat 10-50% and > 3 patches  Points = 1		
Undisturbed habitat < 10% of 1 km Polygon points = 0		
H 2.3. Land use intensity in 1 km Polygon: If	-2	
> 50% of 1 km Polygon is high intensity land use points = (-2)		
Total for H 2 Add the points in the boxes above	-1	
Rating of Landscape Potential If score is: $4-6 = H$ $1-3 = M$ $1-3 = M$ Record the rating of	n the first page	
H 3.0. Is the habitat provided by the site valuable to society?		
H 3.1. Does the site provide habitat for species valued in laws, regulations, or policies? <i>Choose only the highest score</i>		
that applies to the wetland being rated.	0	
Site meets ANY of the following criteria: points = 2	1	
	[	
It has 3 or more priority habitats within 100 m (see next page)		
It provides habitat for Threatened or Endangered species (any plant or animal on the state or federal lists		
It is mapped as a location for an individual WDFW priority species		
It is a Wetland of High Conservation Value as determined by the Department of Natural Resources		
☐ It has been categorized as an important habitat site in a local or regional comprehensive plan, in a		
Shoreline Master Plan, or in a watershed plan Site has 1 or 2 priority habitats (listed on next page) within 100 m points = 1		
Site does not meet any of the criteria above points = 0	on the first	
Rating of Value If score is: $2 = H$ $1 = M$ $0 = L$ Record the rating	on the first page	

Wetland Rating System for Western WA: 2014 Update Rating Form – Effective January 1, 2015

# **WDFW Priority Habitats**

<u>Priority habitats listed by WDFW</u> (see complete descriptions of WDFW priority habitats, and the counties in which they can be found, in: Washington Department of Fish and Wildlife. 2008. Priority Habitat and Species List. Olympia, Washington. 177 pp. <a href="http://wdfw.wa.gov/publications/00165/wdfw00165.pdf">http://wdfw.wa.gov/publications/00165/wdfw00165.pdf</a> or access the list from here: <a href="http://wdfw.wa.gov/conservation/phs/list/">http://wdfw.wa.gov/conservation/phs/list/</a>)

Count how many of the following priority habitats are within 330 ft (100 m) of the wetland unit: *NOTE:* This question is independent of the land use between the wetland unit and the priority habitat.

— **Aspen Stands:** Pure or mixed stands of aspen greater than 1 ac (0.4 ha).

**Biodiversity Areas and Corridors**: Areas of habitat that are relatively important to various species of native fish and wildlife (*full descriptions in WDFW PHS report*).

**Herbaceous Balds:** Variable size patches of grass and forbs on shallow soils over bedrock.

**Old-growth/Mature forests:** Old-growth west of Cascade crest – Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 8 trees/ac (20 trees/ha) > 32 in (81 cm) dbh or > 200 years of age. Mature forests – Stands with average diameters exceeding 21 in (53 cm) dbh; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80-200 years old west of the Cascade crest.

- **Oregon White Oak:** Woodland stands of pure oak or oak/conifer associations where canopy coverage of the oak component is important (*full descriptions in WDFW PHS report p. 158 see web link above*).
- **Riparian**: The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.
- **Westside Prairies:** Herbaceous, non-forested plant communities that can either take the form of a dry prairie or a wet prairie (*full descriptions in WDFW PHS report p. 161 see web link above*).

**Instream:** The combination of physical, biological, and chemical processes and conditions that interact to provide functional life history requirements for instream fish and wildlife resources.

**Nearshore**: Relatively undisturbed nearshore habitats. These include Coastal Nearshore, Open Coast Nearshore, and Puget Sound Nearshore. (*full descriptions of habitats and the definition of relatively undisturbed are in WDFW report – see web link on previous page*).

**Caves:** A naturally occurring cavity, recess, void, or system of interconnected passages under the earth in soils, rock, ice, or other geological formations and is large enough to contain a human.

**Cliffs:** Greater than 25 ft (7.6 m) high and occurring below 5000 ft elevation.

**Talus:** Homogenous areas of rock rubble ranging in average size 0.5 - 6.5 ft (0.15 - 2.0 m), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.

**Snags and Logs:** Trees are considered snags if they are dead or dying and exhibit sufficient decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a diameter at breast height of > 20 in (51 cm) in western Washington and are > 6.5 ft (2 m) in height. Priority logs are > 12 in (30 cm) in diameter at the largest end, and > 20 ft (6 m) long.

**Note:** All vegetated wetlands are by definition a priority habitat but are not included in this list because they are addressed elsewhere.

# **CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS**

Wetland Type	Category
Check off any criteria that apply to the wetland. Circle the category when the appropriate criteria are met.	
SC 1.0. Estuarine wetlands	
Does the wetland meet the following criteria for Estuarine wetlands?	
The dominant water regime is tidal,	
Vegetated, and	
☐ With a salinity greater than 0.5 ppt ☐ Yes –Go to <b>SC 1.1</b> ✓ No= <b>Not an estuarine wetland</b>	
SC 1.1. Is the wetland within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area Preserve, State Park or Educational, Environmental, or Scientific Reserve designated under WAC 332-30-151?	
Preserve, state Park of Educational, Environmental, of Scientific Reserve designated under WAC 552-50-151?	Cat. I
SC 1.2. Is the wetland unit at least 1 ac in size and meets at least two of the following three conditions?	
The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing, and has less	
than 10% cover of non-native plant species. (If non-native species are <i>Spartina</i> , see page 25)	Cat. I
At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-	
mowed grassland.	Cat. II
The wetland has at least two of the following features: tidal channels, depressions with open water, or	
contiguous freshwater wetlands.	
SC 2.0. Wetlands of High Conservation Value (WHCV)	
SC 2.1. Has the WA Department of Natural Resources updated their website to include the list of Wetlands of High	Cat. I
Conservation Value?	Cat. I
SC 2.2. Is the wetland listed on the WDNR database as a Wetland of High Conservation Value?  Yes = Category I  No = Not a WHCV	,
SC 2.3. Is the wetland in a Section/Township/Range that contains a Natural Heritage wetland?	
http://www1.dnr.wa.gov/nhp/refdesk/datasearch/wnhpwetlands.pdf	
Yes – Contact WNHP/WDNR and go to SC 2.4 No = Not a WHCV	
SC 2.4. Has WDNR identified the wetland within the S/T/R as a Wetland of High Conservation Value and listed it on	
their website? Yes = Category I No = Not a WHCV	
SC 3.0. Bogs  Does the wetland (or any part of the unit) meet both the criteria for soils and vegetation in bogs? Use the key	
below. If you answer YES you will still need to rate the wetland based on its functions.	
SC 3.1. Does an area within the wetland unit have organic soil horizons, either peats or mucks, that compose 16 in or	
more of the first 32 in of the soil profile? $\square$ Yes – Go to SC 3.3 $\square$ No – Go to SC 3.2	
SC 3.2. Does an area within the wetland unit have organic soils, either peats or mucks, that are less than 16 in deep	
over bedrock, or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or pond?  Yes – Go to SC 3.3 No = Is not a bog	
pond? Yes – Go to SC 3.3 No = Is not a bog SC 3.3. Does an area with peats or mucks have more than 70% cover of mosses at ground level, AND at least a 30%	
cover of plant species listed in Table 4?	
<b>NOTE:</b> If you are uncertain about the extent of mosses in the understory, you may substitute that criterion by	
measuring the pH of the water that seeps into a hole dug at least 16 in deep. If the pH is less than 5.0 and the	
plant species in Table 4 are present, the wetland is a bog.	Cat. I
SC 3.4. Is an area with peats or mucks forested (> 30% cover) with Sitka spruce, subalpine fir, western red cedar, western hemlock, lodgepole pine, quaking aspen, Engelmann spruce, or western white pine, AND any of the	
species (or combination of species) listed in Table 4 provide more than 30% of the cover under the canopy?	
Yes = Is a Category I bog No = Is not a bog	

SC 4.0. Forested Wetlands	
Does the wetland have at least <u>1 contiguous acre</u> of forest that meets one of these criteria for the WA Department of Fish and Wildlife's forests as priority habitats? <i>If you answer YES you will still need to rate</i>	
the wetland based on its functions.	
Old-growth forests (west of Cascade crest): Stands of at least two tree species, forming a multi-layered	
canopy with occasional small openings; with at least 8 trees/ac (20 trees/ha) that are at least 200 years of	
age OR have a diameter at breast height (dbh) of 32 in (81 cm) or more.	
Mature forests (west of the Cascade Crest): Stands where the largest trees are 80-200 years old OR the	
species that make up the canopy have an average diameter (dbh) exceeding 21 in (53 cm).	Cat. I
Yes = Category I No = Not a forested wetland for this section	
SC 5.0. Wetlands in Coastal Lagoons	
Does the wetland meet all of the following criteria of a wetland in a coastal lagoon?	
The wetland lies in a depression adjacent to marine waters that is wholly or partially separated from	
marine waters by sandbanks, gravel banks, shingle, or, less frequently, rocks	
The lagoon in which the wetland is located contains ponded water that is saline or brackish (> 0.5 ppt) during most of the year in at least a portion of the lagoon (needs to be measured near the bottom)	Cat. I
Yes – Go to SC 5.1  No = Not a wetland in a coastal lagoon	
SC 5.1. Does the wetland meet all of the following three conditions?	
The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing), and has less	
than 20% cover of aggressive, opportunistic plant species (see list of species on p. 100).	Cat. II
$\square$ At least $rac{3}{4}$ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-	
mowed grassland.	
The wetland is larger than $\frac{1}{10}$ ac (4350 ft <sup>2</sup> )	
Yes = Category I No = Category II	
SC 6.0. Interdunal Wetlands	
Is the wetland west of the 1889 line (also called the Western Boundary of Upland Ownership or WBUO)? If	
you answer yes you will still need to rate the wetland based on its habitat functions.	
In practical terms that means the following geographic areas:  Long Beach Peninsula: Lands west of SR 103	
Grayland-Westport: Lands west of SR 105	Cat I
Ocean Shores-Copalis: Lands west of SR 115 and SR 109	
Yes – Go to SC 6.1 No = not an interdunal wetland for rating	
SC 6.1. Is the wetland 1 ac or larger and scores an 8 or 9 for the habitat functions on the form (rates H,H,H or H,H,M	Cat. II
for the three aspects of function)?	
SC 6.2. Is the wetland 1 ac or larger, or is it in a mosaic of wetlands that is 1 ac or larger?  Yes = Category II No – Go to SC 6.3	Cat. III
SC 6.3. Is the unit between 0.1 and 1 ac, or is it in a mosaic of wetlands that is between 0.1 and 1 ac?	
Yes = Category III No = Category IV	Cat. IV
	Cat. IV
Category of wetland based on Special Characteristics	NA
If you answered No for all types, enter "Not Applicable" on Summary Form	I .

Wetland name or number 28-4

This page left blank intentionally




Figure 28-4-1




Figure 24-8-2



Figure 28-4-3





Figure 28-4-4

Wetland 28-4: 303(d) listed waters





http://www.ecy.wa.go

# Vater Quality Improvement Projects (TMDLs)

'ater Quality Improvement > Water Quality Improvement Projects by WRIA 9: Duwamish-Green

### **VRIA 9: Duwamish-Green**

ne following table lists overview information for water quality improvement projects (including total maximum daily loads, or TMDLs) for this water resource inventory area (WRIA). Please use links (where available) for more information on a project.

# 0 MILES 08 09 07 39 MILES 07 39

### **Counties**

• King

Waterbody Name	Pollutants	Status**	TMDL Lead
Duwamish and Lower Green River	Ammonia-N	Approved by EPA	<u>Joan Nolan</u> 425-649-4425
Fauntleroy Creek	Fecal Coliform	Approved by EPA Has an implementation plan	<u>Joan Nolan</u> 425-649-4425
Fenwick Lake	Total Phosphorus	Approved by EPA (1993, Clean Lakes Program) Category 5, 2008 Water Quality Assessment	<u>Tricia Shoblom</u> 425-649-7288
Green River and Newaukum Creek	Temperature Dissolved Oxygen	Green River TMDL Approved by EPA Newaukum Creek TMDL Approved by EPA Has an implementation plan	<u>Joan Nolan</u> 425-649-4425
Lake Sawyer	Total Phosphorus	Approved by EPA Has an implementation plan	<u>Tricia Shoblom</u> 425-649-7288
Soos Creek	Fecal Coliform	Under development	<u>Dave Garland</u> 425-649-7031
	Aquatic Habitat Dissolved Oxygen Temperature		<u>Joan Nolan</u> 425-649-4425

<sup>\*\*</sup> Status will be listed as one of the following: Approved by EPA, Under Development or Implementation

### For more information about WRIA 9:

- $\bullet \;\; \underline{\text{Waterbodies in WRIA 9}} \; \text{-} \; \text{using the Water Quality Assessment Query Tool}$
- Watershed Information for WRIA 9

## Back to top of page

Last updated June 2014

 ${\bf Copyright} @ {\bf Washington} \ {\bf State} \ {\bf Department} \ {\bf of} \ {\bf Ecology.} \ {\bf See} \ http://www.ecy.wa.gov/copyright.htm$ 

<sup>\*</sup> The Department of Ecology and other state resource agencies frequently use a system of 62 "Water Resource Inventory Areas" or "WRIAS" to refer to the state's major watershed basins.

# WETLAND RATING FORM - WESTERN WASHINGTON

Version 2 - Updated July 2006 to increase accuracy and reproducibility among users Updated Oct 2008 with the new WDFW definitions for priority habitats

Name of wetland (if known):	29-2 Date of site visit: 3/21/13		
Rated by P Togher Tra	ained by Ecology? Yes \( \slack No \) Date of training \( \frac{5/2005}{2005} \)		
SEC: 9 TWNSHP: 22N RNGE: 4E Is S/T	Γ/R in Appendix D? Yes No ✓		
Map of wetland unit: Figure	e 29 Estimated size <0.1ac		
SUMMAR	RY OF RATING		
Category based on FUNCTIONS provided by wetland			
I II III IV			
	Score for Water Quality Functions 16		
Category I = Score >=70 Category II = Score 51-69	Score for Hydrologic Functions 9		
Category III = Score 30-50	Score for Habitat Functions 7		
Category IV = Score < 30	7		
TOTAL score for Functions 32			
Category based on SPECIAL CHARA			
I II Does not Apply ✓			
Final Category (choose the "highest" category from above)			
Summary of basic inform	mation about the wetland unit		
Wetland Unit has Special	Wetland HGM Class		
Characteristics	used for Rating		
Estuarine	Depressional		
Natural Heritage Wetland	Riverine   Loke frings		
Bog Mature Forest	Lake-fringe Slope		
Old Growth Forest	Flats		
Coastal Lagoon	Freshwater Tidal		

None of the above

**Interdunal** 

Check if unit has multiple HGM classes present

# Does the wetland unit being rated meet any of the criteria below?

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)		NO
SP1. Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered animal or plant species (T/E species)?  For the purposes of this rating system, "documented" means the wetland is on the appropriate state or federal database.		✓
SP2. Has the wetland unit been documented as habitat for any State listed Threatened or Endangered animal species?  For the purposes of this rating system, "documented" means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		<b>✓</b>
SP3. Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?		✓
SP4. Does the wetland unit have a local significance in addition to its functions?  For example, the wetland has been identified in the Shoreline Master  Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		✓

# To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.

The hydrogeomorphic classification groups wetlands into those that function in similar ways. This simplifies the questions needed to answer how well the wetland functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

# **Classification of Wetland Units in Western Washington**

If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in questions 1-7 apply, and go to Question 8.

1. Are the water levels in the entire unit usually controlled by tides (i.e. except during floods)?  ✓ NO – go to 2  YES – the wetland class is <b>Tidal Fringe</b>
If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? YES – Freshwater Tidal Fringe NO – Saltwater Tidal Fringe (Estuarine)
If your wetland can be classified as a Freshwater Tidal Fringe use the forms for <b>Riverine</b> wetlands. If it is Saltwater Tidal Fringe it is rated as an <b>Estuarine</b> wetland. Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term "Estuarine" wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p. ).
2. The entire wetland unit is flat and precipitation is the only source (>90%) of water to it.  Groundwater and surface water runoff are NOT sources of water to the unit.  ✓ NO – go to 3  YES – The wetland class is Flats
If your wetland can be classified as a "Flats" wetland, use the form for <b>Depressional</b> wetlands.
3. Does the entire wetland unit <b>meet both</b> of the following criteria? The vegetated part of the wetland is on the shores of a body of permanent open water (without any vegetation on the surface) at least 20 acres (8 ha) in size; At least 30% of the open water area is deeper than 6.6 ft (2 m)?  V NO − go to 4 YES − The wetland class is Lake-fringe (Lacustrine Fringe)
4. Does the entire wetland unit <b>meet all</b> of the following criteria? The wetland is on a slope ( <i>slope can be very gradual</i> ), The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.
The water leaves the wetland <b>without being impounded</b> ?  NOTE: Surface water does not pond in these type of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than 1 foot deep).
✓ NO - go to 5 YES – The wetland class is Slope

5. Does the entire wetland unit <b>meet all</b> of the following criteria?
✓ The unit is in a valley, or stream channel, where it gets inundated by overbank
flooding from that stream or river
✓ The overbank flooding occurs at least once every two years.
NOTE: The riverine unit can contain depressions that are filled with water when the river
not flooding.
NO - go to 6 YES – The wetland class is <b>Riverine</b>
6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the
surface, at some time during the year. This means that any outlet, if present, is higher than the
interior of the wetland.
NO – go to 7 <b>YES</b> – The wetland class is <b>Depressional</b>
7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank
flooding. The unit does not pond surface water more than a few inches. The unit seems to be
maintained by high groundwater in the area. The wetland may be ditched, but has no obvious
natural outlet
✓ NO – go to 8 <b>YES</b> – The wetland class is <b>Depressional</b>

**8**. Your wetland unit seems to be difficult to classify and probably contains several different HGM clases. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. NOTE: Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit; classify the wetland using the class that represents more than 90% of the total area.

HGM Classes within the wetland unit being rated	HGM Class to Use in Rating
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater	Treat as ESTUARINE under
wetland	wetlands with special
	characteristics

If you are unable still to determine which of the above criteria apply to your wetland, or if you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.

is

R	Riverine and Freshwater Tidal Fringe Wetlands WATER QUALITY FUNCTIONS - Indicators that wetland functions to improve	Points (only 1 score per box)	
R	water quality  R 1. Does the wetland unit have the potential to improve water quality?		
	R 1.1 Area of surface depressions within the riverine wetland that can trap sediments	Figure	
R	during a flooding event:		
	Depressions cover $>3/4$ area of wetland points = 8	0	
	Depressions cover $> 1/2$ area of wetland points $= 4$		
	If depressions > ½ of area of unit draw polygons on aerial photo or map		
	Depressions present but cover $< 1/2$ area of wetland points $= 2$		
	No depressions present points = 0	F	
R	R 1.2 Characteristics of the vegetation in the unit (areas with >90% cover at person height):	Figure	
	Trees or shrubs $> 2/3$ the area of the unit points $= 8$	8	
	Trees or shrubs $> 1/3$ area of the unit points = 6 Ungrazed, herbaceous plants $> 2/3$ area of unit points = 6		
	Ungrazed herbaceous plants $> 2/3$ area of unit points $= 0$ Ungrazed herbaceous plants $> 1/3$ area of unit points $= 3$		
	Trees, shrubs, and ungrazed herbaceous $< 1/3$ area of unit points $= 0$		
	Aerial photo or map showing polygons of different vegetation types		
R	Add the points in the boxes above	8	
R	R 2. Does the wetland unit have the opportunity to improve water quality?	(see p.53)	
I	Answer YES if you know or believe there are pollutants in groundwater or surface water		
	coming into the wetland that would otherwise reduce water quality in streams, lakes or		
	groundwater downgradient from the wetland? <i>Note which of the following conditions</i>		
	provide the sources of pollutants. A unit may have pollutants coming from several		
	sources, but any single source would qualify as opportunity.		
	— Grazing in the wetland or within 150ft		
	<ul> <li>Untreated stormwater discharges to wetland</li> </ul>		
	<ul> <li>Tilled fields or orchards within 150 feet of wetland</li> </ul>		
	<ul> <li>A stream or culvert discharges into wetland that drains developed areas,</li> </ul>		
	residential areas, farmed fields, roads, or clear-cut logging		
	<ul> <li>Residential, urban areas, golf courses are within 150 ft of wetland</li> </ul>		
	— The river or stream linked to the wetland has a contributing basin where human		
	activities have raised levels of sediment, toxic compounds or nutrients in the river		
	water above standards for water quality	multiplier	
	— Other		
	YES multiplier is 2 NO multiplier is 1	Yes	
R	TOTAL - Water Quality Functions Multiply the score from R 1 by R 2	40	
	Add score to table on p. 1	16	

**Comments** 

R 3. Does the wetland unit have the potential to reduce flooding and erosion?  R 3. Does the wetland unit have the potential to reduce flooding and erosion?  R 3.1 Characteristics of the overbank storage the unit provides:  Estimate the average width of the wetland unit perpendicular to the direction of the flow and the width of the stream or river channel (distance between banks). Calculate the ratio: (average width of unit)/(average width of stream between banks).  If the ratio is more than 20  If the ratio is between 10 – 20  If the ratio is 5 - <10  points = 6  If the ratio is 1 - <5  points = 2  If the ratio is < 1  Aerial photo or map showing average widths  R 3.2 Characteristics of vegetation that slow down water velocities during floods: Treat large woody debris as "forest or shrub". Choose the points appropriate for the best description. (polygons need to have >90% cover at person height NOT Cowardin classes):  Forest or shrub for > 1/10 area OR herbaceous plants > 2/3 area points = 7  Forest or shrub for > 1/10 area OR herbaceous plants > 1/3 area points = 4  Vegetation does not meet above criteria points polygons of different vegetation types  Add the points in the boxes above  R 4. Does the wetland unit have the opportunity to reduce flooding and erosion?  Answer YES if the unit is in a location in the watershed where the flood storage, or reduction in water velocity, it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows. Note which of the following conditions apply.  — There are human structures and activities downstream (roads, buildings, bridges, farms) that can be damaged by flooding.  — There are natural resources downstream (e.g. salmon redds) that can be damaged by flooding.  — There are natural resource of water to the wetland is controlled by a reservoir or the vested of a disk of the points	Points (only 1 score	Riverine and Freshwater Tidal Fringe Wetlands	R	
R 3. Does the wetland unit have the potential to reduce flooding and erosion?  R 3.1 Characteristics of the overbank storage the unit provides:  Estimate the average width of the wetland unit perpendicular to the direction of the flow and the width of the stream or river channel (distance between banks). Calculate the ratio: (average width of unit)/(average width of stream between banks). If the ratio is more than 20  If the ratio is between 10 – 20  If the ratio is 5 - <10  points = 4  If the ratio is 5 - <10  points = 2  If the ratio is <1  Aerial photo or map showing average widths  R 3.2 Characteristics of vegetation that slow down water velocities during floods: Treat large woody debris as "forest or shrub". Choose the points appropriate for the best description. (polygons need to have >90% cover at person height NOT Cowardin classes):  Forest or shrub for >1/10 area OR herbaceous plants > 1/3 area points = 7  Forest or shrub for >1/10 area OR herbaceous plants > 1/3 area points = 0  Aerial photo or map showing polygons of different vegetation types  R 4. Does the wetland unit have the opportunity to reduce flooding and erosion?  Answer YES if the unit is in a location in the watershed where the flood storage, or reduction in water velocity, it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows. Note which of the following conditions apply.  — There are human structures and activities downstream (roads, buildings, bridges, farms) that can be damaged by flooding.  — There are natural resources downstream (e.g. salmon redds) that can be damaged by flooding.  — There are natural resources of water to the wetland is controlled by a reservoir or the wetland is tidal fringe along the sides of a dike)	per box)	HYDROLOGIC FUNCTIONS - Indicators that wetland functions to reduce		
R 3.1 Characteristics of the overbank storage the unit provides:  Estimate the average width of the wetland unit perpendicular to the direction of the flow and the width of the stream or river channel (distance between banks). Calculate the ratio: (average width of unit)/(average width of stream between banks).  If the ratio is more than 20  If the ratio is 5 - <10  If the ratio is 5 - <10  If the ratio is 1 - <5  If the ratio is <1  Aerial photo or map showing average widths  R 3.2 Characteristics of vegetation that slow down water velocities during floods: Treat large woody debris as "forest or shrub". Choose the points appropriate for the best description. (polygons need to have >90% cover at person height NOT Cowardin classes):  Forest or shrub for > 1/10 area OR herbaceous plants > 2/3 area points = 7  Forest or shrub for > 1/10 area OR herbaceous plants > 1/3 area points = 0  Aerial photo or map showing polygons of different vegetation types  R 4. Does the wetland unit have the opportunity to reduce flooding and erosion?  Answer YES if the unit is in a location in the watershed where the flood storage, or reduction in water velocity, it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows. Note which of the following conditions apply.  — There are human structures and activities downstream (roads, buildings, bridges, farms) that can be damaged by flooding.  — There are natural resources downstream (e.g. salmon redds) that can be damaged by flooding.  — There are natural resources of water to the wetland is controlled by a reservoir or the wetland is tidal fringe along the sides of a dike)	(see p.54)			
Estimate the average width of the wetland unit perpendicular to the direction of the flow and the width of the stream or river channel (distance between banks). Calculate the ratio: ( average width of unit)/( average width of stream between banks). If the ratio is more than 20 points = 9  If the ratio is between 10 – 20 points = 6  If the ratio is 5 - <10 points = 2  If the ratio is 1 - <5 points = 1  Aerial photo or map showing average widths  R 3.2 Characteristics of vegetation that slow down water velocities during floods: Treat large woody debris as "forest or shrub". Choose the points appropriate for the best description. (polygons need to have >90% cover at person height NOT Cowardin classes):  Forest or shrub for > 1/3 area OR herbaceous plants > 2/3 area points = 7  Forest or shrub for > 1/10 area OR herbaceous plants > 1/3 area points = 0  Aerial photo or map showing polygons of different vegetation types  R 4. Does the wetland unit have the opportunity to reduce flooding and erosion?  Answer YES if the unit is in a location in the watershed where the flood storage, or reduction in water velocity, it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows. Note which of the following conditions apply.  — There are human structures and activities downstream (roads, buildings, bridges, farms) that can be damaged by flooding.  — There are natural resources downstream (e.g. salmon redds) that can be damaged by flooding.  — There are natural resources downstream (e.g. salmon redds) that can be damaged by flooding.  — Other				
flow and the width of the stream or river channel (distance between banks). Calculate the ratio: ( average width of unit)/( average width of stream between banks). If the ratio is more than 20 points = 9  If the ratio is between 10 - 20 points = 6  If the ratio is 5 - <10 points = 2  If the ratio is 1 - <5 points = 2  If the ratio is <1 Aerial photo or map showing average widths  R 3.2 Characteristics of vegetation that slow down water velocities during floods: Treat large woody debris as "forest or shrub". Choose the points appropriate for the best description. (polygons need to have >90% cover at person height NOT Cowardin classes):  Forest or shrub for > 1/10 area OR herbaceous plants > 2/3 area points = 7  Forest or shrub for > 1/10 area OR herbaceous plants > 1/3 area points = 4  Vegetation does not meet above criteria points = 0 points = 0  Aerial photo or map showing polygons of different vegetation types  R 4. Does the wetland unit have the opportunity to reduce flooding and erosion?  Answer YES if the unit is in a location in the watershed where the flood storage, or reduction in water velocity, it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows. Note which of the following conditions apply.  — There are human structures and activities downstream (roads, buildings, bridges, farms) that can be damaged by flooding.  — There are natural resources downstream (e.g. salmon redds) that can be damaged by flooding  — Other	Figure		R	
the ratio: ( average width of unit)/( average width of stream between banks).  If the ratio is more than 20  If the ratio is between 10 – 20  If the ratio is 5 - <10  If the ratio is 5 - <10  If the ratio is 1 - <5  If the ratio is <1  Aerial photo or map showing average widths  R  R 3.2 Characteristics of vegetation that slow down water velocities during floods: Treat large woody debris as "forest or shrub". Choose the points appropriate for the best description. (polygons need to have >90% cover at person height NOT Cowardin classes):  Forest or shrub for > 1/3 area OR herbaceous plants > 2/3 area points = 7  Forest or shrub for > 1/10 area OR herbaceous plants > 1/3 area points = 4  Vegetation does not meet above criteria  Aerial photo or map showing polygons of different vegetation types  R  R 4. Does the wetland unit have the opportunity to reduce flooding and erosion?  Answer YES if the unit is in a location in the watershed where the flood storage, or reduction in water velocity, it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows. Note which of the following conditions apply.  — There are human structures and activities downstream (roads, buildings, bridges, farms) that can be damaged by flooding.  — There are natural resources downstream (e.g. salmon redds) that can be damaged by flooding  — Other  (Answer NO if the major source of water to the wetland is controlled by a reservoir or the wetland is tidal fringe along the sides of a dike)	2			
If the ratio is more than 20 If the ratio is between 10 – 20 If the ratio is 5 - <10 If the ratio is 5 - <10 If the ratio is 5 - <10 If the ratio is 1 - <5 If the ratio is <1  Aerial photo or map showing average widths  R  R 3.2 Characteristics of vegetation that slow down water velocities during floods: Treat large woody debris as "forest or shrub". Choose the points appropriate for the best description. (polygons need to have >90% cover at person height NOT Cowardin classes): Forest or shrub for >1/3 area OR herbaceous plants > 2/3 area points = 7 Forest or shrub for > 1/10 area OR herbaceous plants > 1/3 area points = 4 Vegetation does not meet above criteria points = 0 Aerial photo or map showing polygons of different vegetation types  R  R 4. Does the wetland unit have the opportunity to reduce flooding and erosion? Answer YES if the unit is in a location in the watershed where the flood storage, or reduction in water velocity, it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows. Note which of the following conditions apply.  — There are human structures and activities downstream (roads, buildings, bridges, farms) that can be damaged by flooding.  — There are natural resources downstream (e.g. salmon redds) that can be damaged by flooding — Other  (Answer NO if the major source of water to the wetland is controlled by a reservoir or the wetland is tidal fringe along the sides of a dike)				
If the ratio is between 10 – 20  If the ratio is 5 - <10  If the ratio is 5 - <10  If the ratio is 1 - <5  If the ratio is 1 - <5  If the ratio is <1  Aerial photo or map showing average widths  R  R 3.2 Characteristics of vegetation that slow down water velocities during floods: Treat large woody debris as "forest or shrub". Choose the points appropriate for the best description. (polygons need to have >90% cover at person height NOT Cowardin classes):  Forest or shrub for >1/3 area OR herbaceous plants > 2/3 area points = 7  Forest or shrub for > 1/10 area OR herbaceous plants > 1/3 area points = 4  Vegetation does not meet above criteria points in the boxes above  R  R 4. Does the wetland unit have the opportunity to reduce flooding and erosion?  Answer YES if the unit is in a location in the watershed where the flood storage, or reduction in water velocity, it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows. Note which of the following conditions apply.  — There are human structures and activities downstream (roads, buildings, bridges, farms) that can be damaged by flooding.  — There are natural resources downstream (e.g. salmon redds) that can be damaged by flooding  — Other				
If the ratio is 5 - <10 If the ratio is 1 - <5 If the ratio is 1 - <5 If the ratio is < 1  Aerial photo or map showing average widths  R 3.2 Characteristics of vegetation that slow down water velocities during floods: Treat large woody debris as "forest or shrub". Choose the points appropriate for the best description. (polygons need to have >90% cover at person height NOT Cowardin classes): Forest or shrub for >1/3 area OR herbaceous plants > 2/3 area points = 7 Forest or shrub for > 1/10 area OR herbaceous plants > 1/3 area points = 4 Vegetation does not meet above criteria points = 0 Aerial photo or map showing polygons of different vegetation types  R 4. Does the wetland unit have the opportunity to reduce flooding and erosion? Answer YES if the unit is in a location in the watershed where the flood storage, or reduction in water velocity, it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows. Note which of the following conditions apply.  — There are human structures and activities downstream (roads, buildings, bridges, farms) that can be damaged by flooding.  — There are natural resources downstream (e.g. salmon redds) that can be damaged by flooding  — Other		1		
If the ratio is 1 - <5     If the ratio is < 1     Aerial photo or map showing average widths  R 3.2 Characteristics of vegetation that slow down water velocities during floods: Treat large woody debris as "forest or shrub". Choose the points appropriate for the best description. (polygons need to have >90% cover at person height NOT Cowardin classes):  Forest or shrub for > 1/3 area OR herbaceous plants > 2/3 area points = 7 Forest or shrub for > 1/10 area OR herbaceous plants > 1/3 area points = 4 Vegetation does not meet above criteria points = 0 Aerial photo or map showing polygons of different vegetation types  R Add the points in the boxes above  R Add the points in the boxes above  R Add the points in the boxes above  R Answer YES if the unit is in a location in the watershed where the flood storage, or reduction in water velocity, it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows. Note which of the following conditions apply.  — There are human structures and activities downstream (roads, buildings, bridges, farms) that can be damaged by flooding.  — There are natural resources downstream (e.g. salmon redds) that can be damaged by flooding  — Other		1		
If the ratio is < 1  Aerial photo or map showing average widths  R 3.2 Characteristics of vegetation that slow down water velocities during floods: Treat large woody debris as "forest or shrub". Choose the points appropriate for the best description. (polygons need to have >90% cover at person height NOT Cowardin classes):  Forest or shrub for >1/3 area OR herbaceous plants > 2/3 area points = 7 Forest or shrub for > 1/10 area OR herbaceous plants > 1/3 area points = 4 Vegetation does not meet above criteria points = 0  Aerial photo or map showing polygons of different vegetation types  R 4. Does the wetland unit have the opportunity to reduce flooding and erosion? Answer YES if the unit is in a location in the watershed where the flood storage, or reduction in water velocity, it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows. Note which of the following conditions apply.  — There are human structures and activities downstream (roads, buildings, bridges, farms) that can be damaged by flooding.  — There are natural resources downstream (e.g. salmon redds) that can be damaged by flooding  — Other		· ·		
R 3.2 Characteristics of vegetation that slow down water velocities during floods: Treat large woody debris as "forest or shrub". Choose the points appropriate for the best description. (polygons need to have >90% cover at person height NOT Cowardin classes): Forest or shrub for >1/3 area OR herbaceous plants > 2/3 area points = 7 Forest or shrub for > 1/10 area OR herbaceous plants > 1/3 area points = 4 Vegetation does not meet above criteria points = 0 Aerial photo or map showing polygons of different vegetation types  R 4. Does the wetland unit have the opportunity to reduce flooding and erosion? Answer YES if the unit is in a location in the watershed where the flood storage, or reduction in water velocity, it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows. Note which of the following conditions apply.  — There are human structures and activities downstream (roads, buildings, bridges, farms) that can be damaged by flooding.  — There are natural resources downstream (e.g. salmon redds) that can be damaged by flooding — Other				
large woody debris as "forest or shrub". Choose the points appropriate for the best description. (polygons need to have >90% cover at person height NOT Cowardin classes): Forest or shrub for > 1/3 area OR herbaceous plants > 2/3 area points = 7 Forest or shrub for > 1/10 area OR herbaceous plants > 1/3 area points = 4 Vegetation does not meet above criteria points = 0 Aerial photo or map showing polygons of different vegetation types  R 4. Does the wetland unit have the opportunity to reduce flooding and erosion? Answer YES if the unit is in a location in the watershed where the flood storage, or reduction in water velocity, it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows. Note which of the following conditions apply.  — There are human structures and activities downstream (roads, buildings, bridges, farms) that can be damaged by flooding.  — There are natural resources downstream (e.g. salmon redds) that can be damaged by flooding — Other				
large woody debris as "forest or shrub". Choose the points appropriate for the best description. (polygons need to have >90% cover at person height NOT Cowardin classes):  Forest or shrub for > 1/3 area OR herbaceous plants > 2/3 area points = 7 Forest or shrub for > 1/10 area OR herbaceous plants > 1/3 area points = 4 Vegetation does not meet above criteria points = 0  Aerial photo or map showing polygons of different vegetation types  R 4. Does the wetland unit have the opportunity to reduce flooding and erosion?  Answer YES if the unit is in a location in the watershed where the flood storage, or reduction in water velocity, it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows. Note which of the following conditions apply.  — There are human structures and activities downstream (roads, buildings, bridges, farms) that can be damaged by flooding.  — There are natural resources downstream (e.g. salmon redds) that can be damaged by flooding  — Other	Figure	The state of the s	R	
Forest or shrub for >1/3 area OR herbaceous plants > 2/3 area points = 7 Forest or shrub for > 1/10 area OR herbaceous plants > 1/3 area points = 4 Vegetation does not meet above criteria points = 0 Aerial photo or map showing polygons of different vegetation types  R 4. Does the wetland unit have the opportunity to reduce flooding and erosion? Answer YES if the unit is in a location in the watershed where the flood storage, or reduction in water velocity, it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows. Note which of the following conditions apply.  — There are human structures and activities downstream (roads, buildings, bridges, farms) that can be damaged by flooding.  — There are natural resources downstream (e.g. salmon redds) that can be damaged by flooding  — Other  (Answer NO if the major source of water to the wetland is controlled by a reservoir or the wetland is tidal fringe along the sides of a dike)	7	large woody debris as "forest or shrub". Choose the points appropriate for the best		
Forest or shrub for > 1/10 area OR herbaceous plants > 1/3 area points = 4 Vegetation does not meet above criteria points = 0 Aerial photo or map showing polygons of different vegetation types  R Add the points in the boxes above  R 4. Does the wetland unit have the opportunity to reduce flooding and erosion? Answer YES if the unit is in a location in the watershed where the flood storage, or reduction in water velocity, it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows. Note which of the following conditions apply.  — There are human structures and activities downstream (roads, buildings, bridges, farms) that can be damaged by flooding.  — There are natural resources downstream (e.g. salmon redds) that can be damaged by flooding  — Other  (Answer NO if the major source of water to the wetland is controlled by a reservoir or the wetland is tidal fringe along the sides of a dike)	1			
R Add the points in the boxes above  R 4. Does the wetland unit have the opportunity to reduce flooding and erosion?  Answer YES if the unit is in a location in the watershed where the flood storage, or reduction in water velocity, it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows. Note which of the following conditions apply.  — There are human structures and activities downstream (roads, buildings, bridges, farms) that can be damaged by flooding.  — There are natural resources downstream (e.g. salmon redds) that can be damaged by flooding  — Other		•		
R 4. Does the wetland unit have the opportunity to reduce flooding and erosion?  Answer YES if the unit is in a location in the watershed where the flood storage, or reduction in water velocity, it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows. Note which of the following conditions apply.  — There are human structures and activities downstream (roads, buildings, bridges, farms) that can be damaged by flooding.  — There are natural resources downstream (e.g. salmon redds) that can be damaged by flooding  — Other				
R 4. Does the wetland unit have the opportunity to reduce flooding and erosion?  Answer YES if the unit is in a location in the watershed where the flood storage, or reduction in water velocity, it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows. Note which of the following conditions apply.  — There are human structures and activities downstream (roads, buildings, bridges, farms) that can be damaged by flooding.  — There are natural resources downstream (e.g. salmon redds) that can be damaged by flooding  — Other				
R 4. Does the wetland unit have the opportunity to reduce flooding and erosion?  Answer YES if the unit is in a location in the watershed where the flood storage, or reduction in water velocity, it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows. Note which of the following conditions apply.  — There are human structures and activities downstream (roads, buildings, bridges, farms) that can be damaged by flooding.  — There are natural resources downstream (e.g. salmon redds) that can be damaged by flooding  — Other				
Answer YES if the unit is in a location in the watershed where the flood storage, or reduction in water velocity, it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows. Note which of the following conditions apply.  — There are human structures and activities downstream (roads, buildings, bridges, farms) that can be damaged by flooding.  — There are natural resources downstream (e.g. salmon redds) that can be damaged by flooding  — Other	9	Add the points in the boxes above	R	
Answer YES if the unit is in a location in the watershed where the flood storage, or reduction in water velocity, it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows. Note which of the following conditions apply.  — There are human structures and activities downstream (roads, buildings, bridges, farms) that can be damaged by flooding.  — There are natural resources downstream (e.g. salmon redds) that can be damaged by flooding  — Other  (Answer NO if the major source of water to the wetland is controlled by a reservoir or the wetland is tidal fringe along the sides of a dike)	$\overline{(see p.57)}$		R	
resources from flooding or excessive and/or erosive flows. Note which of the following conditions apply.  — There are human structures and activities downstream (roads, buildings, bridges, farms) that can be damaged by flooding.  — There are natural resources downstream (e.g. salmon redds) that can be damaged by flooding  — Other				
<ul> <li>conditions apply.         <ul> <li>There are human structures and activities downstream (roads, buildings, bridges, farms) that can be damaged by flooding.</li> <li>There are natural resources downstream (e.g. salmon redds) that can be damaged by flooding</li> <li>Other</li> </ul> </li> <li>(Answer NO if the major source of water to the wetland is controlled by a reservoir or the wetland is tidal fringe along the sides of a dike)</li> </ul>				
<ul> <li>There are human structures and activities downstream (roads, buildings, bridges, farms) that can be damaged by flooding.</li> <li>There are natural resources downstream (e.g. salmon redds) that can be damaged by flooding</li> <li>Other</li></ul>				
farms) that can be damaged by flooding.  — There are natural resources downstream (e.g. salmon redds) that can be damaged by flooding  — Other  (Answer NO if the major source of water to the wetland is controlled by a reservoir or the wetland is tidal fringe along the sides of a dike)				
— There are natural resources downstream (e.g. salmon redds) that can be damaged by flooding  — Other  (Answer NO if the major source of water to the wetland is controlled by a reservoir or the wetland is tidal fringe along the sides of a dike)				
by flooding  — Other  (Answer NO if the major source of water to the wetland is controlled by a reservoir or the wetland is tidal fringe along the sides of a dike)				
(Answer NO if the major source of water to the wetland is controlled by a reservoir or the wetland is tidal fringe along the sides of a dike)				
(Answer NO if the major source of water to the wetland is controlled by a reservoir or the wetland is tidal fringe along the sides of a dike)	multiplier	— Other		
wetland is tidal fringe along the sides of a dike)	munipher	(Answer NO if the major source of water to the wetland is controlled by a reservoir or the		
	No	wetland is tidal fringe along the sides of a dike)		
<b>R</b> TOTAL - Hydrologic Functions Multiply the score from R 3 by R 4	_			
Add score to table on p. 1	9		1	

**Comments** 

These questions apply to wetlands of all HO HABITAT FUNCTIONS - Indicators that unit functions		t habitat	Points (only 1 score per box)
H 1. Does the wetland unit have the potential to p	provide habitat for man	y species?	
H 1.1 Vegetation structure (see p. 72)			Figure
Check the types of vegetation classes present (as defin		shold for each	2 Struc.
class is ¼ acre or more than 10% of the area if unit	is smaller than 2.5 acres.		
Aquatic bed			1
Emergent plants	,		
Scrub/shrub (areas where shrubs have >30%			
Forested (areas where trees have >30% cov	er)		
If the unit has a forested class check if:The forested class has 3 out of 5 strata (car	ony cuh canony chruhe h	arhacaous	
moss/ground-cover) that each cover 20%			
Add the number of vegetation structures that qualify.		511	
That the number of regeration structures that quality.	4 structures or more	points $= 4$	
Map of Cowardin vegetation classes	3 structures	points $= 2$	
wap of Cowardin vegetation classes	2 structures	points = 1	
	1 structure	points = 0	
H 1.2. Hydroperiods (see p. 73)			Figure
Check the types of water regimes (hydroperiods) p			1 type
regime has to cover more than 10% of the wetland o	or ½ acre to count. (see tex	t for	i typo
descriptions of hydroperiods)			0
Permanently flooded or inundated	4 or more types presen		
Seasonally flooded or inundated	3 types presen	_	
Occasionally flooded or inundatedSaturated only	2 types present		
Permanently flowing stream or river in, or ac	1 type present	points $= 0$	
Seasonally flowing stream in, or adjacent to,			
Seasonary flowing stream in, or adjacent to, Lake-fringe wetland = 2 points	the wettand		
Lake-fringe wettand = 2 points Freshwater tidal wetland = 2 points Map of hydroperiods			
H 1.3. Richness of Plant Species (see p. 75)			
Count the number of plant species in the wetland t	hat cover at least 10 ft <sup>2</sup> (d	ifferent natches	<5 sp.
of the same species can be combined to meet the s		gjerem parenes	
You do not have to name the species.			0
Do not include Eurasian Milfoil, reed canaryg	rass, purple loosestrife, Co	anadian Thistle	
If you counted:	> 19 species	points = 2	
List species below if you want to:	5 - 19 species	points = 1	
Alder enimes wood consumers	< 5 species	points = 0	
Alder, spirea, reed canary grass			

Total for page 1

H 1.4. <u>Interspersion of habitats (see p. 76)</u> Decide from the diagrams below whether interspersion between Cowardin vegetation	Figure
classes (described in H 1.1), or the classes and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.	
muditats) is high, medium, low, or none.	1
None = 0 points Low = 1 point Moderate = 2 points	
High = 3 points  NOTE: If you have four or more classes or three vegetation classes and open water	
the rating is always "high". Use map of Cowardin vegetation classes	
H 1.5. Special Habitat Features: (see p. 77)  Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column.  Large, downed, woody debris within the wetland (>4in. diameter and 6 ft long).	0
Standing snags (diameter at the bottom > 4 inches) in the wetland	
<ul> <li>Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream (or ditch) in, or contiguous with the unit, for at least 33 ft (10m)</li> <li>Stable steep banks of fine material that might be used by beaver or muskrat for denning (&gt;30degree slope) OR signs of recent beaver activity are present (cut shrubs or trees that have not yet turned grey/brown)</li> <li>At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated.(structures for egg-laying by amphibians)</li> </ul>	
Invasive plants cover less than 25% of the wetland area in each stratum of plants	
NOTE: The 20% stated in early printings of the manual on page 78 is an error.	
H 1. TOTAL Score - potential for providing habitat  Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5	2

# **Comments**

H 2. Does the wetland unit have the opportunity to pr	rovida habitat for many enecies?	
H 2.1 <u>Buffers</u> (see p. 80)	toriac nantation many species:	Figure
Choose the description that best represents condition of buffe	er of wetland unit. The highest scoring	
criterion that applies to the wetland is to be used in the rating		1
"undisturbed."		
— 100 m (330ft) of relatively undisturbed vegetated are	as, rocky areas, or open water >95%	
of circumference. No structures are within the undis	· · · · · · · · · · · · · · · · · · ·	
undisturbed also means no-grazing, no landscaping, i	*	
— 100 m (330 ft) of relatively undisturbed vegetated are		
50% circumference.	Points = 4	
— 50 m (170ft) of relatively undisturbed vegetated area	as, rocky areas, or open water >95%	
circumference.	Points = 4	
— 100 m (330ft) of relatively undisturbed vegetated are	as, rocky areas, or open water > 25%	
circumference, .	Points = 3	
— 50 m (170ft) of relatively undisturbed vegetated area	as, rocky areas, or open water for >	
50% circumference.	Points = 3	
If buffer does not meet any of the		
<ul> <li>No paved areas (except paved trails) or buildings wit</li> </ul>		
circumference. Light to moderate grazing, or lawns a		
<ul> <li>No paved areas or buildings within 50m of wetland for</li> </ul>		
Light to moderate grazing, or lawns are OK.	$\mathbf{Points} = 2$	
— Heavy grazing in buffer.	Points = 1	
— Vegetated buffers are <2m wide (6.6ft) for more than		
fields, paving, basalt bedrock extend to edge of wetla		
✓ Buffer does not meet any of the criteria above.	Points = 1	
H 2.2 Corridors and Connections (see p. 81)	noto showing buffers	
H 2.2.1 Is the wetland part of a relatively undisturbed a	nd unbroken vegetated corridor	
(either riparian or upland) that is at least 150 ft wide, ha		
or native undisturbed prairie, that connects to estuaries,		
uplands that are at least 250 acres in size? (dams in rip		No
roads, paved roads, are considered breaks in the corridor).		INO
YES = 4 points (go to H 2.3)	NO = go to H 2.2.2	
H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor		
(either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or		
forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25		No
acres in size? <b>OR</b> a <b>Lake-fringe</b> wetland, if it does not have an undisturbed corridor as in		
the question above?		
YES = 2  points (go  to  H 2.3)	NO = H 2.2.3	
H 2.2.3 Is the wetland:		
within 5 mi (8km) of a brackish or salt water estuary OR		
within 3 mi of a large field or pasture (>40 acres) OR		
within 1 mi of a lake greater than 20 acres? $YES = 1$ point	NO = 0 points	
1 EO – 1 hour	110 – v points	1

Total for page 2

II 2 2 N I	
H 2.3 Near or adjacent to other priority habitats listed by WDFW (see new and complete	
descriptions of WDFW priority habitats, and the counties in which they can be found, in	
the PHS report <a href="http://wdfw.wa.gov/hab/phslist.htm">http://wdfw.wa.gov/hab/phslist.htm</a> )	
Which of the following priority habitats are within 330ft (100m) of the wetland unit? <i>NOTE: the</i>	
connections do not have to be relatively undisturbed.	
Aspen Stands: Pure or mixed stands of aspen greater than 0.4 ha (1 acre).	
Biodiversity Areas and Corridors: Areas of habitat that are relatively important to various	
species of native fish and wildlife (full descriptions in WDFW PHS report p. 152).	
Herbaceous Balds: Variable size patches of grass and forbs on shallow soils over bedrock.	
Old-growth/Mature forests: (Old-growth west of Cascade crest) Stands of at least 2 tree	
species, forming a multi-layered canopy with occasional small openings; with at least 20	
trees/ha (8 trees/acre) > 81 cm (32 in) dbh or > 200 years of age. (Mature forests) Stands	
with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less that 100%;	None
crown cover may be less that 100%; decay, decadence, numbers of snags, and quantity of	
large downed material is generally less than that found in old-growth; 80 - 200 years old	
west of the Cascade crest.	
Oregon white Oak: Woodlands Stands of pure oak or oak/conifer associations where	
canopy coverage of the oak component is important (full descriptions in WDFW PHS	
report p. 158).	
Riparian: The area adjacent to aquatic systems with flowing water that contains elements of	
both aquatic and terrestrial ecosystems which mutually influence each other.	
Westside Prairies: Herbaceous, non-forested plant communities that can either take the	
form of a dry prairie or a wet prairie (full descriptions in WDFW PHS report p. 161).	
Instream: The combination of physical, biological, and chemical processes and conditions	
that interact to provide functional life history requirements for instream fish and wildlife	
resources.	
Nearshore: Relatively undisturbed nearshore habitats. These include Coastal Nearshore,	
Open Coast Nearshore, and Puget Sound Nearshore. (full descriptions of habitats and the	
definition of relatively undisturbed are in WDFW report: pp. 167-169 and glossary in	
Appendix A).	
Caves: A naturally occurring cavity, recess, void, or system of interconnected passages under	
the earth in soils, rock, ice, or other geological formations and is large enough to contain a	
human.	
Cliffs: Greater than 7.6 m (25 ft) high and occurring below 5000 ft.	
Talus: Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft),	
composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine	
tailings. May be associated with cliffs.	
Snags and Logs: Trees are considered snags if they are dead or dying and exhibit sufficient	
decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a	
diameter at breast height of $> 51$ cm (20 in) in western Washington and are $> 2$ m (6.5 ft) in	
height. Priority logs are > 30 cm (12 in) in diameter at the largest end, and > 6 m (20 ft)	
long.	0
If wetland has <b>3 or more</b> priority habitats = <b>4 points</b>	
If wetland has 2 priority habitats = 3 points  If wetland has 1 priority habitats = 1 point  No habitats = 0 points	
If wetland has 1 priority habitat = 1 point  No habitats = 0 points	
Note: All vegetated wetlands are by definition a priority habitat but are not included in this	
list. Nearby wetlands are addressed in question H 2.4)	

H 2.4 Wetland Landscape (choose the one description of the landscape around the wetland that best fits) (see p. 84)  There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development.  The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile  There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed  The wetland is Lake-fringe on a lake with disturbance and there are 3 other lake-fringe wetland within ½ mile  There is at least 1 wetland within ½ mile.  There are no wetlands within ½ mile	3
There are no wetlands within $\frac{1}{2}$ mile. points = 0	
<b>H 2</b> . TOTAL Score - opportunity for providing habitat <i>Add the scores from H2.1,H2.2, H2.3, H2.4</i>	5
TOTAL for H 1 from page 14	2
<b>Total Score for Habitat Functions</b> – add the points for H 1, H 2 and record the result on p. 1	7

# **CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS**

Please determine if the wetland meets the attributes described below and circle the appropriate answers and Category.


Wetland Type	Category
Check off any criteria that apply to the wetland. Circle the Category when the	
appropriate criteria are met.	
SC 1.0 Estuarine wetlands (see p. 86)	
Does the wetland unit meet the following criteria for Estuarine wetlands?	
— The dominant water regime is tidal,	
— Vegetated, and	
— With a salinity greater than 0.5 ppt.	
$YES = Go to SC 1.1 \qquad NO \checkmark$	
SC 1.1 Is the wetland unit within a National Wildlife Refuge, National Park,	
National Estuary Reserve, Natural Area Preserve, State Park or Educational,	Cat. I
Environmental, or Scientific Reserve designated under WAC 332-30-151?	
YES = Category I NO go to SC 1.2	
SC 1.2 Is the wetland unit at least 1 acre in size and meets at least two of the	~ . •
following three conditions? YES = Category I NO = Category II	Cat. I
— The wetland is relatively undisturbed (has no diking, ditching, filling,	Cat. II
cultivation, grazing, and has less than 10% cover of non-native plant	
species. If the non-native <i>Spartina</i> spp. are the only species that cover more than 10% of the wetland, then the wetland should be given a dual	Dual
rating (I/II). The area of Spartina would be rated a Category II while the	rating
relatively undisturbed upper marsh with native species would be a	
Category I. Do not, however, exclude the area of Spartina in	I/II
determining the size threshold of 1 acre.	
— At least ¾ of the landward edge of the wetland has a 100 ft buffer of	
shrub, forest, or un-grazed or un-mowed grassland.	
— The wetland has at least 2 of the following features: tidal channels,	
depressions with open water, or contiguous freshwater wetlands.	

## SC 2.0 Natural Heritage Wetlands (see p. 87) Cat. I Natural Heritage wetlands have been identified by the Washington Natural Heritage Program/DNR as either high quality undisturbed wetlands or wetlands that support state Threatened, Endangered, or Sensitive plant species. SC 2.1 Is the wetland unit being rated in a Section/Township/Range that contains a Natural Heritage wetland? (this question is used to screen out most sites before you need to contact WNHP/DNR) S/T/R information from Appendix D \_\_\_ or accessed from WNHP/DNR web site \_\_\_\_ NO ✓ YES\_\_\_\_ – contact WNHP/DNR (see p. 79) and go to SC 2.2 SC 2.2 Has DNR identified the wetland as a high quality undisturbed wetland or as or as a site with state threatened or endangered plant species? NO ✓ not a Heritage Wetland YES = Category ISC 3.0 Bogs (see p. 87) Does the wetland unit (or any part of the unit) meet both the criteria for soils and vegetation in bogs? Use the key below to identify if the wetland is a bog. If you answer yes you will still need to rate the wetland based on its functions. 1. Does the unit have organic soil horizons (i.e. layers of organic soil), either peats or mucks, that compose 16 inches or more of the first 32 inches of the soil profile? (See Appendix B for a field key to identify organic soils)? Yes go to Q. 3 No - go to Q. 2 2. Does the unit have organic soils, either peats or mucks that are less than 16 inches deep over bedrock, or an impermeable hardpan such as clay or volcanic ash, or that are floating on a lake or pond? Yes - go to Q. 3 No - Is not a bog for purpose of rating 3. Does the unit have more than 70% cover of mosses at ground level, AND other plants, if present, consist of the "bog" species listed in Table 3 as a significant component of the vegetation (more than 30% of the total shrub and herbaceous cover consists of species in Table 3)? Yes – Is a bog for purpose of rating No - go to Q. 4 NOTE: If you are uncertain about the extent of mosses in the understory you may substitute that criterion by measuring the pH of the water that seeps into a hole dug at least 16" deep. If the pH is less than 5.0 and the "bog" plant species in Table 3 are present, the wetland is a bog. 1. Is the unit forested (> 30% cover) with sitka spruce, subalpine fir, western red cedar, western hemlock, lodgepole pine, quaking aspen, Englemann's spruce, or western white pine, WITH any of the species (or combination of species) on the bog species plant list in Table 3 as a significant component of the ground cover (> 30% coverage of the total shrub/herbaceous cover)? 2. YES = Category INo ✓ Is not a bog for purpose of rating

Cat. I

SC 4.0 Forested Wetlands (see p. 90)  Does the wetland unit have at least 1 acre of forest that meet one of these criteria for the Department of Fish and Wildlife's forests as priority habitats? If you answer yes you will still need to rate the wetland based on its functions.  — Old-growth forests: (west of Cascade crest) Stands of at least two tree species, forming a multi-layered canopy with occasional small openings; with at least 8 trees/acre (20 trees/hectare) that are at least 200 years of age OR have a diameter at breast height (dbh) of 32 inches (81 cm) or more.  NOTE: The criterion for dbh is based on measurements for upland forests. Two-hundred year old trees in wetlands will often have a smaller dbh because their growth rates are often slower. The DFW criterion is and "OR" so old-growth forests do not necessarily have to have trees of this diameter.	
<ul> <li>Mature forests: (west of the Cascade Crest) Stands where the largest trees are 80 – 200 years old OR have average diameters (dbh) exceeding 21 inches (53cm); crown cover may be less that 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth.</li> <li>YES = Category I</li> <li>NO ✓ not a forested wetland with special characteristics</li> </ul>	Cat. I
SC 5.0 Wetlands in Coastal Lagoons (see p. 91)	
Does the wetland meet all of the following criteria of a wetland in a coastal lagoon?  — The wetland lies in a depression adjacent to marine waters that is wholly or partially separated from marine waters by sandbanks, gravel banks, shingle, or, less frequently, rocks  — The lagoon in which the wetland is located contains surface water that is saline or brackish (> 0.5 ppt) during most of the year in at least a portion of the lagoon (needs to be measured near the bottom)  YES = Go to SC 5.1  NO ✓ not a wetland in a coastal lagoon	
<ul> <li>SC 5.1 Does the wetland meets all of the following three conditions?</li> <li>The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing), and has less than 20% cover of invasive plant species (see list of invasive species on p. 74).</li> <li>At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-mowed grassland.</li> </ul>	Cat. I
— The wetland is larger than 1/10 acre (4350 square feet)  YES = Category I NO = Category II	Cat. II

SC 6.0 Interdunal Wetlands (see p. 93)	
Is the wetland unit west of the 1889 line (also called the Western Boundary of Upland	
Ownership or WBUO)?	
YES - go to SC 6.1 NO ✓ not an interdunal wetland for rating	
If you answer yes you will still need to rate the wetland based on its	
functions.	
In practical terms that means the following geographic areas:	
<ul> <li>Long Beach Peninsula- lands west of SR 103</li> </ul>	
Grayland-Westport- lands west of SR 105	
Ocean Shores-Copalis- lands west of SR 115 and SR 109	
SC 6.1 Is the wetland one acre or larger, or is it in a mosaic of wetlands that is once acre or larger?	
$YES = Category II \qquad NO - go to SC 6.2$	Cat. II
SC 6.2 Is the unit between 0.1 and 1 acre, or is it in a mosaic of wetlands that is between 0.1 and 1 acre?	
YES = Category III	Cat. III
Category of wetland based on Special Characteristics	
Choose the "highest" rating if wetland falls into several categories, and record on	N/A
p. 1.	I W / A
If you answered NO for all types enter "Not Applicable" on p.1	





**LEGEND** 

Wetland Boundary Scrub/Shrub Vegetation

#### WETLAND RATING FORM - WESTERN WASHINGTON

Version 2 - Updated July 2006 to increase accuracy and reproducibility among users Updated Oct 2008 with the new WDFW definitions for priority habitats

Name of wetland (if known): 30	0-3 Date of site visit: 3/21/13			
Rated by P Togher Train	ned by Ecology? Yes ✓No Date of training 5/2005			
SEC: 9 TWNSHP: 21N RNGE: 4E Is S/T/	R in Appendix D? Yes No			
Map of wetland unit: Figure	Estimated size 0.1 ac			
SUMMARY	Y OF RATING			
Category based on FUNCTIONS provide	led by wetland			
I II III✓ IV				
Catagory I - Saara > -70	Score for Water Quality Functions 16			
Category I = Score >=70 Category II = Score 51-69	Score for Hydrologic Functions 7			
Category III = Score 30-50	Score for Habitat Functions 9			
Category IV = Score < 30	9			
	TOTAL score for Functions 32			
Category based on SPECIAL CHARAC  I II Does not Apply_  Final Category (choose the '	[			
Summary of basic information about the wetland unit				
Wetland Unit has Special	Wetland HGM Class			
Characteristics	used for Rating			
Estuarine	<b>Depressional</b> ✓			
Natural Heritage Wetland	Riverine			
Bog	Lake-fringe			
<b>Mature Forest</b>	Slope			
<b>Old Growth Forest</b>	Flats			
Coastal Lagoon	Freshwater Tidal			
Interdunal				

None of the above

Check if unit has multiple

HGM classes present

## Does the wetland unit being rated meet any of the criteria below?

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered animal or plant species (T/E species)?  For the purposes of this rating system, "documented" means the wetland is on the appropriate state or federal database.		✓
SP2. Has the wetland unit been documented as habitat for any State listed Threatened or Endangered animal species?  For the purposes of this rating system, "documented" means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		<b>✓</b>
SP3. Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?		✓
SP4. Does the wetland unit have a local significance in addition to its functions?  For example, the wetland has been identified in the Shoreline Master  Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		✓

# To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.

The hydrogeomorphic classification groups wetlands into those that function in similar ways. This simplifies the questions needed to answer how well the wetland functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

# **Classification of Wetland Units in Western Washington**

If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in questions 1-7 apply, and go to Question 8.

1. Are the water levels in the entire unit usually controlled by tides (i.e. except during floods)?  ✓ NO – go to 2  YES – the wetland class is <b>Tidal Fringe</b>
If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? YES – Freshwater Tidal Fringe NO – Saltwater Tidal Fringe (Estuarine)
If your wetland can be classified as a Freshwater Tidal Fringe use the forms for <b>Riverine</b> wetlands. If it is Saltwater Tidal Fringe it is rated as an <b>Estuarine</b> wetland. Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term "Estuarine" wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p. ).
2. The entire wetland unit is flat and precipitation is the only source (>90%) of water to it.  Groundwater and surface water runoff are NOT sources of water to the unit.  ✓ NO – go to 3  YES – The wetland class is Flats
If your wetland can be classified as a "Flats" wetland, use the form for <b>Depressional</b> wetlands.
3. Does the entire wetland unit <b>meet both</b> of the following criteria? The vegetated part of the wetland is on the shores of a body of permanent open water (without any vegetation on the surface) at least 20 acres (8 ha) in size; At least 30% of the open water area is deeper than 6.6 ft (2 m)?  V NO − go to 4 YES − The wetland class is Lake-fringe (Lacustrine Fringe)
4. Does the entire wetland unit <b>meet all</b> of the following criteria? The wetland is on a slope ( <i>slope can be very gradual</i> ), The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.
The water leaves the wetland <b>without being impounded</b> ?  NOTE: Surface water does not pond in these type of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than 1 foot deep).
✓ NO - go to 5 YES – The wetland class is Slope

5. Does the entire wetland unit <b>meet all</b> of the following criteria?
The unit is in a valley, or stream channel, where it gets inundated by overbank
flooding from that stream or river
The overbank flooding occurs at least once every two years.
NOTE: The riverine unit can contain depressions that are filled with water when the river is
not flooding.
NO - go to 6 YES – The wetland class is <b>Riverine</b>
6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the
surface, at some time during the year. This means that any outlet, if present, is higher than the
<u>interior of the wetland.</u>
$\square$ NO – go to 7 $\bigvee$ YES – The wetland class is <b>Depressional</b>
7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank
flooding. The unit does not pond surface water more than a few inches. The unit seems to be
maintained by high groundwater in the area. The wetland may be ditched, but has no obvious
natural outlet
✓ NO – go to 8 <b>YES</b> – The wetland class is <b>Depressional</b>

**8**. Your wetland unit seems to be difficult to classify and probably contains several different HGM clases. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. NOTE: Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit; classify the wetland using the class that represents more than 90% of the total area.

HGM Classes within the wetland unit being rated	HGM Class to Use in Rating
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake-fringe	Lake-fringe
Depressional + Riverine along stream within boundary	Depressional
Depressional + Lake-fringe	Depressional
Salt Water Tidal Fringe and any other class of freshwater	Treat as ESTUARINE under
wetland	wetlands with special
	characteristics

If you are unable still to determine which of the above criteria apply to your wetland, or if you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.

D	Depressional and Flats Wetlands WATER QUALITY FUNCTIONS - Indicators that the wetland unit functions to	Points (only 1 score per box)			
	improve water quality	1			
$\mathbf{D}$	D 1. Does the wetland unit have the <u>potential</u> to improve water quality?	(see p.38)			
	D 1.1 Characteristics of surface water flows out of the wetland:	Figure			
D	Unit is a depression with no surface water leaving it (no outlet)  Points = 3  Unit is a depression with no surface water leaving it (no outlet)	3			
ש	Unit has an intermittently flowing, OR highly constricted permanently flowing outlet points = 2 Unit has an unconstricted, or slightly constricted, surface outlet (permanently flowing) points = 1				
	Unit is a "flat" depression (Q. 7 on key), or in the Flats class, with permanent surface outflow <b>and</b>				
	<b>no obvious natural outlet</b> and/or outlet is a man-made ditch points = 1				
	(If ditch is not permanently flowing treat unit as "intermittently flowing")				
	Provide photo or drawing	<del> </del>			
	S 1.2 The soil 2 inches below the surface (or duff layer) is clay or organic (use NRCS	0			
D	definitions) YES points = 4				
	YES $points = 4$ NO $points = 0$				
	D 1.3 Characteristics of persistent vegetation (emergent, shrub, and/or forest Cowardin class)	Figure			
	Wetland has persistent, ungrazed, vegetation $> 95\%$ of area points $= 5$				
D	Wetland has persistent, ungrazed, vegetation $> = 1/2$ of area points $= 3$	5			
	Wetland has persistent, ungrazed vegetation $> 1/10$ of area points $= 1/10$				
	Wetland has persistent, ungrazed vegetation $<1/10$ of area points $=0$				
	Map of Cowardin vegetation classes				
	D1.4 Characteristics of seasonal ponding or inundation.	Figure			
D	This is the area of the wetland unit that is ponded for at least 2 months, but dries out				
שו	sometime during the year. Do not count the area that is permanently ponded. Estimate				
	area as the average condition 5 out of 10 yrs.  Area seasonally ponded is $> \frac{1}{2}$ total area of wetland points = 4				
	Area seasonally ponded is $> \frac{1}{2}$ total area of wetland points = 4 Area seasonally ponded is $> \frac{1}{4}$ total area of wetland points = 2				
	Area seasonally ponded is $> \frac{1}{4}$ total area of wetland points = 0				
	Map of Hydroperiods				
D	Total for D 1 Add the points in the boxes above	8.00			
D	D 2. Does the wetland unit have the opportunity to improve water quality?	(see p. 44)			
	Answer YES if you know or believe there are pollutants in groundwater or surface water				
	coming into the wetland that would otherwise reduce water quality in streams, lakes or				
	groundwater downgradient from the wetland. Note which of the following conditions				
	provide the sources of pollutants. A unit may have pollutants coming from several				
	sources, but any single source would qualify as opportunity.				
	<ul> <li>— Grazing in the wetland or within 150 ft</li> <li>— Untreated stormwater discharges to wetland</li> </ul>				
	Tilled fields or orchards within 150 ft of wetland				
	<ul> <li>A stream or culvert discharges into wetland that drains developed areas, residential areas,</li> </ul>				
	farmed fields, roads, or clear-cut logging				
	Residential, urban areas, golf courses are within 150 ft of wetland				
	Wetland is fed by groundwater high in phosphorus or nitrogen				
	YES multiplier is 2 NO multiplier is 1				
_	*				
D	TOTAL - Water Quality Functions Multiply the score from D1 by D2	16.00			
<u> </u>	Add score to table on p. 1	1 . 5.55			

D	Depressional and Flats Wetlands  HYDROLOGIC FUNCTIONS - Indicators that the wetland unit functions to	Points (only 1 score per box)
	reduce flooding and stream degradation  D 3. Does the wetland unit have the potential to reduce flooding and erosion?	(see p.46)
D	D 3.1 Characteristics of surface water flows out of the wetland unit  Unit is a depression with no surface water leaving it (no outlet)  Unit has an intermittently flowing, OR highly constricted permanently flowing outlet points = 2  Unit is a "flat" depression (Q. 7 on key), or in the Flats class, with permanent surface outflow and no obvious natural outlet and/or outlet is a man-made ditch  If ditch is not permanently flowing treat unit as "intermittently flowing")  Unit has an unconstricted, or slightly constricted, surface outlet (permanently flowing) points = 0	4
D	D 3.2 Depth of storage during wet periods  Estimate the height of ponding above the bottom of the outlet. For units with no outlet measure from the surface of permanent water or deepest part (if dry).  Marks of ponding are 3 ft or more above the surface or bottom of outlet points = 7  The wetland is a "headwater" wetland" points = 5  Marks of ponding between 2 ft to < 3 ft from surface or bottom of outlet points = 5  Marks are at least 0.5 ft to < 2 ft from surface or bottom of outlet points = 3  Unit is flat (yes to Q. 2 or Q. 7 on key) but has small depressions on the surface that trap water points = 1  Marks of ponding less than 0.5 ft points = 0	0
D	D 3.3 Contribution of wetland unit to storage in the watershed  Estimate the ratio of the area of upstream basin contributing surface water to the wetland to the area of the wetland unit itself.  The area of the basin is less than 10 times the area of unit points = 5  The area of the basin is 10 to 100 times the area of the unit points = 3  The area of the basin is more than 100 times the area of the unit points = 0  Entire unit is in the FLATS class points = 5	3
D	Total for D 3  Add the points in the boxes above	(see p. 49)
D	Answer YES if the unit is in a location in the watershed where the flood storage, or reduction in water velocity, it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows. Answer NO if the water coming into the wetland is controlled by a structure such as flood gate, tide gate, flap valve, reservoir etc. OR you estimate that more than 90% of the water in the wetland is from groundwater in areas where damaging groundwater flooding does not occur.  Note which of the following indicators of opportunity apply.  — Wetland is in a headwater of a river or stream that has flooding problems  — Wetland drains to a river or stream that has flooding problems  — Wetland has no outlet and impounds surface runoff water that might otherwise flow into a river or stream that has flooding problems	
	— Other	No
D	YES multiplier is 2 NO multiplier is 1  TOTAL - Hydrologic Functions Multiply the score from D 3 by D 4	_
D	Add score to table on p. 1	7

These questions apply to wetlands of all HC HABITAT FUNCTIONS - Indicators that unit func		t habitat	Points (only 1 score per box)
H 1. Does the wetland unit have the potential to j	provide habitat for man	y species?	
H 1.1 Vegetation structure (see p. 72)			Figure
Check the types of vegetation classes present (as defin	ed by Cowardin)- Size thre.	shold for each	2 Struc.
class is $\frac{1}{4}$ acre or more than 10% of the area if unit	t is smaller than 2.5 acres.		
Aquatic bed			1
Emergent plants	,		
Scrub/shrub (areas where shrubs have >309/			
✓ Forested (areas where trees have >30% cov If the unit has a forested class check if:	er)		
The forested class has 3 out of 5 strata (car	nony sub-canony shrubs h	erhaceous	
moss/ground-cover) that each cover 209			
Add the number of vegetation structures that qualify.		<i>5</i> 11	
	4 structures or more	points = 4	
Map of Cowardin vegetation classes	3 structures	points $= 2$	
wap of Cowardin vegetation diasses	2 structures	points = 1	
	1 structure	points = 0	
H 1.2. <u>Hydroperiods</u> (see p. 73)			Figure
Check the types of water regimes (hydroperiods) p			1 type
regime has to cover more than 10% of the wetland	or $\frac{1}{4}$ acre to count. (see tex	t for	1 1960
descriptions of hydroperiods)			0
Permanently flooded or inundated	4 or more types presen	_	
Seasonally flooded or inundated	3 types presen	_	
Occasionally flooded or inundated Saturated only	2 types present 1 type present	•	
Permanently flowing stream or river in, or ac	• • •	points – 0	
Seasonally flowing stream in, or adjacent to,			
Lake-fringe wetland = 2 points	the wettand		
Freshwater tidal wetland = 2 points	Map of hyd	droperiods	
H 1.3. Richness of Plant Species (see p. 75)	, ,	<u>'</u>	
Count the number of plant species in the wetland	that cover at least 10 ft <sup>2</sup> . (d.	ifferent patches	5 -19 sp.
of the same species can be combined to meet the s		ggerent petrenes	4
You do not have to name the species.	,		1
Do not include Eurasian Milfoil, reed canaryg	rass, purple loosestrife, Co	anadian Thistle	
If you counted:	> 19 species	points = 2	
List species below if you want to:	5 - 19 species	points = 1	
	< 5 species	points $= 0$	

Total for page 2

H 1.4. <u>Interspersion of habitats (see p. 76)</u> Decide from the diagrams below whether interspersion between Cowardin vegetation	Figure
classes (described in H 1.1), or the classes and unvegetated areas (can include open water or	None
mudflats) is high, medium, low, or none.	0
None = 0 points Low = 1 point Moderate = 2 points	
High = 3 points  NOTE: If you have four or more classes or three vegetation classes and open water the rating is always "high". Use map of Cowardin vegetation classes	
H 1.5. <u>Special Habitat Features:</u> (see p. 77)  Check the habitat features that are present in the wetland. The number of checks is the	
number of points you put into the next column.	2
Large, downed, woody debris within the wetland (>4in. diameter and 6 ft long).	2
✓ Standing snags (diameter at the bottom > 4 inches) in the wetland	
<ul> <li>Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream (or ditch) in, or contiguous with the unit, for at least 33 ft (10m)</li> <li>Stable steep banks of fine material that might be used by beaver or muskrat for denning (&gt;30 degree slope) OR signs of recent beaver activity are present (cut shrubs or trees that have not yet turned grey/brown)</li> <li>At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated.(structures for egg-laying by amphibians)</li> <li>Invasive plants cover less than 25% of the wetland area in each stratum of plants</li> <li>NOTE: The 20% stated in early printings of the manual on page 78 is an error.</li> </ul>	
	<u></u>
H 1. TOTAL Score - potential for providing habitat  Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5	4

#### **Comments**

H 2. Does the wetland unit have the opportunity to pro	vide habitat for many species?	
H 2.1 Buffers (see p. 80)		Figure
Choose the description that best represents condition of buffer	of wetland unit. The highest scoring	
criterion that applies to the wetland is to be used in the rating.		1
"undisturbed."		
— 100 m (330ft) of relatively undisturbed vegetated areas	, rocky areas, or open water >95%	
of circumference. No structures are within the undistu		
undisturbed also means no-grazing, no landscaping, no	daily human use) $Points = 5$	
<ul> <li>— 100 m (330 ft) of relatively undisturbed vegetated areas</li> </ul>	s, rocky areas, or open water >	
50% circumference.	Points = 4	
<ul> <li>50 m (170ft) of relatively undisturbed vegetated areas,</li> </ul>	rocky areas, or open water >95%	
circumference.	Points = 4	
<ul> <li>— 100 m (330ft) of relatively undisturbed vegetated areas</li> </ul>	· -	
circumference, .	Points = 3	
— 50 m (170ft) of relatively undisturbed vegetated areas,		
50% circumference.	Points = 3	
If buffer does not meet any of the c		
<ul> <li>No paved areas (except paved trails) or buildings within</li> </ul>		
circumference. Light to moderate grazing, or lawns are		
— No paved areas or buildings within 50m of wetland for		
Light to moderate grazing, or lawns are OK.	Points = 2	
— Heavy grazing in buffer.	<b>Points</b> = 1	
— Vegetated buffers are <2m wide (6.6ft) for more than 9		
fields, paving, basalt bedrock extend to edge of wetland		
✓ Buffer does not meet any of the criteria above.	Points = 1	
H 2.2 Corridors and Connections (see p. 81)	to showing buffers	
H 2.2.1 Is the wetland part of a relatively undisturbed and	Lunbroken vegetated corridor	
(either riparian or upland) that is at least 150 ft wide, has		
or native undisturbed prairie, that connects to estuaries, o		
uplands that are at least 250 acres in size? (dams in ripar		No
roads, paved roads, are considered breaks in the corrido		INO
YES = 4 points (go to H 2.3)	NO = go to H 2.2.2	
H 2.2.2 Is the wetland part of a relatively undisturbed and	l unbroken vegetated corridor	
(either riparian or upland) that is at least 50ft wide, has at	least 30% cover of shrubs or	
forest, and connects to estuaries, other wetlands or undist	-	No
acres in size? <b>OR</b> a <b>Lake-fringe</b> wetland, if it does not h	ave an undisturbed corridor as in	
the question above?		
YES = 2  points (go  to  H  2.3)	NO = H 2.2.3	
H 2.2.3 Is the wetland:	OP	Yes
within 5 mi (8km) of a brackish or salt water estua	•	162
within 3 mi of a large field or pasture (>40 acres)	UK	
within 1 mi of a lake greater than 20 acres? YES = 1 point	NO = <b>0</b> points	
1LD - 1 point	110 – v pomes	

Total for page 2

	1
H 2.3 Near or adjacent to other priority habitats listed by WDFW (see new and complete	
descriptions of WDFW priority habitats, and the counties in which they can be found, in	
the PHS report <a href="http://wdfw.wa.gov/hab/phslist.htm">http://wdfw.wa.gov/hab/phslist.htm</a> )	
Which of the following priority habitats are within 330ft (100m) of the wetland unit? NOTE: the	
connections do not have to be relatively undisturbed.	
Aspen Stands: Pure or mixed stands of aspen greater than 0.4 ha (1 acre).	
Biodiversity Areas and Corridors: Areas of habitat that are relatively important to various	
species of native fish and wildlife (full descriptions in WDFW PHS report p. 152).	
Herbaceous Balds: Variable size patches of grass and forbs on shallow soils over bedrock.	
Old-growth/Mature forests: (Old-growth west of Cascade crest) Stands of at least 2 tree	
species, forming a multi-layered canopy with occasional small openings; with at least 20	
trees/ha (8 trees/acre) > 81 cm (32 in) dbh or > 200 years of age. (Mature forests) Stands	None
with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less that 100%;	
crown cover may be less that 100%; decay, decadence, numbers of snags, and quantity of	
large downed material is generally less than that found in old-growth; 80 - 200 years old	
west of the Cascade crest.	
Oregon white Oak: Woodlands Stands of pure oak or oak/conifer associations where	
canopy coverage of the oak component is important (full descriptions in WDFW PHS	
report p. 158).	
Riparian: The area adjacent to aquatic systems with flowing water that contains elements of	
both aquatic and terrestrial ecosystems which mutually influence each other.	
Westside Prairies: Herbaceous, non-forested plant communities that can either take the	
form of a dry prairie or a wet prairie (full descriptions in WDFW PHS report p. 161).	
Instream: The combination of physical, biological, and chemical processes and conditions	
that interact to provide functional life history requirements for instream fish and wildlife	
resources.	
Nearshore: Relatively undisturbed nearshore habitats. These include Coastal Nearshore,	
Open Coast Nearshore, and Puget Sound Nearshore. (full descriptions of habitats and the	
definition of relatively undisturbed are in WDFW report: pp. 167-169 and glossary in	
Appendix A).	
Caves: A naturally occurring cavity, recess, void, or system of interconnected passages under	
the earth in soils, rock, ice, or other geological formations and is large enough to contain a	
human.	
Cliffs: Greater than 7.6 m (25 ft) high and occurring below 5000 ft.	
<b>Talus:</b> Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft),	
composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine	
tailings. May be associated with cliffs.	
Snags and Logs: Trees are considered snags if they are dead or dying and exhibit sufficient	
decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a	
diameter at breast height of $> 51$ cm (20 in) in western Washington and are $> 2$ m (6.5 ft) in	
height. Priority logs are > 30 cm (12 in) in diameter at the largest end, and > 6 m (20 ft)	
long.	0
If wetland has <b>3 or more</b> priority habitats = <b>4 points</b>	
If wetland has 2 priority habitats = 3 points	
If wetland has $1$ priority habitat = $1$ point  No habitats = 0 points	
Note: All vegetated wetlands are by definition a priority habitat but are not included in this	
list. Nearby wetlands are addressed in question H 2.4)	
Tremely menument and distribution in question II In 1)	

H 2.4 Wetland Landscape (choose the one description of the landscape around the wetland that	3
best fits) (see p. 84)	3
There are at least 3 other wetlands within ½ mile, and the connections between them are	
relatively undisturbed (light grazing between wetlands OK, as is lake shore with some	
boating, but connections should NOT be bisected by paved roads, fill, fields, or other	
development. points = 5	
The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe	
wetlands within $\frac{1}{2}$ mile points = 5	
There are at least 3 other wetlands within ½ mile, BUT the connections between them are	
disturbed points = 3	
The wetland is Lake-fringe on a lake <b>with</b> disturbance and there are 3 other lake-fringe wetland within ½ mile points = 3	
There is at least 1 wetland within $\frac{1}{2}$ mile. points = 2	
There are no wetlands within $\frac{1}{2}$ mile. points = 0	
H 2. TOTAL Score - opportunity for providing habitat	<u> </u>
Add the scores from H2.1,H2.2, H2.3, H2.4	5
TOTAL for H 1 from page 14	4
<b>Total Score for Habitat Functions</b> – add the points for H 1, H 2 and record the result on p. 1	9

# **CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS**

Please determine if the wetland meets the attributes described below and circle the appropriate answers and Category.

Wetland Type	Category
Check off any criteria that apply to the wetland. Circle the Category when the	
appropriate criteria are met.  SC 1.0 Estuarine wetlands (see p. 86)	
Does the wetland unit meet the following criteria for Estuarine wetlands?	
<ul> <li>— The dominant water regime is tidal,</li> <li>— Vegetated, and</li> <li>— With a salinity greater than 0.5 ppt.</li> <li>YES = Go to SC 1.1</li> <li>NO ✓</li> </ul>	
SC 1.1 Is the wetland unit within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area Preserve, State Park or Educational, Environmental, or Scientific Reserve designated under WAC 332-30-151?  YES = Category I  NO go to SC 1.2	Cat. I
SC 1.2 Is the wetland unit at least 1 acre in size and meets at least two of the following three conditions? YES = Category I NO = Category II  — The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing, and has less than 10% cover of non-native plant species. If the non-native <i>Spartina</i> spp. are the only species that cover more than 10% of the wetland, then the wetland should be given a dual rating (I/II). The area of Spartina would be rated a Category II while the relatively undisturbed upper marsh with native species would be a Category I. Do not, however, exclude the area of Spartina in determining the size threshold of 1 acre.  — At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-mowed grassland.  — The wetland has at least 2 of the following features: tidal channels, depressions with open water, or contiguous freshwater wetlands.	Cat. I Cat. II  Dual rating I/II

# SC 2.0 Natural Heritage Wetlands (see p. 87) Natural Heritage wetlands have been identified by the Washington Natural Heritage Program/DNR as either high quality undisturbed wetlands or wetlands that support state Threatened, Endangered, or Sensitive plant species. SC 2.1 Is the wetland unit being rated in a Section/Township/Range that contains a Natural Heritage wetland? (this question is used to screen out most sites before you need to contact WNHP/DNR) S/T/R information from Appendix D \_\_\_\_ or accessed from WNHP/DNR web site ✓

YES\_\_\_\_ – contact WNHP/DNR (see p. 79) and go to SC 2.2 NO ✓

SC 2.2 Has DNR identified the wetland as a high quality undisturbed wetland or as or as a site with state threatened or endangered plant species?

YES = Category I

NO <u>✓</u> not a Heritage Wetland

#### SC 3.0 Bogs (see p. 87)

Does the wetland unit (or any part of the unit) meet both the criteria for soils and vegetation in bogs? Use the key below to identify if the wetland is a bog. If you answer yes you will still need to rate the wetland based on its functions.

- 1. Does the unit have organic soil horizons (i.e. layers of organic soil), either peats or mucks, that compose 16 inches or more of the first 32 inches of the soil profile? (See Appendix B for a field key to identify organic soils)? Yes go to Q. 3

  No go to Q. 2
- 2. Does the unit have organic soils, either peats or mucks that are less than 16 inches deep over bedrock, or an impermeable hardpan such as clay or volcanic ash, or that are floating on a lake or pond?

Yes - go to Q. 3 No - Is not a bog for purpose of rating

3. Does the unit have more than 70% cover of mosses at ground level, AND other plants, if present, consist of the "bog" species listed in Table 3 as a significant component of the vegetation (more than 30% of the total shrub and herbaceous cover consists of species in Table 3)?

Yes – Is a bog for purpose of rating No - go to Q. 4

NOTE: If you are uncertain about the extent of mosses in the understory you may substitute that criterion by measuring the pH of the water that seeps into a hole dug at least 16" deep. If the pH is less than 5.0 and the "bog" plant species in Table 3 are present, the wetland is a bog.

1. Is the unit forested (> 30% cover) with sitka spruce, subalpine fir, western red cedar, western hemlock, lodgepole pine, quaking aspen, Englemann's spruce, or western white pine, WITH any of the species (or combination of species) on the bog species plant list in Table 3 as a significant component of the ground cover (> 30% coverage of the total shrub/herbaceous cover)?

2. YES = Category I

No ✓ Is not a bog for purpose of rating

Cat. I

SC 4.0 Forested Wetlands (see p. 90)  Does the wetland unit have at least 1 acre of forest that meet one of these criteria for the Department of Fish and Wildlife's forests as priority habitats? If you answer yes you will still need to rate the wetland based on its functions.  — Old-growth forests: (west of Cascade crest) Stands of at least two tree species, forming a multi-layered canopy with occasional small openings; with at least 8 trees/acre (20 trees/hectare) that are at least 200 years of age OR have a diameter at breast height (dbh) of 32 inches (81 cm) or more.  NOTE: The criterion for dbh is based on measurements for upland forests. Two-hundred year old trees in wetlands will often have a smaller dbh because their growth rates are often slower. The DFW criterion is and "OR" so old-growth forests do not necessarily have to have trees of this diameter.	
<ul> <li>Mature forests: (west of the Cascade Crest) Stands where the largest trees are 80 – 200 years old OR have average diameters (dbh) exceeding 21 inches (53cm); crown cover may be less that 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth.</li> <li>YES = Category I</li> <li>NO ✓ not a forested wetland with special characteristics</li> </ul>	Cat. I
<ul> <li>SC 5.0 Wetlands in Coastal Lagoons (see p. 91)</li> <li>Does the wetland meet all of the following criteria of a wetland in a coastal lagoon?</li> <li>— The wetland lies in a depression adjacent to marine waters that is wholly or partially separated from marine waters by sandbanks, gravel banks, shingle, or, less frequently, rocks</li> <li>— The lagoon in which the wetland is located contains surface water that is saline or brackish (&gt; 0.5 ppt) during most of the year in at least a portion of the lagoon (needs to be measured near the bottom)</li> <li>YES = Go to SC 5.1</li> <li>NO ✓ not a wetland in a coastal lagoon</li> </ul>	
<ul> <li>SC 5.1 Does the wetland meets all of the following three conditions?</li> <li>— The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing), and has less than 20% cover of invasive plant species (see list of invasive species on p. 74).</li> <li>— At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-mowed grassland.</li> <li>— The wetland is larger than 1/10 acre (4350 square feet)</li> <li>YES = Category I</li> <li>NO = Category II</li> </ul>	Cat. I Cat. II

SC 6.0 Interdunal Wetlands (see p. 93)	
Is the wetland unit west of the 1889 line (also called the Western Boundary of Upland	
Ownership or WBUO)?	
YES - go to SC 6.1 NO ✓ not an interdunal wetland for rating	
If you answer yes you will still need to rate the wetland based on its	
functions.	
In practical terms that means the following geographic areas:	
<ul> <li>Long Beach Peninsula- lands west of SR 103</li> </ul>	
Grayland-Westport- lands west of SR 105	
<ul> <li>Ocean Shores-Copalis- lands west of SR 115 and SR 109</li> </ul>	
SC 6.1 Is the wetland one acre or larger, or is it in a mosaic of wetlands that is	
once acre or larger?	
YES = Category II $NO - go to SC 6.2$	Cat. II
SC 6.2 Is the unit between 0.1 and 1 acre, or is it in a mosaic of wetlands that is	
between 0.1 and 1 acre?	
YES = Category III	Cat. III
Category of wetland based on Special Characteristics	
Choose the "highest" rating if wetland falls into several categories, and record on	N/A
p. 1.	I N/ / \
If you answered NO for all types enter "Not Applicable" on p.1	





**LEGEND** 

Wetland BoundaryForested Vegetation

0 25 50 100 150 200