

			SR99 SI	HEET LA	YOUT M	ATRIX										
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
A - SR 99 ALTERNATIVE	Х	Х	х	х	Х	х	х	х	х	Х	х	х	х	Х	х	Х
B - S 216TH WEST STATION OPTION (POTENTIAL ADDITIONAL STATION)	Х	Х	Х													
C - S 216TH EAST STATION OPTION (POTENTIAL ADDITIONAL STATION)		Х	Х													
D - KENT/DES MOINES SR 99 MEDIAN STATION OPTION				Х	XX	Х										
E - KENT/DES MOINES SR 99 EAST STATION OPTION				Х	Х	х	Х									
F - KENT/DES MOINES HC CAMPUS STATION OPTION			Х	Х	Х	Х	Х									
F - KDM HC CAMPUS OPTION FROM S 216TH WEST STATION OPTION						Х	Х	х	Х	Х						
G - S 260TH WEST STATION OPTION (POTENTIAL ADDITIONAL STATION)					х	х	Х	х	Х							
H - S 260TH EAST STATION OPTION (POTENTIAL ADDITIONAL STATION)							Х	х	Х	х						
J - S 272ND REDONDO TRENCH STATION OPTION								Х	Х	Х	Х	Х	Х	Х		
K - FEDERAL WAY SR 99 STATION OPTION															Х	Х







I - NOT USED




















APRIL 2015









PARATRANSIT

BICYCLE STORAGE

CONSTRUCTION STAGING / PARKING



S

S

ASSUMPTIONS:

Kent/Des Moines SR 99 Median Sta	ation Option
Alternative(s):	SR 99
Boardings	3,000
Boardings (with 216th Station)	2,500
Boardings (interim terminus)	4,500
Station Configuration	
Terminus / In-Line	Interim Terminus
Station Type	Center Platform - Elevated
Platform Width	34'
Tail track	900'
Crossover	Yes
TPSS	Yes
Program	
KC Metro Ancillary Spaces (SF)	200
ST Ancillary Spaces (SF)	1,800
Total Ancillary Spaces (SF)	2,000
Vertical Circulation	
# of entrances	2
# of escalators	4
# of staircases (patron)	4
# of elevators	2
# of emergency stairs	2
Bus/ Paratransit Facilities	
Bus bays (KCM)	2 bays, one 60' coach each
Bus bays (ST)	1 bay, two 60' coaches
Rapid Ride	On-street at SR 99
Bus layover (KCM)	2 bays, two 60' coaches each
Bus layover (ST)	1 bay, two 60' coaches
Paratransit	1 permanent, 1 interim
Communications Facility	Tier 2
Parking & Amenities	
Bike storage	900 SF
Patron drop-off	6 spaces
Short-term parking	7 to 10 spaces
Staff parking	4 spaces
Service/emer. vehicle park.	2 spaces, separate lot
Signal bungalow / TPSS park.	2 spaces, dedicated
Long-term patron parking	500 spaces (structure)
Temporary patron parking*	500 spaces (surface)
Total proposed patron parking*	1000 Spaces
	1

^{*}Only required for interim terminus condition









TICKETING / ENTRY HALL

ANCILLARY SPACES

PLATFORM

TPSS

DRAFT EIS - CONCEPTUAL DESIGN

SIGNALIZED INTERSECTION (EXISTING)


SIGNALIZED INTERSECTION (PROPOSED)

KENT/DES MOINES SR 99 MEDIAN STATION OPTION SITE PLAN


APRIL 2015

FWLE_S99_AP005 41

SoundTransit



FWLE_S99_AX005 42




SR99 SHEET LAYOUT MATRIX																
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
A - SR 99 ALTERNATIVE	Х	х	х	х	х	х	х	х	х	х	х	х	х	х	х	Х
B - S 216TH WEST STATION OPTION (POTENTIAL ADDITIONAL STATION)	Х	х	х													
C - S 216TH EAST STATION OPTION (POTENTIAL ADDITIONAL STATION)		Х	х													
D - KENT/DES MOINES SR 99 MEDIAN STATION OPTION				Х	Х	Х										
E - KENT/DES MOINES SR 99 EAST STATION OPTION				X	Χ	χ	Х									
F - KENT/DES MOINES HC CAMPUS STATION OPTION			х	Х	Х	х	х									
F - KDM HC CAMPUS OPTION FROM S 216TH WEST STATION OPTION						х	х	х	Х	х						
G - S 260TH WEST STATION OPTION (POTENTIAL ADDITIONAL STATION)					Х	х	х	х	Х							
H - S 260TH EAST STATION OPTION (POTENTIAL ADDITIONAL STATION)							Х	Х	Х	Х						
J - S 272ND REDONDO TRENCH STATION OPTION								Х	Х	Х	Х	Х	Х	Х		
K - FEDERAL WAY SR 99 STATION OPTION															х	х






I - NOT USED













APRIL 2015












APRIL 2015














APRIL 2015










APRIL 2015

BICYCLE STORAGE

CONSTRUCTION STAGING / PARKING



ASSUMPTIONS:

Kent/Des Moines SR 99 East Station								
Alternative(s):	SR 99; I-5							
Boardings	3,000							
Boardings (with 216th Station)	2,500							
Boardings (interim terminus)	4,500							
Station Configuration								
Terminus / In-Line	Interim Terminus							
Station Type	Center Platform - Elevated							
Platform Width	34'							
Tail track	900'							
Crossover	Yes							
TPSS	Yes							
Program								
KC Metro Ancillary Spaces (SF)	200							
ST Ancillary Spaces (SF)	1,800							
Total Ancillary Spaces (SF)	2,000							
Vertical Circulation								
# of entrances	2							
# of escalators	2							
# of staircases (patron)	2							
# of elevators	2							
# of emergency stairs	2							
Bus/ Paratransit Facilities								
Bus bays (KCM)	2 bays, one 60' coach each							
Bus bays (ST)	1 bay, two 60' coaches							
Rapid Ride	On-street at SR 99							
Bus layover (KCM)	2 bays, two 60' coaches each							
Bus layover (ST)	1 bay, two 60' coaches							
Paratransit spaces	1 permanent, 1 interim							
Communications Facility	Tier 2							
Parking & Amenities	200.05							
Bike storage	900 SF							
Patron drop-off	6 spaces							
Short-term patron parking	7 to 10 spaces							
Staff parking	4 spaces							
Service/emer. vehicle park.	2 spaces, separate lot							
Signal bungalow / TPSS park.	2 spaces, dedicated							
Long-term patron parking	500 spaces (structure)							
Temporary patron parking*	500 spaces (surface)							
Total proposed patron parking*	1000 spaces							

^{*}Only required for interim terminus condition



PLATFORM

TPSS


ANCILLARY SPACES

SIGNALIZED INTERSECTION (PROPOSED)

0 50' 100' 200' 400'

APRIL 2015

FWLE_S99_AP006



SECTIONS

FWLE_S99_AX006