



West Seattle and Ballard Link Extensions

Stakeholder Advisory Group | January 30, 2019

Agenda

- *Community engagement and collaboration*
- *Level 3 screening process*
- *Level 3 alternatives*
- *Level 3 evaluation results*
- *Potential mix-and-match opportunities*

Community engagement and collaboration

WHO IS SOUND TRANSIT?

We plan, build and operate regional transit systems and services to improve mobility in urban areas of King, Pierce and Snohomish counties.



Sounder commuter rail

Sounder commuter rail provides a fast, reliable, and convenient way to travel between major hubs in the Puget Sound region. It connects major employment centers, universities, and shopping areas, making it easier to get to work, school, or the store.



Link light rail

Link light rail provides a fast, reliable, and convenient way to travel between major hubs in the Puget Sound region. It connects major employment centers, universities, and shopping areas, making it easier to get to work, school, or the store.



Sound Transit Express


Sound Transit Express provides a fast, reliable, and convenient way to travel between major hubs in the Puget Sound region. It connects major employment centers, universities, and shopping areas, making it easier to get to work, school, or the store.

Our Board

Sound Transit is governed by an 18-member Board made up of local elected officials and the Secretary of the Washington State Department of Transportation. The Board establishes policies and gives direction and oversight.

Funding

The system plan is paid for with a combination of state-approved bond issues, federal grants, farebox recoveries, local bonds and interest earnings. By 2026, system operating costs will be paid for with local taxes, farebox recoveries, interest earnings, private sources and federal operating assistance.



FUTURE SERVICE

Sound Transit System Expansion will:

- Build a 118-mile light rail network extending from Everett to Tacoma and from Seattle neighborhoods to Renton and Everett
- Establish the Rapid Transit (RT) to the north, east and south of Lake Washington
- Expand Sounder sounder line capacity and service adding two new trainsets
- Increase service to 15 minutes during peak hours



Community engagement and collaboration



Meeting dates subject to change.

External Engagement Report: Jan. 1 – 24, 2019



36 comments and questions



15 community briefings



1 email update engaging more than
4,330 subscribers



1 Stakeholder Advisory Group meeting


Jan 1-24, 2019 briefings

- ✓ Coastal Transportation (1/4)
- ✓ South Downtown Stakeholders (1/8)
- ✓ Delridge Community Center (1/9)
- ✓ Meltec Foundry / Young Corp. (1/9)
- ✓ Delta Marine (1/10)
- ✓ Harbor Island Machine Works (1/10)
- ✓ Uwajimaya (1/10)
- ✓ SSA Terminals (1/11)
- ✓ Seattle Maritime Academy (1/15)
- ✓ White Center Community Development Association (1/16)
- ✓ Community Briefing at Youngstown Cultural Arts Center (1/16)
- ✓ Port of Seattle Neighborhood Advisory Committee (1/16)
- ✓ Downtown Seattle Association (1/17)
- ✓ Alliance for Pioneer Square (1/24)
- ✓ Seniors in Action Foundation (1/24)

A light rail train, identified as 'Sound Transit' and numbered '139B', is stopped at a station platform. The train is white with blue accents. The platform has a yellow tactile strip along the edge. A digital display board is visible above the platform. The text 'Level 3 screening process' is overlaid in large, white, italicized font across the center of the image.


***Level 3 screening
process***

Community engagement and collaboration



Meeting dates subject to change.

Alternatives development process




*The Sound Transit Board identifies preferred alternatives and other alternatives to study.

Level 3 alternatives screening

SAG Meeting #12	Jan 30	Level 3 evaluation results
ELG Meeting #6	Feb 1	Level 3 evaluation results
EIS Scoping Open Houses / Neighborhood Forums	Feb/ Mar TBD	Level 3 evaluation results
ELG Meeting #7	March 29	CID station focus
SAG Meeting #13	April TBD	Level 3 recommendations
ELG Meeting #8	April TBD	Level 3 recommendations
Sound Transit Board System Expansion Committee	May 9	Identify preferred alternative (and other EIS alternatives)
Sound Transit Board Full Board	May 23	Identify preferred alternative (and other EIS alternatives)

Level 3 alternatives screening



SAG Meeting #12	Jan 30	Level 3 evaluation results
ELG Meeting #6	Feb 1	Level 3 evaluation results
EIS Scoping Open Houses / Neighborhood Forums	Feb/ Mar TBD	Level 3 evaluation results
ELG Meeting #7	March 29	CID station focus
SAG Meeting #13	April TBD	Level 3 recommendations
ELG Meeting #8	April TBD	Level 3 recommendations
Sound Transit Board System Expansion Committee	May 9	Identify preferred alternative (and other EIS alternatives)
Sound Transit Board Full Board	May 23	Identify preferred alternative (and other EIS alternatives)




1

Level 3 alternatives

2

Issues	311 Expressway		West Seattle Elevated (to 5th Ave/Chinatown 9th)		East Ave/Alaska		West Seattle Tunnel (to 4th Ave/Chinatown 10th Ave/Ballard Terminus)		L&R (to Ballard Station)
	Project	Alternative 1	Alternative 2	Alternative 3	Alternative 4	Alternative 5	Alternative 6	Alternative 7	
Public and adjacent parts of park will not remain service to commuters as one project proceeds as per 311	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
311 Expressway	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
West Seattle Elevated (to 5th Ave/Chinatown 9th)	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
East Ave/Alaska	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
West Seattle Tunnel (to 4th Ave/Chinatown 10th Ave/Ballard Terminus)	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
L&R (to Ballard Station)	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Ballard terminus station	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Public growth centers served	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Regional transit service (2040)	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Accommodates future LRT extension	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Commuter support and associated with 311 cost that estimated public mode, counting, and cost associated that is necessary to provide any benefits estimated by public system, independent	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Mode, route and stations per 311	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Potential 311 schedule effects	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Industrial 311 operating plan effects	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Engineering constraints	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Connectivity issues	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Operational constraints	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Capital costs (2040)	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Annual O&M costs (2040)	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Operational 311 for potential rail options, which include transit dependent, low-income, and minority populations	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Low-income/hourly opportunities	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Jobless residential units	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Low-vehicle population	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Minority population	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Young population	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Elderly population	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Limited English proficiency population	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Disabled population	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD

Level 3 evaluation results



3

Key considerations

4

Locations	Summary of Findings
Ballard terminus station	<ul style="list-style-type: none"> Bullet point to explain key findings in this segment Another bullet point to explain key findings in this segment
Interbay	<ul style="list-style-type: none"> Bullet point to explain key findings in this segment Another bullet point to explain key findings in this segment
Chinatown/International District	<ul style="list-style-type: none"> Bullet point to explain key findings in this segment Another bullet point to explain key findings in this segment
Downtown tunnel route	<ul style="list-style-type: none"> Bullet point to explain key findings in this segment Another bullet point to explain key findings in this segment
Smith Cove-Interbay	<ul style="list-style-type: none"> Bullet point to explain key findings in this segment Another bullet point to explain key findings in this segment
Salmon Bay crossing	<ul style="list-style-type: none"> Bullet point to explain key findings in this segment Another bullet point to explain key findings in this segment
Ballard terminus station	<ul style="list-style-type: none"> Bullet point to explain key findings in this segment Another bullet point to explain key findings in this segment

Summary of findings

Level 3 alternatives screening

SAG Meeting #12	Jan 30	Level 3 evaluation results
ELG Meeting #6	Feb 1	Level 3 evaluation results
EIS Scoping Open Houses / Neighborhood Forums	Feb/ Mar TBD	Level 3 evaluation results
ELG Meeting #7	March 29	CID station focus
SAG Meeting #13	April TBD	Level 3 recommendations
ELG Meeting #8	April TBD	Level 3 recommendations
Sound Transit Board System Expansion Committee	May 9	Identify preferred alternative (and other EIS alternatives)
Sound Transit Board Full Board	May 23	Identify preferred alternative (and other EIS alternatives)

What is EIS Scoping?

- Start of federal environmental review process
- 30-day **public comment period**
- Seeks public **feedback on scope of EIS**
 - Range of alternatives
 - Topics to study
 - Purpose and need
- **Informs Board decision** on what to study in EIS*

* Scope of EIS also subject to Federal Transit Administration (FTA) oversight

How to provide scoping comments

- At ***open house*** / neighborhood forum
- Via ***online*** open house
- By ***email*** or USPS ***mail*** or voice ***message*** service

Level 3 alternatives screening

SAG Meeting #12	Jan 30	Level 3 evaluation results
ELG Meeting #6	Feb 1	Level 3 evaluation results
EIS Scoping Open Houses / Neighborhood Forums	Feb/ Mar TBD	Level 3 evaluation results
ELG Meeting #7	March 29	CID station focus
SAG Meeting #13	April TBD	Level 3 recommendations
ELG Meeting #8	April TBD	Level 3 recommendations
Sound Transit Board System Expansion Committee	May 9	Identify preferred alternative (and other EIS alternatives)
Sound Transit Board Full Board	May 23	Identify preferred alternative (and other EIS alternatives)




ELG Meeting #7 – Chinatown/ID

Level 3 alternatives screening

SAG Meeting #12	Jan 30	Level 3 evaluation results
ELG Meeting #6	Feb 1	Level 3 evaluation results
EIS Scoping Open Houses / Neighborhood Forums	Feb/ Mar TBD	Level 3 evaluation results
ELG Meeting #7	March 29	CID station focus
SAG Meeting #13	April TBD	Level 3 recommendations
ELG Meeting #8	April TBD	Level 3 recommendations
Sound Transit Board System Expansion Committee	May 9	Identify preferred alternative (and other EIS alternatives)
Sound Transit Board Full Board	May 23	Identify preferred alternative (and other EIS alternatives)

Screening process



Preferred Alternative and other EIS alternatives

Level 3 recommendations

- Interest in **additional scope** items
- Additional scope items **require 3rd party funding***
- Potential **recommendations**:
 - Preferred Alternative #1: If 3rd party funding **not** secured
 - Preferred Alternative #2: If 3rd party funding **is** secured

Level 3 recommendations

Informed by:

- Technical *evaluation results*
- *Public feedback* gathered during scoping period and documented throughout the year
- *Racial Equity Toolkit*, including findings from evaluation results and community input

Level 3 alternatives screening

SAG Meeting #12	Jan 30	Level 3 evaluation results
ELG Meeting #6	Feb 1	Level 3 evaluation results
EIS Scoping Open Houses / Neighborhood Forums	Feb/ Mar TBD	Level 3 evaluation results
ELG Meeting #7	March 29	CID station focus
SAG Meeting #13	April TBD	Level 3 recommendations
ELG Meeting #8	April TBD	Level 3 recommendations
Sound Transit Board System Expansion Committee	May 9	Identify preferred alternative (and other EIS alternatives)
Sound Transit Board Full Board	May 23	Identify preferred alternative (and other EIS alternatives)



Level 3 alternatives

Summary of Level 3 alternatives

- › **ST3 Representative Project**
- › **West Seattle Elevated/ C-ID 5th Ave/
Downtown 6th Ave/ Ballard Elevated**
 - C-ID station options: 5th Ave Cut-and-Cover and 5th Ave Mined
- › **West Seattle Tunnel/ C-ID 4th Ave/
Downtown 5th Ave/ Ballard Tunnel**
 - Junction station options: 41st Ave, 42nd Ave and 44th Ave
 - C-ID station options: 4th Ave Cut-and-Cover and 4th Ave Mined
 - Ballard station options: 14th Ave and 15th Ave



Level 3 alternatives

Summary of Level 3 alternatives

ST3 Representative Project

- **West Seattle Elevated/ C-ID 5th Ave/
Downtown 6th Ave/ Ballard Elevated**
 - C-ID station options: 5th Ave Cut-and-Cover and 5th Ave Mined
- **West Seattle Tunnel/ C-ID 4th Ave/
Downtown 5th Ave/ Ballard Tunnel**
 - Junction station options: 41st Ave, 42nd Ave and 44th Ave
 - C-ID station options: 4th Ave Cut-and-Cover and 4th Ave Mined
 - Ballard station options: 14th Ave and 15th Ave



LEGEND

ST3 Representative Project	Elevated station
Elevated alignment	Surface station
Surface alignment	Existing surface alignment
Tunnel alignment	Existing tunnel alignment
Approximate portal location	Existing elevated alignment
Street overpass	Existing surface station
Existing surface alignment	Existing tunnel alignment
Existing tunnel station	

ST3 Representative Project

Summary of Level 3 alternatives

> ST3 Representative Project

West Seattle Elevated/ C-ID 5th Ave/ Downtown 6th Ave/ Ballard Elevated

- C-ID station options: 5th Ave Cut-and-Cover and 5th Ave Mined

> West Seattle Tunnel/ C-ID 4th Ave/ Downtown 5th Ave/ Ballard Tunnel

- Junction station options: 41st Ave, 42nd Ave and 44th Ave
- C-ID station options: 4th Ave Cut-and-Cover and 4th Ave Mined
- Ballard station options: 14th Ave and 15th Ave




West Seattle Elevated/ C-ID 5th Ave/ Downtown 6th Ave/ Ballard Elevated




West Seattle Elevated/ C-ID 5th Ave/ Downtown 6th Ave/ Ballard Elevated Alaska Junction elevated station orientation



*West Seattle Elevated/ C-ID 5th Ave/ Downtown 6th Ave/
Ballard Elevated **Delridge Station further south***



**West Seattle Elevated/ C-ID 5th Ave/ Downtown 6th Ave/
Ballard Elevated Crossing to south of existing bridge**



West Seattle Elevated/ C-ID 5th Ave/ Downtown 6th Ave/ Ballard Elevated **SODO Station and OMF connection**




5th Ave Bored Tunnel, Cut and Cover Station
5th Ave Mined

West Seattle Elevated/ C-ID 5th Ave/ Downtown 6th Ave/ Ballard Elevated C-ID Station options (shallow and deep)



**West Seattle Elevated/ C-ID 5th Ave/ Downtown 6th Ave/
Ballard Elevated 6th Avenue route through downtown**




*West Seattle Elevated/ C-ID 5th Ave/ Downtown 6th Ave/
Ballard Elevated **Denny Station on Terry Ave***



**West Seattle Elevated/ C-ID 5th Ave/ Downtown 6th Ave/
Ballard Elevated Terry/Mercer route in South Lake Union**



**West Seattle Elevated/ C-ID 5th Ave/ Downtown 6th Ave/
Ballard Elevated *Smith Cove Station near Galer St***



*West Seattle Elevated/ C-ID 5th Ave/ Downtown 6th Ave/
Ballard Elevated **Interbay Station on 17th Ave/Thorndyke***



**West Seattle Elevated/ C-ID 5th Ave/ Downtown 6th Ave/
Ballard Elevated High level fixed bridge at 14th Ave**

Summary of Level 3 alternatives

- **ST3 Representative Project**
- **West Seattle Elevated/ C-ID 5th Ave/
Downtown 6th Ave/ Ballard Elevated**
 - C-ID station options: 5th Ave Cut-and-Cover and 5th Ave Mined




West Seattle Tunnel/ C-ID 4th Ave/ Downtown 5th Ave/ Ballard Tunnel

- Junction station options: 41st Ave, 42nd Ave and 44th Ave
- C-ID station options: 4th Ave Cut-and-Cover and 4th Ave Mined
- Ballard station options: 14th Ave and 15th Ave



West Seattle Tunnel/ C-ID 4th Ave/ Downtown 5th Ave/ Ballard Tunnel




**West Seattle Tunnel/ C-ID 4th Ave/ Downtown 5th Ave/
Ballard Tunnel *Alaska Junction* tunnel station options**



*West Seattle Tunnel/ C-ID 4th Ave/ Downtown 5th Ave/
Ballard Tunnel **Delridge Station further south and west***



**West Seattle Tunnel/ C-ID 4th Ave/ Downtown 5th Ave/
Ballard Tunnel Crossing to north of existing bridge**




West Seattle Tunnel/ C-ID 4th Ave/ Downtown 5th Ave/ Ballard Tunnel **SODO Station and OMF connection**



West Seattle Tunnel/ C-ID 4th Ave/ Downtown 5th Ave/ Ballard Tunnel C-ID Station options (shallow and deep)



**West Seattle Tunnel/ C-ID 4th Ave/ Downtown 5th Ave/
Ballard Tunnel 5th Avenue route through downtown**



*West Seattle Tunnel/ C-ID 4th Ave/ Downtown 5th Ave/
Ballard Tunnel **Denny Station on Westlake Ave***




**West Seattle Tunnel/ C-ID 4th Ave/ Downtown 5th Ave/
Ballard Tunnel *SLU Station on Harrison***



*West Seattle Tunnel/ C-ID 4th Ave/ Downtown 5th Ave/
Ballard Tunnel **Smith Cove Station near Prospect St***



West Seattle Tunnel/ C-ID 4th Ave/ Downtown 5th Ave/ Ballard Tunnel **Interbay Station on 17th Ave/Thorndyke**










*West Seattle Tunnel/ C-ID 4th Ave/ Downtown 5th Ave/
Ballard Tunnel **Ballard tunnel station options***

A photograph of a train station platform. A white train with "CANTON SOUTHWEST" on its front is stopped at the platform. Several people are waiting, including a woman in a yellow hijab and white pants in the foreground. The platform has blue railings and a blue circular sign. The text "Level 3 evaluation results" is overlaid in white, italicized font.

***Level 3 evaluation
results***

Purpose and need

Purpose Statement	Symbol
Provide high quality rapid, reliable, and efficient peak and off-peak LRT service to communities in the project corridors as defined in ST3.	
Improve regional mobility by increasing connectivity and capacity through downtown Seattle to meet the projected transit demand.	
Connect regional centers as described in adopted regional and local land use, transportation, and economic development plans and Sound Transit's <i>Regional Transit Long-Range Plan</i> .	
Implement a system that is consistent with the <i>ST3 Plan</i> that established transit mode, corridor, and station locations and that is technically feasible and financially sustainable to build, operate, and maintain.	
Expand mobility for the corridor and region's residents, which include transit dependent, low income, and minority populations.	
Encourage equitable and sustainable urban growth in station areas through support of transit-oriented development, station access, and modal integration in a manner that is consistent with local land use plans and policies.	
Preserve and promote a healthy environment and economy by minimizing adverse impacts on the natural, built and social environments through sustainable practices.	

Evaluation criteria

➤ *17 criteria consistent in all levels of evaluation*

- Reliable service
- Travel times
- Regional connectivity
- Transit capacity
- Projected transit demand
- Regional centers served
- ST Long-Range Plan consistency
- ST3 consistency
- Technical feasibility
- Financial sustainability
- Historically underserved populations
- Station area land use plan consistency
- Modal integration
- Station area development opportunities
- Environmental effects
- Traffic operations
- Economic effects

Measures and methods

- › *50+ quantitative and/or qualitative measures*
- › *Ratings for Lower, Medium and Higher performing*
- › *Key differentiators and considerations among alternatives*
- › *Findings focus on key decisions along corridor*

**Lower
Performing**


**Medium
Performing**

**Higher
Performing**

Cost assessment

- Purpose: To **inform comparison** of Level 3 alternatives
- **Comparative estimates** for end-to-end alternatives
 - Consistent methodology (2018\$; construction, real estate, etc.)
 - Based on limited conceptual design (less than 5% design)
 - Does not establish project budget
- **Project budget** established during final design (~ 2024)

Project budget



Evaluation Measures	ST3 Representative	West Seattle Elevated/C-ID 5th Ave/Downtown 6th Ave/Ballard Elevated		West Seattle Tunnel/C-ID 4th Ave/Downtown 5th Ave/Ballard Tunnel				
	Project	5th Ave Cut-and-Cover International District/Chinatown Station	5th Ave Mined International District/Chinatown Station	41st Ave Alaska Junction/4th Ave Cut-and-Cover/14th Ave Ballard	42nd Ave Alaska Junction Station	44th Ave Alaska Junction Station	4th Ave Mined International District/Chinatown Station	15th Ave Ballard Station
<i>Provide high quality rapid, reliable, and efficient peak and off-peak light rail transit service to communities in the project corridors defined in ST3.</i>								
At-grade crossings	3	1		1				
Potential service interruptions/recoverability	Lower	Medium		Medium			Lower	Medium
LRT travel times (minutes)	6 to 7 / 13 to 14	6 to 7 / 13 to 14		6 to 7 / 13 to 14				
Transit travel time savings (minutes)	12 to 20	12 to 20		12 to 20				
<i>Improve regional mobility by increasing connectivity and capacity through downtown Seattle to meet projected transit demand.</i>								
Network integration	Lower	Medium		Higher			Medium	Higher
Passenger carrying capacity	Medium	Medium		Medium				
Average weekday trips on West Seattle/Ballard extensions (2042)	35,000 to 40,000 / 123,000 to 163,000	35,000 to 39,000 / 120,000 to 158,000		35,000 to 41,000 / 125,000 to 165,000				
<i>Connect regional centers as described in adopted regional and local land use, transportation, and economic development plans and Sound Transit's Regional Transit Long-Range Plan.</i>								
PSRC growth centers served	5	5		5				
Pop/job densities served (2040)	38 / 39	39 / 39		37 / 38 to 39				
Accommodates future LRT extension	Lower	Medium		Higher		Medium	Higher	
<i>Implement a system that is consistent with the ST3 Plan that established transit mode, corridor, and station locations and that is technically feasible and financially sustainable to build, operate, and maintain.</i>								
Mode, route and stations per ST3	Higher	Higher		Higher				
Potential ST3 schedule effects	Higher	Higher	Medium	Lower				
Potential ST3 operating plan effects	Lower	Higher		Higher			Medium	Higher
Engineering constraints	Lower	Medium		Lower				
Constructability issues	Lower	Medium		Lower				
Operational constraints	Lower	Medium	Lower	Higher			Lower	Higher
Capital costs (2018\$)	-	+\$400M	+\$500M	+\$1,900M			+\$2,100M	+\$1,900M
Annual O&M costs on West Seattle/Ballard extensions (2018\$ in millions)	\$25 to \$30 / \$55 to \$60	\$25 to \$30 / \$55 to \$60		\$25 to \$30 / \$55 to \$60				
<i>Expand mobility for the corridor and region's residents, which include transit dependent, low income, and minority populations.</i>								
Low-income/minority opportunities (activity nodes/rental units) ⁽¹⁾	Medium	Medium		Medium				
	23%	22%		23%				
Low-income population ^(1/2)	32% / 32%	32% / 32%		32% / 31%				
Minority population ^(1/2)	34% / 34%	34% / 35%		34% / 34 to 35%				
Youth population ^(1/2)	7% / 10%	7% / 9%		7% / 9 to 10%				
Elderly population ^(1/2)	14% / 11%	14% / 12%		14% / 11 to 12%				
Limited English Proficiency population ^(1/2)	7% / 8%	7% / 8%		7% / 7 to 8%				
Disabled population ^(1/2)	12% / 11%	12% / 11%		12% / 11%				

(1) Within station walksheds; (2) Within 15 minute ride on connecting high frequency transit

Level 3 evaluation – Part 1 of 2

Overview of Key Differentiators

Lower Performing

Medium Performing

Higher Performing



= Key Differentiators

Evaluation Measures	ST3 Representative	West Seattle Elevated/C-ID 5th Ave/Downtown 6th Ave/Ballard Elevated		West Seattle Tunnel/C-ID 4th Ave/Downtown 5th Ave/Ballard Tunnel				
	Project	5th Ave Cut-and-Cover International District/Chinatown Station	5th Ave Mined International District/Chinatown Station	41st Ave Alaska Junction/4th Ave Cut-and-Cover/14th Ave Ballard	42nd Ave Alaska Junction Station	44th Ave Alaska Junction Station	4th Ave Mined International District/Chinatown Station	15th Ave Ballard Station
<i>Provide high quality rapid, reliable, and efficient peak and off-peak light rail transit service to communities in the project corridors defined in ST3.</i>								
At-grade crossings	3					1		
Potential service interruptions/recoverability	Lower	Elevated LRT guideway in SODO; does not grade separate Lander and Holgate roadway crossings			Medium		Lower	Medium
LRT travel times (minutes)	6 to 7 / 13 to 14					6 to 7 / 13 to 14		
Transit travel time savings (minutes)	12 to 20					12 to 20		
<i>Improve regional mobility by increasing connectivity and capacity through downtown</i>								
Network integration	Lower		Medium		Higher			Higher
Passenger carrying capacity	Medium							
Average weekday trips on West Seattle/Ballard extensions (2042)	35,000 to 40,000	123,000 to 163,000						
<i>Connect regional centers as described in adopted regional and local development plans and Sound Transit's Regional Transit L</i>								
PSRC growth centers served	5							
Pop/job densities served (2040)	38 / 39		39 / 39				37 / 38 to 39	
Accommodates future LRT extension	Lower		Medium		Higher		Medium	Higher
<i>Implement a system that is consistent with the ST3 Plan that established transit mode, corridor, and station locations and that is technically feasible and financially sustainable to build, operate, and maintain.</i>								
Mode, route and stations per ST3	Higher		Higher			Higher		
Potential ST3 schedule effects	Higher	Higher		Medium		Lower		
Potential ST3 operating plan effects	Lower		Higher		Higher		Medium	Higher
Engineering constraints	Lower		Medium			Lower		
Constructability issues	Lower		Medium			Lower		
Operational constraints	Lower		Medium	Lower		Higher	Lower	Higher
Capital costs (2018\$)	-		+\$400M	+\$500M		+\$1,900M	+\$2,100M	+\$1,900M
Annual O&M costs on West Seattle/Ballard extensions (2018\$ in millions)	\$25 to \$30 / \$55 to \$60		\$25 to \$30 / \$55 to \$60			\$25 to \$30 / \$55 to \$60		
<i>Expand mobility for the corridor and region's residents, which include transit dependent, low income, and minority populations.</i>								
Low-income/minority opportunities (activity nodes/rental units) ⁽¹⁾	Medium		Medium			Medium		
	23%		22%			23%		
Low-income population ^(1/2)	32% / 32%		32% / 32%			32% / 31%		
Minority population ^(1/2)	34% / 34%		34% / 35%			34% / 34 to 35%		
Youth population ^(1/2)	7% / 10%		7% / 9%			7% / 9 to 10%		
Elderly population ^(1/2)	14% / 11%		14% / 12%			14% / 11 to 12%		
Limited English Proficiency population ^(1/2)	7% / 8%		7% / 8%			7% / 7 to 8%		
Disabled population ^(1/2)	12% / 11%		12% / 11%			12% / 11%		

Movable bridge over Salmon Bay has potential service interruptions

Deep mined station does not facilitate pocket track (for storing spare trains) and reduces service recoverability

(1) Within station walksheds; (2) Within 15 minute ride on connecting high frequency transit

Level 3 evaluation – Part 1 of 2

Service Reliability

Lower Performing Medium Performing Higher Performing



= Key Differentiators

Evaluation Measures	ST3 Representative	West Seattle Elevated/C-ID 5th Ave/Downtown 5th Ave/Ballard Elevated		West Seattle Tunnel/C-ID 4th Ave/Downtown 5th Ave/Ballard Tunnel				
	Project	5th Ave Cut-and-Cover International District/Chinatown Station	5th Ave Mined International District/Chinatown Station	41st Ave Alaska Junction/4th Ave Cut-and-Cover/14th Ave Ballard	42nd Ave Alaska Junction Station	44th Ave Alaska Junction Station	4th Ave Mined International District/Chinatown Station	15th Ave Ballard Station
<i>Provide high quality rapid, reliable, and efficient peak and off-peak light rail transit service to communities in the project corridors defined in ST3.</i>								
At-grade crossings	3	1		1				
Potential service interruptions/recoverability	Lower	Medium		Medium			Lower	Medium
LRT travel times (minutes)	6 to 7 / 13 to 14	6 to 7 / 13 to 14		6 to 7 / 13 to 14				
Transit travel time savings (minutes)	12 to 20	12 to 20		12 to 20				
<i>Improve regional mobility by increasing connectivity and capacity through downtown Seattle to meet projected transit demand.</i>								
Network integration	Lower	Medium		Higher			Medium	Higher
Passenger carrying capacity	Medium			Medium				
Average weekday trips on West Seattle/Ballard extensions (2042)	35,000 to 40,000 / 123,000 to 163,000			35,000 to 41,000 / 125,000 to 165,000				
<i>Connect regional centers as described in adopted regional and local land use, transportation, and Sound Transit's Regional Transit Long-Range Plan.</i>								
PSRC growth centers served	5			5				
Pop/job densities served (2040)	38 / 39	39 / 39		37 / 38 to 39				
Accommodates future LRT extension	Lower	Medium		Higher			Medium	Higher
<i>Implement a system that is consistent with the ST3 Plan that established transit mode, corridor, and station locations and that is technically feasible and financially sustainable to build, operate, and maintain.</i>								
Mode, route and stations per ST3	Higher	Higher		Higher				
Potential ST3 schedule effects	Higher			Lower				
Potential ST3 operating plan effects	Lower			Higher			Medium	Higher
Engineering constraints	Lower			Lower				
Constructability issues	Lower			Lower				
Operational constraints	Lower			Higher			Lower	Higher
Capital costs (2018\$)	-	+\$400M	+\$500M	+\$1,900M			+\$2,100M	+\$1,900M
Annual O&M costs on West Seattle/Ballard extensions (2018\$ in millions)	\$25 to \$30 / \$55 to \$60	\$25 to \$30 / \$55 to \$60		\$25 to \$30 / \$55 to \$60				
<i>Expand mobility for the corridor and region's residents, which include transit dependent, low income, and minority populations.</i>								
Low-income/minority opportunities (activity nodes/rental units) ⁽¹⁾	Medium	Medium		Medium				
	23%	22%		23%				
Low-income population ^(1/2)	32% / 32%	32% / 32%		32% / 31%				
Minority population ^(1/2)	34% / 34%	34% / 35%		34% / 34 to 35%				
Youth population ^(1/2)	7% / 10%	7% / 9%		7% / 9 to 10%				
Elderly population ^(1/2)	14% / 11%	14% / 12%		14% / 11 to 12%				
Limited English Proficiency population ^(1/2)	7% / 8%	7% / 8%		7% / 7 to 8%				
Disabled population ^(1/2)	12% / 11%	12% / 11%		12% / 11%				

Does not facilitate track interconnections between both extensions

East-west oriented elevated Alaska Junction Station complicates future LRT extension in West Seattle

(1) Within station walksheds; (2) Within 15 minute ride on connecting high frequency transit

Level 3 evaluation – Part 1 of 2

Regional Mobility and Plan Consistency

Lower Performing
Medium Performing
Higher Performing

= Key Differentiators

Evaluation Measures	ST3 Representative	West Seattle Elevated/C-ID 5th Ave/Downtown 5th Ave/Ballard Elevated		West Seattle Tunnel/C-ID 4th Ave/Downtown 5th Ave/Ballard Tunnel				
	Project	5th Ave Cut-and-Cover International District/Chinatown Station	5th Ave Mined International District/Chinatown Station	41st Ave Alaska Junction/4th Ave Cut-and-Cover/14th Ave Ballard	42nd Ave Alaska Junction Station	44th Ave Alaska Junction Station	4th Ave Mined International District/Chinatown Station	15th Ave Ballard Station
<i>Provide high quality rapid, reliable, and efficient peak and off-peak light rail transit service to communities in the project corridors defined in ST3.</i>								
At-grade crossings	3	1		1				
Potential service interruptions/recoverability	Lower	Medium		Medium			Lower	Medium
LRT travel times (minutes)	6 to 7 / 13 to 14	6 to 7 / 13 to 14		6 to 7 / 13 to 14				
Transit travel time savings (minutes)	12 to 20	12 to 20		12 to 20				
<i>Improve regional mobility by increasing connectivity and capacity through downtown Seattle to meet projected transit demand.</i>								
Network integration	Lower	Medium		Higher			Medium	Higher
Passenger carrying capacity	Medium	Medium		Medium				
Average weekday trips on West Seattle/Ballard extensions (2042)	35,000 to 40,000 / 123,000 to 163,000	35,000 to 39,000 / 120,000 to 158,000						
<i>Connect regional centers as described in adopted regional and local land use, transportation, and economic development plans.</i>								
PSRC growth centers served	5	5						
Pop/job densities served (2040)	38 / 39	39 / 39						
Accommodates future LRT extension	Lower	Medium		Higher			Medium	Higher
<i>Implement a system that is consistent with the ST3 Plan that established transit mode, corridor, and station locations that is technically feasible and financially sustainable to build, operate, and maintain.</i>								
Mode, route and stations per ST3	Higher	Higher		Higher				
Potential ST3 schedule effects	Higher	Higher	Medium	Lower				
Potential ST3 operating plan effects	Lower	Higher		Higher			Medium	Higher
Engineering constraints	Lower	Medium		Lower				
Constructability issues	Lower	Medium		Lower				
Operational constraints	Lower	Medium	Lower	Higher			Lower	Higher
Capital costs (2018\$)	-	+\$400M	+\$500M	+\$1,900M			+\$2,100M	+\$1,900M
Annual O&M costs on West Seattle/Ballard extensions (2018\$ in millions)	\$25 to \$30 / \$55 to \$60	\$25 to \$30 / \$55 to \$60		\$25 to \$30 / \$55 to \$60				
<i>Expand mobility for the corridor and region's residents, which include transit dependent, low income, and minority populations.</i>								
Low-income/minority opportunities (activity nodes/rental units) ⁽¹⁾	Medium	Medium		Medium				
	23%	22%		23%				
Low-income population ^(1/2)	32% / 32%	32% / 32%		32% / 31%				
Minority population ^(1/2)	34% / 34%	34% / 35%		34% / 34 to 35%				
Youth population ^(1/2)	7% / 10%	7% / 9%		7% / 9 to 10%				
Elderly population ^(1/2)	14% / 11%	14% / 12%		14% / 11 to 12%				
Limited English Proficiency population ^(1/2)	7% / 8%	7% / 8%		7% / 7 to 8%				
Disabled population ^(1/2)	12% / 11%	12% / 11%		12% / 11%				

5th Ave S Mined C-ID Station could extend construction schedule

Tunnels and 4th Ave S viaduct rebuild could extend construction schedule

(1) Within station walksheds; (2) Within 15 minute ride on connecting high frequency transit

Level 3 evaluation – Part 1 of 2

Schedule

Lower Performing
Medium Performing
Higher Performing

= Key Differentiators

Evaluation Measures	ST3 Representative	West Seattle Elevated/C-ID 5th Ave/Downtown 5th Ave/Ballard Elevated		West Seattle Tunnel/C-ID 4th Ave/Downtown 5th Ave/Ballard Tunnel				
	Project	5th Ave Cut-and-Cover International District/Chinatown Station	5th Ave Mined International District/Chinatown Station	41st Ave Alaska Junction/4th Ave Cut-and-Cover/14th Ave Ballard	42nd Ave Alaska Junction Station	44th Ave Alaska Junction Station	4th Ave Mined International District/Chinatown Station	15th Ave Ballard Station
<i>Provide high quality rapid, reliable, and efficient peak and off-peak light rail transit service to communities in the project corridors defined in ST3.</i>								
At-grade crossings	3	1		1				
Potential service interruptions/recoverability	Lower	Medium		Medium			Lower	Medium
LRT travel times (minutes)	6 to 7 / 13 to 14	6 to 7 / 13 to 14		6 to 7 / 13 to 14				
Transit travel time savings (minutes)	12 to 20	12 to 20		12 to 20				
<i>Improve regional mobility by increasing connectivity and capacity through downtown Seattle to meet projected transit demand.</i>								
Network integration	Lower	Medium		Higher			Medium	Higher
Passenger carrying capacity	Medium	Medium		Medium				
Average weekday trips on West Seattle/Ballard extensions (2042)	25,000 to 40,000 /	25,000 to 20,000 /		28,000				
<i>Connect regional centers as described in adopted economic development plans and Sound Transit's Regional Transit Plan.</i>								
PSRC growth centers served	3	3		3				
Pop/job densities served (2040)	3	3		3				
Accommodates future LRT extension	Higher	Higher		Higher			Higher	Higher
<i>Implement a system that is consistent with the mode, route and station locations and that is technically feasible and financially sound.</i>								
Mode, route and stations per ST3	High	Higher		Higher			Higher	Higher
Potential ST3 schedule effects	High	Higher	Medium	Lower				
Potential ST3 operating plan effects	Low	Higher		Higher			Medium	Higher
Engineering constraints	Lower	Medium		Lower				
Constructability issues	Lower	Medium		Lower				
Operational constraints	Lower	Medium	Lower	Higher			Lower	Higher
Capital costs (2018\$)	-	+\$400M	+\$500M	+\$1,900M			+\$2,100M	+\$1,900M
Annual O&M costs on West Seattle/Ballard extensions (2018\$ in millions)	\$25 to \$30 / \$55 to \$60	\$25 to \$30 / \$55 to \$60		\$25 to \$30 / \$55 to \$60				
<i>Expand mobility for the corridor and region's residents, which include transit dependent, low income, and minority populations.</i>								
Low-income/minority opportunities (activity nodes/rental units) ⁽¹⁾	Medium	Medium		Medium				
	23%	22%		23%				
Low-income population ^(1/2)	32% / 32%	32% / 32%		32% / 31%				
Minority population ^(1/2)	34% / 34%	34% / 35%		34% / 34 to 35%				
Youth population ^(1/2)	7% / 10%	7% / 9%		7% / 9 to 10%				
Elderly population ^(1/2)	14% / 11%	14% / 12%		14% / 11 to 12%				
Limited English Proficiency population ^(1/2)	7% / 8%	7% / 8%		7% / 7 to 8%				
Disabled population ^(1/2)	12% / 11%	12% / 11%		12% / 11%				

Infrastructure conflicts in SODO (WSDOT ramps) and Downtown (SR 99 off-ramp, sewer under Republican)

Tunnels and 4th Ave S viaduct rebuild add engineering complexity, constructability issues

(1) Within station walksheds; (2) Within 15 minute ride on connecting high frequency transit

Level 3 evaluation – Part 1 of 2

Engineering Constraints and Constructability

Lower Performing Medium Performing Higher Performing



= Key Differentiators

Evaluation Measures	ST3 Representative	West Seattle Elevated/C-ID 5th Ave/Downtown 6th Ave/Ballard Elevated		West Seattle Tunnel/C-ID 4th Ave/Downtown 5th Ave/Ballard Tunnel				
	Project	5th Ave Cut-and-Cover International District/Chinatown Station	5th Ave Mined International District/Chinatown Station	41st Ave Alaska Junction/4th Ave Cut-and-Cover/14th Ave Ballard	42nd Ave Alaska Junction Station	44th Ave Alaska Junction Station	4th Ave Mined International District/Chinatown Station	15th Ave Ballard Station
<i>Provide high quality rapid, reliable, and efficient peak and off-peak light rail transit service to communities in the project corridors defined in ST3.</i>								
At-grade crossings	3	1		1				
Potential service interruptions/recoverability	Lower	Medium		Medium			Lower	Medium
LRT travel times (minutes)	6 to 7 / 13 to 14	6 to 7 / 13 to 14		6 to 7 / 13 to 14				
Transit travel time savings (minutes)	12 to 20	12 to 20		12 to 20				
<i>Improve regional mobility by increasing connectivity and capacity through downtown Seattle to meet projected transit demand.</i>								
Network integration	Lower	Medium		Higher			Medium	Higher
Passenger carrying capacity	Medium	Medium		Medium				
Average weekday trips on West Seattle/Ballard extensions (2042)	35,000 to 40,000 / 123,000 to 163,000	35,000 to 39,000 / 120,000 to 158,000		35,000 to 41,000 / 125,000 to 165,000				
<i>Connect regional centers as described in adopted regional and local land use, transportation, and economic development plans and Sound Transit's Regional Transit Long-Range Plan.</i>								
PSRC growth centers served	5	5		5				
Pop/job densities served (2040)	38 / 39	39 / 39		37 / 38 to 39				
Accommodates future LRT extension	Lower	Medium		Higher		Medium	Higher	
<i>Implement a system that is consistent with the ST3 Plan that established transit mode, corridor, and station locations and that is technically feasible and financially sustainable to build, operate, and maintain.</i>								
Mode, route and stations per ST3	Higher	Higher		Higher				
Potential ST3 schedule effects	Higher	Higher	Medium	Lower				
Potential ST3 operating plan effects	Lower	Higher		Higher			Medium	Higher
Engineering constraints	Lower	Medium		Lower				
Constructability issues	Lower	Medium		Lower				
Operational constraints	Lower	Medium	Lower	Higher			Lower	Higher
Capital costs (2018\$)	-	+\$400M	+\$500M	+\$1,900M			+\$2,100M	+\$1,900M
Annual O&M costs on West Seattle/Ballard extensions (2018\$ in millions)	\$25 to \$30 / \$55 to \$60	\$25 to \$30 / \$55 to \$60		\$25 to \$30 / \$55 to \$60				
<i>Expand mobility for the corridor and region's residents, which include transit dependent, low income, and minority populations.</i>								
Low-income/minority opportunities (activity nodes/rental units) ⁽¹⁾	Medium	Medium		Medium				
	23%	22%		23%				
Low-income population ^(1/2)	32% / 32%	32% / 32%		31%			31%	
Minority population ^(1/2)	34% / 34%	34% / 35%		34% / 34 to 35%				
Youth population ^(1/2)	7% / 10%	7% / 9%		7% / 9 to 10%				
Elderly population ^(1/2)	14% / 11%	14% / 12%		14% / 11 to 12%				
Limited English Proficiency population ^(1/2)	7% / 8%	7% / 8%		7% / 7 to 8%				
Disabled population ^(1/2)	12% / 11%	12% / 11%		12% / 11%				

Steeper track grades with mined CID stations limit train acceleration and flexibility for track crossovers (connections)

(1) Within station walksheds; (2) Within 15 minute ride on connecting high frequency transit

Level 3 evaluation – Part 1 of 2

Operational constraints

Lower Performing
Medium Performing
Higher Performing

= Key Differentiators

Evaluation Measures	ST3 Representative	West Seattle Elevated/C-ID 5th Ave/Downtown 6th Ave/Ballard Elevated		West Seattle Tunnel/C-ID 4th Ave/Downtown 5th Ave/Ballard Tunnel					
	Project	5th Ave Cut-and-Cover International District/Chinatown Station	5th Ave Mined International District/Chinatown Station	41st Ave Alaska Junction/4th Ave Cut-and-Cover/14th Ave Ballard	42nd Ave Alaska Junction Station	44th Ave Alaska Junction Station	4th Ave Mined International District/Chinatown Station	15th Ave Ballard Station	
<i>Provide high quality rapid, reliable, and efficient peak and off-peak light rail transit service to communities in the project corridors defined in ST3.</i>									
At-grade crossings	3	1		1					
Potential service interruptions/recoverability	Lower	Medium		Medium			Lower	Medium	
LRT travel times (minutes)	6 to 7 / 13 to 14	6 to 7 / 13 to 14		6 to 7 / 13 to 14					
Transit travel time savings (minutes)	12 to 20	12 to 20		12 to 20					
<i>Improve regional mobility by increasing connectivity and capacity through downtown Seattle to meet projected transit demand.</i>									
Network integration	Lower	Medium		Higher			Medium	Higher	
Passenger carrying capacity	Medium	Medium		Medium					
Average weekday trips on West Seattle/Ballard extensions (2042)	35,000 to 40,000 / 123,000 to 163,000	35,000 to 39,000 / 120,000 to 158,000		35,000 to 41,000 / 125,000 to 165,000					
<i>Connect regional centers as described in adopted regional and local land use, transportation, and economic development plans and Sound Transit's Regional Transit Long-Range Plan.</i>									
PSRC growth centers served	5	5		5					
Pop/job densities served (2040)	38 / 39	39 / 39		37 / 38 to 39					
Accommodates future LRT extension	Lower	Medium		Higher			Higher		
<i>Implement a system that is consistent with the ST3 Plan that established transit mode, corridor, and station locations and that is technically feasible and financially sound.</i>									
Mode, route and stations per ST3	Higher	Higher		Higher					
Potential ST3 schedule effects	Higher	Higher	Medium	Higher					
Potential ST3 operating plan effects	Lower	Higher		Higher	Higher			Medium	Higher
Engineering constraints	Lower	Medium		Higher					
Constructability issues	Lower	Medium		Higher					
Operational constraints	Lower	Medium	Lower	Higher			Lower	Higher	
Capital costs (2018\$)	-	+\$400M	+\$500M	+\$1,900M			+\$2,100M	+\$1,900M	
Annual O&M costs on West Seattle/Ballard extensions (2018\$ in millions)	\$25 to \$30 / \$55 to \$60	\$25 to \$30 / \$55 to \$60		\$25 to \$30 / \$55 to \$60					
<i>Expand mobility for the corridor and region's residents, which include transit dependent, low income, and minority populations.</i>									
Low-income/minority opportunities (activity nodes/rental units) ⁽¹⁾	Medium	Medium		Medium					
	23%	22%		23%					
Low-income population ^(1/2)	32% / 32%	32% / 32%		32% / 31%					
Minority population ^(1/2)	34% / 34%	34% / 35%		34% / 34 to 35%					
Youth population ^(1/2)	7% / 10%	7% / 9%		7% / 9 to 10%					
Elderly population ^(1/2)	14% / 11%	14% / 12%		14% / 11 to 12%					
Limited English Proficiency population ^(1/2)	7% / 8%	7% / 8%		7% / 7 to 8%					
Disabled population ^(1/2)	12% / 11%	12% / 11%		12% / 11%					

Highest cost alternatives due to additional tunnels in West Seattle and Ballard and 4th Ave viaduct rebuild

(1) Within station walksheds; (2) Within 15 minute ride on connecting high frequency transit

Level 3 evaluation – Part 1 of 2

Capital Costs

Lower Performing
Medium Performing
Higher Performing

= Key Differentiators

Evaluation Measures	ST3 Representative	West Seattle Elevated/C-ID 5th Ave/Downtown 6th Ave/Ballard Elevated		West Seattle Tunnel/C-ID 4th Ave/Downtown 5th Ave/Ballard Tunnel				
	Project	5th Ave Cut-and-Cover International District/Chinatown Station	5th Ave Mined International District/Chinatown Station	41st Ave Alaska Junction/4th Ave Cut-and-Cover/14th Ave Ballard	42nd Ave Alaska Junction Station	44th Ave Alaska Junction Station	4th Ave Mined International District/Chinatown Station	15th Ave Ballard Station
<i>Encourage equitable and sustainable urban growth in station areas through support of transit-oriented development, station access, and modal integration in a manner that is consistent with local land use plans and policies.</i>								
Compatibility with Urban Centers/Villages ⁽¹⁾	58%		56%			55 to 58%		
Station land use plan consistency	Higher		Higher			Higher		
Activity nodes served ⁽¹⁾	302		298			300 to 303		
Passenger transfers	Higher	Higher	Medium		Higher		Medium	Higher
Bus/rail and rail/rail integration ⁽¹⁾	Medium		Medium			Medium		
Bicycle infrastructure and accessibility ⁽¹⁾	19%		19%			18 to 19%		
Pedestrian/limited mobility accessibility	Higher		Higher			Higher		
Development potential ⁽¹⁾	14%		14%			13 to 14%		
Equitable development opportunities	Lower		Medium			Higher		
<i>Preserve and promote a healthy environment and economy by minimizing adverse impacts on the natural, built and social environments through sustainable practices.</i>								
Historic properties/Landmarks ⁽²⁾	40		20			40		
Potential archaeological resource effects ⁽¹⁾	Lower		Lower			Lower		
Parks/recreational resource effects (acres)	1.4		5.3			5.7		
Water resource effects (acres)	0.8		0.5			<0.1		
Fish and wildlife habitat effects (acres)	15.0		6.0			15.0		
Hazardous materials sites ⁽²⁾	50		60			40		
Visual effects to sensitive viewers (miles)	2.5		1.7			1.2		
Noise/vibration sensitive receivers ⁽¹⁾	Medium		Medium			Medium		
Potentially affected properties	Medium		Lower			Higher		
Residential unit displacements	Medium		Lower			Higher		
Business displacements (square feet)	Higher		Lower			Higher		
Construction impacts	Lower	Lower	Medium		Medium		Lower	Medium
Burden on minority/low-income	Lower		Medium			Lower		
Traffic circulation and access effects	Lower		Medium			Higher		
Effects on transportation facilities	Lower		Medium			Medium		
Effects on freight movement	Lower		Medium			Medium		
Business and commerce effects	Medium		Medium			Medium		

(1) Within station walksheds and/or defined buffer of alignment; (2) On properties that overlap with the project footprint

Level 3 evaluation – Part 2 of 2

Overview of Key Differentiators

Lower Performing

Medium Performing

Higher Performing



= Key Differentiators

Evaluation Measures	ST3 Representative	West Seattle Elevated/C-ID 5th Ave/Downtown 6th Ave/Ballard Elevated		West Seattle Tunnel/C-ID 4th Ave/Downtown 5th Ave/Ballard Tunnel				
	Project	5th Ave Cut-and-Cover International District/Chinatown Station	5th Ave Mined International District/Chinatown Station	41st Ave Alaska Junction/4th Ave Cut-and-Cover/14th Ave Ballard	42nd Ave Alaska Junction Station	44th Ave Alaska Junction Station	4th Ave Mined International District/Chinatown Station	15th Ave Ballard Station
<i>Encourage equitable and sustainable urban growth in station areas through support of transit-oriented development, station access, and modal integration in a manner that is consistent with local land use plans and policies.</i>								
Compatibility with Urban Centers/Villages ⁽¹⁾	58%		56%			55 to 58%		
Station land use plan consistency	Higher		Higher			Higher		
Activity nodes served ⁽¹⁾	302		298			300 to 303		
Passenger transfers	Higher	Higher	Medium		Higher		Medium	Higher
Bus/rail and rail/rail integration ⁽¹⁾	Medium		Medium			Medium		
Bicycle infrastructure and accessibility ⁽¹⁾	19%		19%			18 to 19%		
Pedestrian/limited mobility accessibility	Higher		Higher			Higher		
Development potential ⁽¹⁾	14%		14%			13 to 14%		
Equitable development opportunities	Lower							
<i>Preserve and promote a healthy environment and economy by maintaining and enhancing natural resources and social environments through sustainable practices.</i>								
Historic properties/Landmarks ⁽²⁾	40							
Potential archaeological resource effects ⁽¹⁾	Lower							
Parks/recreational resource effects (acres)	1.4							
Water resource effects (acres)	0.8		0.5			<0.1		
Fish and wildlife habitat effects (acres)	15.0		6.0			15.0		
Hazardous materials sites ⁽²⁾	50		60			40		
Visual effects to sensitive viewers (miles)	2.5		1.7			1.2		
Noise/vibration sensitive receivers ⁽¹⁾	Medium		Medium			Medium		
Potentially affected properties	Medium		Lower			Higher		
Residential unit displacements	Medium		Lower			Higher		
Business displacements (square feet)	Higher		Lower			Higher		
Construction impacts	Lower	Lower	Medium		Medium		Lower	Medium
Burden on minority/low-income	Lower		Medium			Lower		
Traffic circulation and access effects	Lower		Medium			Higher		
Effects on transportation facilities	Lower		Medium			Medium		
Effects on freight movement	Lower		Medium			Medium		
Business and commerce effects	Medium		Medium			Medium		

5th Ave deep mined station in CID creates less convenient transfers/access

4th Ave deep mined station in CID creates less convenient transfers/access

(1) Within station walksheds and/or defined buffer of alignment; (2) On properties that overlap with the project footprint

Level 3 evaluation – Part 2 of 2

Passenger transfers

Lower Performing Medium Performing Higher Performing



= Key Differentiators

Evaluation Measures	ST3 Representative	West Seattle Elevated/C-ID 5th Ave/Downtown 6th Ave/Ballard Elevated		West Seattle Tunnel/C-ID 4th Ave/Downtown 5th Ave/Ballard Tunnel				
	Project	5th Ave Cut-and-Cover International District/Chinatown Station	5th Ave Mined International District/Chinatown Station	41st Ave Alaska Junction/4th Ave Cut-and-Cover/14th Ave Ballard	42nd Ave Alaska Junction Station	44th Ave Alaska Junction Station	4th Ave Mined International District/Chinatown Station	15th Ave Ballard Station
<i>Encourage equitable and sustainable urban growth in station areas through support of transit-oriented development, station access, and modal integration in a manner that is consistent with local land use plans and policies.</i>								
Compatibility with Urban Centers/Villages ⁽¹⁾	58%		56%			55 to 58%		
Station land use plan consistency	Higher		Higher			Higher		
Activity nodes served ⁽¹⁾	302		298			300 to 303		
Passenger transfers	Higher	Higher	Medium			Higher	Medium	Higher
Bus/rail and rail/rail integration ⁽¹⁾	Medium		Medium					
Bicycle infrastructure and accessibility ⁽¹⁾	19%							
Pedestrian/limited mobility accessibility	Higher							
Development potential ⁽¹⁾	14%							
Equitable development opportunities	Lower							
<i>Preserve and promote a healthy environment and economy by minimizing adverse impacts on the built and social environments through sustainable practices.</i>								
Historic properties/Landmarks ⁽²⁾	40		20			40		
Potential archaeological resource effects ⁽¹⁾	Lower		Lower			Lower		
Parks/recreational resource effects (acres)	1.4		5.3			5.7		
Water resource effects (acres)	0.8		0.5			<0.1		
Fish and wildlife habitat effects (acres)	15.0		6.0			15.0		
Hazardous materials sites ⁽²⁾	50		60			40		
Visual effects to sensitive viewers (miles)	2.5		1.7			1.2		
Noise/vibration sensitive receivers ⁽¹⁾	Medium		Medium			Medium		
Potentially affected properties	Medium		Lower			Higher		
Residential unit displacements	Medium		Lower			Higher		
Business displacements (square feet)	Higher		Lower			Higher		
Construction impacts	Lower	Lower	Medium		Medium		Lower	Medium
Burden on minority/low-income	Lower		Medium			Lower		
Traffic circulation and access effects	Lower		Medium			Higher		
Effects on transportation facilities	Lower		Medium			Medium		
Effects on freight movement	Lower		Medium			Medium		
Business and commerce effects	Medium		Medium			Medium		

Greatest impacts to parks occur in Interbay

Greatest impacts to parks occur in Interbay; also has greatest impacts to West Seattle golf course

(1) Within station walksheds and/or defined buffer of alignment; (2) On properties that overlap with the project footprint

Level 3 evaluation – Part 2 of 2

Parks and Recreational Resources

Lower Performing
Medium Performing
Higher Performing

= Key Differentiators

Evaluation Measures	ST3 Representative	West Seattle Elevated/C-ID 5th Ave/Downtown 6th Ave/Ballard Elevated		West Seattle Tunnel/C-ID 4th Ave/Downtown 5th Ave/Ballard Tunnel				
	Project	5th Ave Cut-and-Cover International District/Chinatown Station	5th Ave Mined International District/Chinatown Station	41st Ave Alaska Junction/4th Ave Cut-and-Cover/14th Ave Ballard	42nd Ave Alaska Junction Station	44th Ave Alaska Junction Station	4th Ave Mined International District/Chinatown Station	15th Ave Ballard Station
<i>Encourage equitable and sustainable urban growth in station areas through support of transit-oriented development, station access, and modal integration in a manner that is consistent with local land use plans and policies.</i>								
Compatibility with Urban Centers/Villages ⁽¹⁾	58%		56%			55 to 58%		
Station land use plan consistency	Higher		Higher			Higher		
Activity nodes served ⁽¹⁾	302		298			300 to 303		
Passenger transfers	Higher	Higher	Medium		Higher		Medium	Higher
Bus/rail and rail/rail integration ⁽¹⁾			Medium			Medium		
Bicycle infrastructure and accessibility ⁽¹⁾			19%					
Pedestrian/limited mobility accessibility			Higher					
Development potential ⁽¹⁾			14%					
Equitable development opportunities			Medium					
<i>Preserve and promote a healthy environment and economy by minimizing adverse impacts on the natural, built and social environments through sustainable practices</i>								
Historic properties/Landmarks ⁽²⁾	40		20					
Potential archaeological resource effects ⁽¹⁾	Lower		Lower			Lower		
Parks/recreational resource effects (acres)	1.4		5.3			5.7		
Water resource effects (acres)	0.8		0.5			<0.1		
Fish and wildlife habitat effects (acres)	15.0		6.0			15.0		
Hazardous materials sites ⁽²⁾	50		60			40		
Visual effects to sensitive viewers (miles)	2.5					1.2		
Noise/vibration sensitive receivers ⁽¹⁾	Medium					Medium		
Potentially affected properties	Medium					Higher		
Residential unit displacements	Medium					Higher		
Business displacements (square feet)	Higher					Higher		
Construction impacts	Lower	Lower	Medium		Medium		Lower	Medium
Burden on minority/low-income	Lower		Medium			Lower		
Traffic circulation and access effects	Lower		Medium			Higher		
Effects on transportation facilities	Lower		Medium			Medium		
Effects on freight movement	Lower		Medium			Medium		
Business and commerce effects	Medium		Medium			Medium		

Greater in-water effects of movable bridge over Salmon Bay

Greater effects to SW Queen Anne Greenbelt; avoids Pigeon Point in West Seattle

Affects both Pigeon Point and SW Queen Anne Greenbelt

(1) Within station walksheds and/or defined buffer of alignment; (2) On properties that overlap with the project footprint

Level 3 evaluation – Part 2 of 2

Water Resources and Wildlife Habitat

Lower Performing Medium Performing Higher Performing



= Key Differentiators

Evaluation Measures	ST3 Representative	West Seattle Elevated/C-ID 5th Ave/Downtown 6th Ave/Ballard Elevated		West Seattle Tunnel/C-ID 4th Ave/Downtown 5th Ave/Ballard Tunnel				
	Project	5th Ave Cut-and-Cover International District/Chinatown Station	5th Ave Mined International District/Chinatown Station	41st Ave Alaska Junction/4th Ave Cut-and-Cover/14th Ave Ballard	42nd Ave Alaska Junction Station	44th Ave Alaska Junction Station	4th Ave Mined International District/Chinatown Station	15th Ave Ballard Station
<i>Encourage equitable and sustainable urban growth in station areas through support of transit-oriented development, station access, and modal integration in a manner that is consistent with local land use plans and policies.</i>								
Compatibility with Urban Centers/Villages ⁽¹⁾	58%		56%			55 to 58%		
Station land use plan consistency	Higher		Higher			Higher		
Activity nodes served ⁽¹⁾	302		298			300 to 303		
Passenger transfers	Higher	Higher	Medium		Higher		Medium	Higher
Bus/rail and rail/rail integration ⁽¹⁾	Medium		Medium			Medium		
Bicycle infrastructure and accessibility ⁽¹⁾	19%		19%			18 to 19%		
Pedestrian/limited mobility accessibility	Higher		Higher			Higher		
Development potential ⁽¹⁾	14%		14%			13 to 14%		
Equitable development opportunities	Lower		Medium			Higher		
<i>Preserve and promote a healthy environment and economy by minimizing adverse impacts on the natural, built and social environments through sustainable practices.</i>								
Historic properties/Landmarks ⁽²⁾	40		29			40		
Potential archaeological resource effects ⁽¹⁾	Lower					Lower		
Parks/recreational resource effects (acres)	1.4					5.7		
Water resource effects (acres)	0.8					<0.1		
Fish and wildlife habitat effects (acres)	15.0		6.0			15.0		
Hazardous materials sites ⁽²⁾	50		60			40		
Visual effects to sensitive viewers (miles)	2.5		1.7			1.2		
Noise/vibration sensitive receivers ⁽¹⁾	Medium		Medium			Medium		
Potentially affected properties	Medium		Lower			Higher		
Residential unit displacements	Medium		Lower			Higher		
Business displacements (square feet)	Higher		Lower			Higher		
Construction impacts	Lower	Lower	Medium		Medium		Lower	Medium
Burden on minority/low-income	Lower		Medium			Lower		
Traffic circulation and access effects	Lower		Medium			Higher		
Effects on transportation facilities	Lower		Medium			Medium		
Effects on freight movement	Lower		Medium			Medium		
Business and commerce effects	Medium		Medium			Medium		

More elevated guideway near visually sensitive viewers

(1) Within station walksheds and/or defined buffer of alignment; (2) On properties that overlap with the project footprint

Level 3 evaluation – Part 2 of 2

Visual effects

Lower Performing Medium Performing Higher Performing



= Key Differentiators

Evaluation Measures	ST3 Representative	West Seattle Elevated/C-ID 5th Ave/Downtown 6th Ave/Ballard Elevated		West Seattle Tunnel/C-ID 4th Ave/Downtown 5th Ave/Ballard Tunnel				
	Project	5th Ave Cut-and-Cover International District/Chinatown Station	5th Ave Mined International District/Chinatown Station	41st Ave Alaska Junction/4th Ave Cut-and-Cover/14th Ave Ballard	42nd Ave Alaska Junction Station	44th Ave Alaska Junction Station	4th Ave Mined International District/Chinatown Station	15th Ave Ballard Station
<i>Encourage equitable and sustainable urban growth in station areas through support of transit-oriented development, station access, and modal integration in a manner that is consistent with local land use plans and policies.</i>								
Compatibility with Urban Centers/Villages ⁽¹⁾	58%		56%				55 to 58%	
Station land use plan consistency	Higher		Higher				Higher	
Activity nodes served ⁽¹⁾	302		298				300 to 303	
Passenger transfers	Higher	Higher		Medium		Higher		Medium
Bus/rail and rail/rail integration ⁽¹⁾	Medium		Medium				Medium	
Bicycle infrastructure and accessibility ⁽¹⁾	19%		19%				18 to 19%	
Pedestrian/limited mobility accessibility	Higher		Higher				Higher	
Development potential ⁽¹⁾	14%		14%				13 to 14%	
Equitable development opportunities	Lower		Medium				Higher	
<i>Preserve and promote a healthy environment and economy by minimizing adverse impacts on the environment and community through sustainable practices.</i>								
Historic properties/Landmarks ⁽²⁾	40		20				40	
Potential archaeological resource effects ⁽¹⁾	Lower		Lower				Lower	
Parks/recreational resource effects (acres)	1.4		5.3				5.7	
Water resource effects (acres)	0.8		0.5				<0.1	
Fish and wildlife habitat effects (acres)	15.0		6.0				15.0	
Hazardous materials sites ⁽²⁾	50		60				40	
Visual effects to sensitive viewers (miles)	2.5		1.7				1.2	
Noise/vibration sensitive receivers ⁽¹⁾	Medium		Medium				Medium	
Potentially affected properties	Medium		Lower				Higher	
Residential unit displacements	Medium		Lower				Higher	
Business displacements (square feet)	Higher		Lower				Higher	
Construction impacts	Lower	Lower		Medium		Medium		Lower
Burden on minority/low-income	Lower		Medium				Lower	
Traffic circulation and access effects	Lower		Medium				Higher	
Effects on transportation facilities	Lower		Medium				Medium	
Effects on freight movement	Lower		Medium				Medium	
Business and commerce effects	Medium		Medium				Medium	

Greater property acquisitions and displacements associated with elevated guideway outside of public right of way in West Seattle and Interbay-Ballard

(1) Within station walksheds and/or defined buffer of alignment; (2) On properties that overlap with the project footprint

Level 3 evaluation – Part 2 of 2

Property Acquisitions and Displacements

Lower Performing
Medium Performing
Higher Performing

 = Key Differentiators

Evaluation Measures	ST3 Representative	West Seattle Elevated/C-ID 5th Ave/Downtown 6th Ave/Ballard Elevated		West Seattle Tunnel/C-ID 4th Ave/Downtown 5th Ave/Ballard Tunnel				
	Project	5th Ave Cut-and-Cover International District/Chinatown Station	5th Ave Mined International District/Chinatown Station	41st Ave Alaska Junction/4th Ave Cut-and-Cover/14th Ave Ballard	42nd Ave Alaska Junction Station	44th Ave Alaska Junction Station	4th Ave Mined International District/Chinatown Station	15th Ave Ballard Station
<i>Encourage equitable and sustainable urban growth in station areas through support of transit-oriented development, station access, and modal integration in a manner that is consistent with local land use plans and policies.</i>								
Compatibility with Urban Centers/Villages ⁽¹⁾	58%		56%				55 to 58%	
Station land use plan consistency	Higher		Higher				Higher	
Activity nodes served ⁽¹⁾	302		298				300 to 303	
Passenger transfers	Higher	Higher	Medium		Higher		Medium	Higher
Bus/rail and rail/rail integration ⁽¹⁾	Medium		Medium				Medium	
Bicycle infrastructure and accessibility ⁽¹⁾	19%		19%				18 to 19%	
Pedestrian/limited mobility accessibility	Higher		Higher				Higher	
Development potential ⁽¹⁾	14%		14%				13 to 14%	
Equitable development opportunities	Lower		Medium				Higher	
<i>Preserve and promote a healthy environment and economy by minimizing adverse impacts on the natural, built and social environments through sustainable practices.</i>								
Historic properties/Landmarks ⁽²⁾	40		20				40	
Potential archaeological resource effects ⁽¹⁾							Lower	
Parks/recreational resource effects (acres)							7	
Water resource effects (acres)								
Fish and wildlife habitat effects (acres)								
Hazardous materials sites ⁽²⁾								
Visual effects to sensitive viewers (miles)								
Noise/vibration sensitive receivers ⁽¹⁾	Med		Medium				Med	
Potentially affected properties	Med		Lower				Higher	
Residential unit displacements	Med		Lower				Higher	
Business displacements (square feet)	High		Lower				Higher	
Construction impacts	Lower	Lower	Medium		Medium		Lower	Medium
Burden on minority/low-income	Lower		Medium				Lower	
Traffic circulation and access effects	Lower		Medium				Higher	
Effects on transportation facilities	Lower		Medium				Medium	
Effects on freight movement	Lower		Medium				Medium	
Business and commerce effects	Medium		Medium				Medium	

Greater construction effects of cut-and-cover tunnel/station in C-ID and elevated guideway in Elliott/15th Ave W median

Reduced construction effects on 5th Ave S in C-ID with mined station

Extended traffic diversions due to full closure of 4th Ave S during construction in C-ID

(1) Within station walksheds and/or defined buffer of alignment; (2) On properties that overlap with the project footprint

Level 3 evaluation – Part 2 of 2

Construction Impacts

Lower Performing Medium Performing Higher Performing



= Key Differentiators

Evaluation Measures	ST3 Representative	West Seattle Elevated/C-ID 5th Ave/Downtown 6th Ave/Ballard Elevated		West Seattle Tunnel/C-ID 4th Ave/Downtown 5th Ave/Ballard Tunnel				
	Project	5th Ave Cut-and-Cover International District/Chinatown Station	5th Ave Mined International District/Chinatown Station	41st Ave Alaska Junction/4th Ave Cut-and-Cover/14th Ave Ballard	42nd Ave Alaska Junction Station	44th Ave Alaska Junction Station	4th Ave Mined International District/Chinatown Station	15th Ave Ballard Station
<i>Encourage equitable and sustainable urban growth in station areas through support of transit-oriented development, station access, and modal integration in a manner that is consistent with local land use plans and policies.</i>								
Compatibility with Urban Centers/Villages ⁽¹⁾	58%		56%				55 to 58%	
Station land use plan consistency	Higher		Higher				Higher	
Activity nodes served ⁽¹⁾	302		298				300 to 303	
Passenger transfers	Higher	Higher		Medium		Higher		Medium
Bus/rail and rail/rail integration ⁽¹⁾	Medium		Medium				Medium	
Bicycle infrastructure and accessibility ⁽¹⁾	19%		19%				18 to 19%	
Pedestrian/limited mobility accessibility	Higher		Higher				Higher	
Development potential ⁽¹⁾	14%		14%				13 to 14%	
Equitable development opportunities	Lower		Medium				Higher	
<i>Preserve and promote a healthy environment and economy by minimizing adverse impacts on the natural, built and social environments through sustainable practices.</i>								
Historic properties/Landmarks ⁽²⁾	40		20					
Potential archaeological resource effects ⁽¹⁾	Lower		Lower					
Parks/recreational resource effects (acres)	1.4		5.3					
Water resource effects (acres)			0.5					
Fish and wildlife habitat effects (acres)			6.0					
Hazardous materials sites ⁽²⁾			60					
Visual effects to sensitive viewers (miles)			1.7					
Noise/vibration sensitive receivers ⁽¹⁾			Medium					
Potentially affected properties			Lower				Higher	
Residential unit displacements	Medium		Lower				Higher	
Business displacements (square feet)	High		Lower				Higher	
Construction impacts	Low	Lower		Medium		Medium		Low
Burden on minority/low-income	Lower		Medium				Lower	
Traffic circulation and access effects	Lower		Medium				Higher	
Effects on transportation facilities	Lower		Medium				Medium	
Effects on freight movement	Lower		Medium				Medium	
Business and commerce effects	Medium		Medium				Medium	

Greater construction effects with cut-and-cover C-ID tunnel/station

Reduced construction effects with bored tunnel under 5th Avenue in C-ID

Traffic diversion effects due to multi-year partial closure of 4th Ave S during C-ID station construction

Extensive traffic diversion effects due to multi-year full closure of 4th Ave S during C-ID station construction

(1) Within station walksheds and/or defined buffer of alignment; (2) On properties that overlap with the project footprint

Level 3 evaluation – Part 2 of 2

Burden on minority/low-income

Lower Performing Medium Performing Higher Performing



= Key Differentiators

Evaluation Measures	ST3 Representative	West Seattle Elevated/C-ID 5th Ave/Downtown 6th Ave/Ballard Elevated		West Seattle Tunnel/C-ID 4th Ave/Downtown 5th Ave/Ballard Tunnel				
	Project	5th Ave Cut-and-Cover International District/Chinatown Station	5th Ave Mined International District/Chinatown Station	41st Ave Alaska Junction/4th Ave Cut-and-Cover/14th Ave Ballard	42nd Ave Alaska Junction Station	44th Ave Alaska Junction Station	4th Ave Mined International District/Chinatown Station	15th Ave Ballard Station
<i>Encourage equitable and sustainable urban growth in station areas through support of transit-oriented development, station access, and modal integration in a manner that is consistent with local land use plans and policies.</i>								
Compatibility with Urban Centers/Villages ⁽¹⁾	58%		56%			55 to 58%		
Station land use plan consistency	Higher		Higher			Higher		
Activity nodes served ⁽¹⁾	302		298			300 to 303		
Passenger transfers	Higher	Higher	Medium		Higher		Medium	Higher
Bus/rail and rail/rail integration ⁽¹⁾	Medium		Medium			Medium		
Bicycle infrastructure and accessibility ⁽¹⁾	19%		19%			18 to 19%		
Pedestrian/limited mobility accessibility	Higher		Higher			Higher		
Development potential ⁽¹⁾	14%		14%			13 to 14%		
Equitable development opportunities	Lower		Medium			Higher		
<i>Preserve and promote a healthy environment and economy by minimizing adverse impacts on the natural, built and social environments through sustainable practices.</i>								
Historic properties/Landmarks ⁽²⁾	40		20			40		
Potential archaeological resource effects ⁽¹⁾	Lower					Lower		
Parks/recreational resource effects (acres)	1.4					5.7		
Water resource effects (acres)	0.8					<0.1		
Fish and wildlife habitat effects (acres)	15.0					15.0		
Hazardous materials sites ⁽²⁾	50					40		
Visual effects to sensitive viewers (miles)	2.5					1.2		
Noise/vibration sensitive receivers ⁽¹⁾	Medium					Medium		
Potentially affected properties	Medium					Higher		
Residential unit displacements	Medium		Lower			Higher		
Business displacements (square feet)	Higher		Lower			Higher		
Construction impacts	Lower	Lower	Medium		Medium		Lower	Medium
Burden on minority/low-income	Lower		Medium			Lower		
Traffic circulation and access effects	Lower		Medium			Higher		
Effects on transportation facilities	Lower		Medium			Medium		
Effects on freight movement	Lower		Medium			Medium		
Business and commerce effects	Medium		Medium			Medium		

More traffic, transportation infrastructure and freight impacts due to lengthy sections of elevated track along high volume arterials in West Seattle and Interbay-Ballard

(1) Within station walksheds and/or defined buffer of alignment; (2) On properties that overlap with the project footprint

Level 3 evaluation – Part 2 of 2

Traffic, Transportation and Freight

Lower Performing Medium Performing Higher Performing




= Key Differentiators

A photograph of a train station platform. A white train with 'CANTON SOUTHWEST' on its front is stopped at the platform. Several passengers are waiting, including a woman in a yellow hijab and a man with a backpack. The platform has blue railings and a blue circular sign. The text 'Key considerations' is overlaid in white, italicized font.

Key considerations

Key considerations

- › West Seattle stations and guideway
- › Duwamish Waterway crossing
- › SODO and Chinatown/Int'l District
- › Downtown tunnel route
- › Smith Cove-Interbay
- › Salmon Bay crossing
- › Ballard terminus station



Key considerations

ST3 Representative Project

- East-west oriented elevated Alaska Junction Station complicates future LRT extension; constrained terminal station on SW Alaska Street
- High guideway on SW Genesee Street
- Park effects may require 4(f) avoidance alternative
- Delridge Station problematic proximity to freeway/Nucor

West Seattle Elevated

- More displacements between Alaska Junction and Avalon stations; similar number of displacements in Delridge
- Greatest disruption to neighborhood around Alaska Junction Station
- High guideway on SW Genesee Street
- Park effects may require 4(f) avoidance alternative

West Seattle Tunnel

- Fewer displacements with tunnel Alaska Junction Station; similar number of displacements in Delridge
- Tunnel facilitates lower guideway on SW Genesee Street, but could increase implementation schedule and require 3rd Party funding
- Park effects may require 4(f) avoidance alternative
- Lower Delridge Station in neighborhood

West Seattle Stations and Guideway



Key considerations

West Seattle Stations and Guideway

ST3 Representative Project

- Engineering constraints with Pigeon Point steep slopes
- Some effects to Duwamish Greenbelt

West Seattle Elevated

- Engineering constraints with Pigeon Point steep slopes
- Some effects to Duwamish Greenbelt

West Seattle Tunnel

- North bridge crossing avoids Pigeon Point steep slope and effects to Duwamish Greenbelt
- Affects freight, port terminal facilities especially during construction

Duwamish Waterway Crossing



Key considerations

Duwamish Waterway Crossing

ST3 Representative Project

- More complex and costly elevated track
- Does not facilitate track interconnections
- Does not grade separate Lander and Holgate roadway crossings

C-ID 5th Avenue

- At-grade track alignment reduces cost and complexity
- Grade separations of Lander and Holgate improve existing LRT/traffic operations

C-ID 4th Avenue

- At-grade track alignment reduces cost and complexity
- Grade separations of Lander and Holgate improve existing LRT/traffic operations

SODO and Chinatown/ International District



ST3 Representative Project

- Cut-and-cover tunnel and station on 5th Ave S results in construction effects in C-ID
- Affects WSDOT ramps/foundations
- Impacts Ryerson bus base

C-ID 5th Avenue

- Cut-and-cover station on 5th Ave S results in construction effects in C-ID but bored tunnel limits effects
- Mined station option reduces effects but has less convenient access/transfers
- Affects future Central base expansion

C-ID 4th Avenue

- Viaduct rebuild results in more construction complexity and traffic diversions, schedule delays; requires 3rd Party funding
- Mined station option increases traffic effects and has less convenient access/transfers
- Impacts Ryerson bus base

Key considerations

SODO and Chinatown/ International District

SODO

ST3 Representative Project

- More complex and costly elevated track
- Does not facilitate track interconnections
- Does not grade separate Lander and Holgate roadway crossings

C-ID 5th Avenue

- At-grade track alignment reduces cost and complexity
- Grade separations of Lander and Holgate improve existing LRT/traffic operations

C-ID 4th Avenue


- At-grade track alignment reduces cost and complexity
- Grade separations of Lander and Holgate improve existing LRT/traffic operations



Key considerations

SODO and Chinatown/ International District – West Seattle extension

Chinatown/ International District



ST3 Representative Project

- Cut-and-cover tunnel and station on 5th Ave S results in construction effects in C-ID
- Affects WSDOT ramps/foundations
- Impacts Ryerson bus base

C-ID 5th Avenue

- Cut-and-cover station on 5th Ave S results in construction effects in C-ID but bored tunnel limits effects
- Mined station option reduces effects but has less convenient access/transfers
- Affects future Central base expansion

C-ID 4th Avenue

- Viaduct rebuild results in more construction complexity and traffic diversions, schedule delays; requires 3rd Party funding
- Mined station option increases traffic effects and has less convenient access/transfers
- Impacts Ryerson bus base

Key considerations

SODO and Chinatown/ International District – Ballard extension

Downtown Tunnel Route



ST3 Representative Project

- Impacts SR 99 off ramp and requires large sewer relocation
- Constrained right-of-way at Seattle Center Station
- North tunnel portal results in more acquisitions and displacements

Downtown 6th Ave

- Limited entrance options for Midtown Station
- Wider right-of-way for Seattle Center Station
- North tunnel portal located in poor soil conditions

Downtown 5th Ave

- Higher ridership potential at South Lake Union Station due to better pedestrian access and bus connections
- Constrained right-of-way at Seattle Center Station
- North tunnel portal impacts SW Queen Anne Greenbelt in landslide hazard area

Key considerations

Downtown Tunnel Route

Smith Cove-Interbay



ST3 Representative Project

- Affects Elliott/15th Ave W
- Engineering constraints with landslide hazard area
- Affects SW Queen Anne Greenbelt

Ballard Elevated

- Avoids Elliott/15th Ave W
- Some potential impacts to existing infrastructure
- Park effects may require 4(f) avoidance alternatives

Ballard Tunnel

- Avoids Elliott/15th Ave W
- Engineering constraints with landslide hazard area
- Most effects to SW Queen Anne Greenbelt
- Park effects may require 4(f) avoidance alternatives

Key considerations

Smith Cove-Interbay

Salmon Bay Crossing



ST3 Representative Project

- Movable bridge has potential service interruptions and most in-water effects
- More effects to Fishermen's Terminal, maritime businesses and vessel navigation

Ballard Elevated

- Fixed bridge reduces in-water effects and avoids Fishermen's Terminal but has other potential maritime business effects
- Fixed bridge crossing would require high-level structure for navigational clearances

Ballard Tunnel

- Tunnel avoids columns in water and maritime/navigational effects
- Tunnel crossings add costs; require 3rd Party funding

Key considerations

Salmon Bay Crossing

Ballard Station



ST3 Representative Project

- Ballard Station on 15th Ave NW closer to Urban Village
- More acquisitions and displacements with elevated guideway, station and tail tracks on 15th Ave NW

Ballard Elevated

- Wider 14th Ave NW right-of-way better accommodates elevated guideway, station and tail tracks
- Ballard Station on 14th Ave NW farther from center of Urban Village than 15th Ave NW, but would have similar ridership and potentially better bus integration

Ballard Tunnel

- Wider 14th Ave NW right-of-way better accommodates station and tail tracks
- Ballard Station on 14th Ave NW farther from center of Urban Village than 15th Ave NW, but would have similar ridership and potentially better bus integration

Key considerations

Ballard Terminus Station

A photograph of a train station platform. A blue and white train is stopped at the platform. Several people are waiting, including a woman in a yellow hijab and a man with a backpack. The platform has a blue railing and a blue sign that says "CANTON SOUTHWEST". The background shows a building with a sign that says "Canton City".

Summary of Level 3 evaluation results

Evaluation Measures	ST3 Representative	West Seattle Elevated/C-ID 5th Ave/Downtown 6th Ave/Ballard Elevated		West Seattle Tunnel/C-ID 4th Ave/Downtown 5th Ave/Ballard Tunnel				
	Project	5th Ave Cut-and-Cover International District/Chinatown Station	5th Ave Mined International District/Chinatown Station	41st Ave Alaska Junction/4th Ave Cut-and-Cover/14th Ave Ballard	42nd Ave Alaska Junction Station	44th Ave Alaska Junction Station	4th Ave Mined International District/Chinatown Station	15th Ave Ballard Station
<i>Provide high quality rapid, reliable, and efficient peak and off-peak light rail transit service to communities in the project corridors defined in ST3.</i>								
At-grade crossings	3	1		1				
Potential service interruptions/recoverability	Lower	Medium		Medium			Lower	Medium
<i>Improve regional mobility by increasing connectivity and capacity through downtown Seattle to meet projected transit demand.</i>								
Network Integration	Lower	Medium		Higher			Medium	Higher
<i>Connect regional centers as described in adopted regional and local land use, transportation, and economic development plans and Sound Transit's Regional Transit Long-Range Plan.</i>								
Accommodates future LRT extension	Lower	Medium		Higher		Medium	Higher	
<i>Implement a system that is consistent with the ST3 Plan that established transit mode, corridor, and station locations and that is technically feasible and financially sustainable to build, operate, and maintain.</i>								
Potential ST3 schedule effects	Higher	Higher	Medium	Lower				
Potential ST3 operating plan effects	Lower	Higher		Higher			Medium	Higher
Engineering constraints	Lower	Medium		Lower				
Constructability issues	Lower	Medium		Lower				
Operational constraints	Lower	Medium	Lower	Higher			Lower	Higher
Capital costs (2018\$)	-	+\$400M	+\$500M	+\$1,900M			+\$2,100M	+\$1,900M
<i>Encourage equitable and sustainable urban growth in station areas through support of transit-oriented development, station access, and modal integration in a manner that is consistent with local land use plans and policies.</i>								
Passenger transfers	Higher	Higher	Medium	Higher			Medium	Higher
Equitable development opportunities	Lower	Medium		Higher				
<i>Preserve and promote a healthy environment and economy by minimizing adverse impacts on the natural, built and social environments through sustainable practices.</i>								
Parks/recreational resource effects (acres)	1.4	5.3		5.7				
Water resource effects (acres)	0.8	0.5		<0.1				
Fish and wildlife habitat effects (acres)	15.0	6.0		15.0				
Hazardous materials sites ⁽¹⁾	50	60		40				
Visual effects to sensitive viewers (miles)	2.5	1.7		1.2				
Potentially affected properties	Medium	Lower		Higher				
Residential unit displacements	Medium	Lower		Higher				
Business displacements (square feet)	Higher	Lower		Higher				
Construction impacts	Lower	Lower	Medium	Medium			Lower	Medium
Burden on minority/low-income	Lower	Medium		Lower				
Traffic circulation and access effects	Lower	Medium		Higher			Medium	
Effects on transportation facilities	Lower	Medium		Medium				
Effects on freight movement	Lower	Medium		Medium				

(1) On properties that overlap with the project footprint

Lower Performing Medium Performing Higher Performing

Summary of differentiators

Key Considerations	Summary of Findings
West Seattle stations and guideway	<ul style="list-style-type: none"> • ST3 Representative Project's east-west oriented elevated Alaska Junction Station complicates future LRT extension • Tunnel alternatives could delay opening of West Seattle extension; require 3rd Party funding • Park effects in West Seattle may require 4(f) avoidance alternative
Duwamish Waterway crossing	<ul style="list-style-type: none"> • North bridge crossing avoids Pigeon Point steep slope and effects to Duwamish Greenbelt; affects freight, port terminal facilities especially during construction
SODO and Chinatown/International District	<ul style="list-style-type: none"> • ST3 Representative Project has more complex/costly elevated track in SODO; does not facilitate track interconnections • Deep mined C-ID station options (on 4th and 5th Aves) result in less convenient passenger access/transfers • 4th Ave S viaduct rebuild creates engineering/constructability issues, potential schedule delay, extensive traffic diversions during construction and requires 3rd Party funding
Downtown tunnel route	<ul style="list-style-type: none"> • ST3 Representative Project on Republican impacts SR 99 off ramp and requires large sewer relocation • Higher ridership potential at South Lake Union Station on Harrison due to better pedestrian access/bus connections
Smith Cove-Interbay	<ul style="list-style-type: none"> • ST3 Representative Project affects Elliott/15th Ave W • Alignments on east side of Elliott affect landslide hazard area and SW Queen Anne Greenbelt • Park effects in Interbay may require 4(f) avoidance alternative
Salmon Bay crossing	<ul style="list-style-type: none"> • Movable bridge has potential service interruptions and more in-water effects • Tunnel crossings add costs; require 3rd Party funding
Ballard terminus station	<ul style="list-style-type: none"> • Wider 14th Ave NW right-of-way better accommodates guideway, station and tail tracks • Ballard Station on 14th Ave NW farther from center of Urban Village than 15th Ave NW, but would have similar ridership and potentially better bus integration

Summary of key considerations

A photograph of a light rail train at a station platform. The train is white and blue, with "CANTON SOUTHWEST" written on its front. People are waiting on the platform, some standing and some sitting on benches. The platform has a blue railing and a blue sign that says "Canton City". The background shows trees and a clear sky. The text "Potential mix-and-match opportunities" is overlaid in white, italicized font.

Potential mix-and-match opportunities

Summary of Level 3 alternatives

› ST3 Representative Project

West Seattle Elevated/ C-ID 5th Ave/ Downtown 6th Ave/ Ballard Elevated


- C-ID station options: 5th Ave Cut-and-Cover and 5th Ave Mined

› West Seattle Tunnel/ C-ID 4th Ave/ Downtown 5th Ave/ Ballard Tunnel

- Junction station options: 41st Ave, 42nd Ave and 44th Ave
- C-ID station options: 4th Ave Cut-and-Cover and 4th Ave Mined
- Ballard station options: 14th Ave and 15th Ave



West Seattle Elevated/ C-ID 5th Ave/ Downtown 6th Ave/ Ballard Elevated – Potential mix-and-match opportunities



Duwamish Crossing:

Key differentiators

- Engineering constraints
- Fish and wildlife effects
- Property effects
- Freight movement effects
- Business and commerce effects
- Cost



**West Seattle Elevated/ C-ID 5th Ave/ Downtown 6th Ave/
Ballard Elevated Crossing on north instead of south side**



Downtown:

Key differentiators

- Midtown Station
- SLU Station
- Seattle Center Station
- North tunnel portal
- Cost



**West Seattle Elevated/ C-ID 5th Ave/ Downtown 6th Ave/
Ballard Elevated 5th/Harrison route instead of 6th/Mercer**



Smith Cove:

Key differentiators

- Station location
- Engineering constraints
- Parks, fish and wildlife
- Property effects
- Cost



West Seattle Elevated/ C-ID 5th Ave/ Downtown 6th Ave/ Ballard Elevated Station near Prospect instead of Galer

Summary of Level 3 alternatives

- **ST3 Representative Project**
- **West Seattle Elevated/ C-ID 5th Ave/
Downtown 6th Ave/ Ballard Elevated**
 - C-ID station options: 5th Ave Cut-and-Cover and 5th Ave Mined



West Seattle Tunnel/ C-ID 4th Ave/ Downtown 5th Ave/ Ballard Tunnel

- Junction station options: 41st Ave, 42nd Ave and 44th Ave
- C-ID station options: 4th Ave Cut-and-Cover and 4th Ave Mined
- Ballard station options: 14th Ave and 15th Ave



Elevated (instead of tunnel) Alaska Junction and Avalon stations


5th Ave (instead of 4th Ave) Chinatown/ID station

Elevated (instead of tunnel) Ballard station

LEGEND

	Elevated alignment		Elevated station
	Surface alignment		Surface station
	Tunnel alignment		Tunnel station
	Alignment option		Station option
	Approximate portal location		Existing elevated alignment
	Street overpass		Existing surface station
	Existing surface alignment		Existing tunnel alignment
	Existing tunnel station		

West Seattle Tunnel/ C-ID 4th Ave/ Downtown 5th Ave/ Ballard Tunnel – Potential mix-and-match opportunities




Alaska Junction:

Key differentiators

- Station location
- Property effects
- Guideway height in Delridge
- Cost



**West Seattle Tunnel/ C-ID 4th Ave/ Downtown 5th Ave/
Ballard Tunnel *Elevated instead of tunnel stations***




SODO and Chinatown-ID:

Key differentiators

- Ease of station access/passenger transfers
- Construction effects in C-ID

- Property effects
- Construction schedule
- Cost

West Seattle Tunnel/ C-ID 4th Ave/ Downtown 5th Ave/ Ballard Tunnel 5th Ave instead of 4th Ave CID station



Salmon Bay Crossing and Ballard Station:

Key differentiators

- Station location
- Water resources
- Business and commerce
- Property effects
- Cost

**West Seattle Tunnel/ C-ID 4th Ave/ Downtown 5th Ave/
Ballard Tunnel *Elevated instead of tunnel Ballard station***

A light rail train is stopped at a station platform. The train is white with blue and green wavy patterns along the bottom. A man in a dark shirt and grey pants is standing in the open doorway of the train. Several people are walking on the platform. A woman in a pink top and black pants is walking towards the camera. A man in a grey t-shirt and khaki pants is walking away from the camera. A woman in a white top and light blue pants is walking away from the camera. A man in a white t-shirt and khaki pants is walking away from the camera. A blue sign with a white train icon is visible in the background. The text "Next steps" is overlaid in the center of the image.

Next steps

Level 3 alternatives screening

SAG Meeting #12	Jan 30	Level 3 evaluation results
ELG Meeting #6	Feb 1	Level 3 evaluation results
EIS Scoping Open Houses / Neighborhood Forums	Feb/ Mar TBD	Level 3 evaluation results
ELG Meeting #7	Mar 29	CID station focus
SAG Meeting #13	Apr TBD	Level 3 recommendations
ELG Meeting #8	Apr TBD	Level 3 recommendations
Sound Transit Board System Expansion Committee	May 9	Identify preferred alternative (and other EIS alternatives)
Sound Transit Board Full Board	May 23	Identify preferred alternative (and other EIS alternatives)

soundtransit.org/wsblink 

